

RECEIVED  
JAN 20 1972  
STATE ENGINEER  
SALEM, OREGON

RECEIVED  
JAN 20 1972  
STATE ENGINEER  
SALEM, OREGON

Permit No. G- G 5515

CERTIFICATE NO. 44192

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

We, Howard E. and Mary E. Towne  
(Name of applicant)  
of Rte 6 Box 150 Lakeview Ore  
(Postoffice Address), county of Lake

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Thomas Creek  
(Name of stream)

tributary of Goose Lake

2. The amount of water which the applicant intends to apply to beneficial use is ~~100~~ cubic feet per second or 1200 gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located 1845 ft. N and 1290.5 ft. W from the SE corner of Sec. 23 T385 R19 EWM  
(N. or S.) (E. or W.)  
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NE SE of Sec. 23, Twp. 385, R. 19 E, W. M., in the county of Lake

5. The Existing ditch plus lateral extension to be 3/4 miles  
(Canal or pipe line)  
in length, terminating in the SE SW of Sec. 24, Twp. 385, R. 19 E, W. M., the proposed location being shown throughout on the accompanying map.  
(Smallest legal subdivision)

6. The name of the well or other works is

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 Well having a diameter of 12 inches and an estimated depth of 234 feet. It is estimated that feet of the well will require 234' Steel casing. Depth to water table is estimated 10  
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake ..... in.; in size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type 800 gal per minute size,  
type Turbine pump.

Give horsepower and type of motor or engine to be used 7.5 Hp., electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
385	19E	23	NE SE	27
"	19E	"	SE SE	22
"	19E	24	SW SW	22
"	19E	"	SE SW	39
<i>Supplemental</i>				
"	19E	23	SE SE	15
"	19E	24	SW SW	16
				141

(If more space required, attach separate sheet)

Character of soil .....

Kind of crops raised pasture, hay alfalfa

MUNICIPAL SUPPLY—

13. To supply the city of \_\_\_\_\_  
in \_\_\_\_\_ county, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 10,000.<sup>00</sup>
- 15. Construction work will begin on or before 11-18-71
- 16. Construction work will be completed on or before 10-31-72
- 17. The water will be completely applied to the proposed use on or before 10-31-74

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Certificates Nos. 6-5238 & 6-5274 - Thomas Creek -  
Adjudication of Waters of Goose Lake and Tributaries  
Howard E. Towne  
& Mary E. Towne  
(Signature of applicant)

Remarks: Flood irrigation at first and possible  
sprinkling later on.  
on question 16 we plan to have pump in and in use  
on part of land in summer 1972. And on question  
17 we plan to use all water by 1974. Because we are  
leveling and part of it is in grain allotment and  
will want to reseed it.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 19\_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_\_

\_\_\_\_\_  
STATE ENGINEER  
By \_\_\_\_\_  
ASSISTANT

STATE OF OREGON,

PERMIT

County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.76 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is January 20, 1972

Actual construction work shall begin on or before March 21, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1976

Complete application of the water to the proposed use shall be made on or before October 1, 1977

WITNESS my hand this 21st day of March, 1975

*[Signature]*

STATE ENGINEER

Application No. G-5727

Permit No. G-5515

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 20th day of January, 1972, at 11:15 o'clock A. M.

Returned to applicant:

Approved:

March 21, 1975

Recorded in book No. of G 5515 Ground Water Permits on page 62

CHRIS L. WHEELER

STATE ENGINEER

Drainage Basin No. 13, page 62

# 32 55