

Permit No. G-5520

APPLICATION FOR A PERMIT

CERTIFICATE NO. 46413

To Appropriate the Ground Waters of the State of Oregon

I, ^{Jane} ESTHER E. EVERSON (Name of applicant)
of 194 HATTON AVE. EUGENE (Postoffice Address), county of LANE
state of OREGON 97402, do hereby make application for a permit to appropriate the
following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

NONE

1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated WILLAMETTE RIVER (Name of stream)

tributary of COLUMBIA RIVER

2. The amount of water which the applicant intends to apply to beneficial use is 1.275 cubic
feet per second or gallons per minute.

3. The use to which the water is to be applied is IRRIGATION OF AGRICULTURAL
CROPS.

4. The well or other source is located 645 ft. S and 1650 ft. E from the NW
corner of THE GARRET MAUPIN DLO No. 42. (N. or S.) (E. or W.)

ALSO BEING 2495 FT. BEARING S 31° 15' W OF THE NE
CORNER OF SECTION 35 (If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the SE 1/4 OF THE NE 1/4 of Sec. 35, Twp. 16 S, R. 4 W,
W. M., in the county of LANE

5. The (Canal or pipe line) to be miles
in length, terminating in the (Smallest legal subdivision) of Sec. , Twp. ,
R. , W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is WELL # 2

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the
supply when not in use must be described.

8. The development will consist of ONE WELL (Give number of wells, tunnels, etc.)
having a diameter of 12 inches and an estimated depth of 35 feet. It is estimated that 30
feet of the well will require STEEL (Kind) casing. Depth to water table is estimated 17 FT. (Feet)
6 INCHES.

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type BERKELEY CENTRIFUGAL - MODEL B3EPBL - 500 G.P.M. - 360 FT. H.D. - 9 1/16 IMP. DIA. - 60 H.P. - 3450 RPM. - 3" INLET 4" OUTLET

Give horsepower and type of motor or engine to be used CENTURY - CODE G - TYPE SC - 60 HP. 3540 RPM. - 3 PHASE - V. 230/460 - NEMA B - Cy 60 - SER 6J - SPEC C. 54168 TIME CONT. AMP 136/68 FORM MEA - FR 326 T22 PART 9-323061-01

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
16 S	4 W	35	SE 1/4 OF NE 1/4	35.0 27.2
"	"	"	SW 1/4 OF NE 1/4	35.0 30.4
"	"	"	SE 1/4 OF NW 1/4	7.5
"	"	"	NE 1/4 OF SW 1/4	0.8
"	"	"	NW 1/4 OF SE 1/4	3.6
"	"	"	NE 1/4 OF SE 1/4	3.6
"	"	36	NW 1/4 OF SW 1/4	1.5
"	"	"	SW 1/4 OF NW 1/4	14.5
				89.1

(If more space required, attach separate sheet)

Character of soil WILLAMETTE LOAM
 Kind of crops raised ALFALFA HAY

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 10,351.92
- 15. Construction work will begin on or before OCT. 1. 1972
- 16. Construction work will be completed on or before OCT. 1. 1973
- 17. The water will be completely applied to the proposed use on or before OCT. 1, 1974
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. NOT SUPPLEMENTAL

Escher Jane Everson
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before May 1st, 1972.

WITNESS my hand this 2nd day of March, 1972.

RECEIVED
MAR 21 1972
STATE ENGINEER
SALEM OREGON

By Thomas E. Shook
Thomas E. Shook
ASSISTANT

CHRIS L. WHEELER
STATE ENGINEER

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.11 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Well #2

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is February 22, 1972

Actual construction work shall begin on or before March 21, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1976

Complete application of the water to the proposed use shall be made on or before October 1, 1977

WITNESS my hand this 21st day of March, 1975

STATE ENGINEER

Application No. G- 5730
Permit No. G- 5520

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 22nd day of February,
1972, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

March 21, 1975

Recorded in book No. _____ of
G 5520
Ground Water Permits on page _____

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 125

29
115-2-1-1