

STATE ENGINEER
SALEM. OFFEGON

Permit No. G- G 5553

APPLICATION FOR A PERMIT

CERTIFICATE NO: 45355

## · To Appropriate the Ground Waters of the State of Oregon

I,
of
state of
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is situatedPowder_River
tributary of Snake diver
2. The amount of water which the applicant intends to apply to beneficial use is
3. The use to which the water is to be applied is
THE TAIL LONG TO STATE OF THE S
4. The well or other source is located ft and ft from the from the
corner of(Section or subdivision)
North I't degrees and 20 min. East 690 Ft. more or less from the (If preferable, give distance and bearing to section corner)
intersect on of existing section lines intersecting at the S. corner of Section 18, the standard of Section 18, the standard of the Standard of Sec. 18, Twp. 421.
W. M., in the county ofBaker
5. The irrigation ditches to be as needed mile (Canal or pipe line)
in length, terminating in the East (Smallest legal subdivision)  (Canal or pipe line)  (T 8 2
(Smallest legal subdivision)  R
6. The name of the well or other works isSpencer
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of th supply when not in use must be described.
8. The development will consist of and having (Give number of wells, tunnels, etc.)
diameter ofI4!! inches and an estimated depth of325 feet. It is estimated that
feet of the well will require
Plus 8" well lower to a possible depth of 425 Ft.

G1-41

SP\*F291

		ne)		
	oin of water	feet; grade	feet fall per one	? ,
ousand feet.				
		yate: width on top (at water	Annual Control of the	
		feet; depth of wo	iter feet;	;
ade fee				
		size at intakeii		
		use in.; diffe		
	ft. Is	grade uniform?	Estimated capacity,	,
sec. ft.				
		pe450 gpm minir		
		ne to be used40 H/P.		
		·····		37
11. If the location of t natural stream or stream o	channel, give the disto	ner development work is less ance to the nearest point on d and the ground surface at	each of such channels and	N
11. If the location of t natural stream or stream or e difference in elevation b	channel, give the distortion of the distortion of the stream be stream be the stream be the stream be the stream be the stream b	ance to the nearest point on d and the ground surface at	each of such channels and the source of development	N
11. If the location of t natural stream or stream o e difference in elevation b	o be irrigated, or plac	ance to the nearest point on d and the ground surface at	each of such channels and	N
11. If the location of t natural stream or stream or edifference in elevation be a constant of the location of area to the location of area to the location of	o be irrigated, or plac	ance to the nearest point on d and the ground surface at	each of such channels and the source of development	N
11. If the location of t natural stream or stream or edifference in elevation be a difference in elevation be a location of area to the location of area to th	o be irrigated, or plac	ance to the nearest point on d and the ground surface at	each of such channels and the source of development	N
11. If the location of t natural stream or stream or edifference in elevation be a difference in elevation be a location of area to the location of area to th	o be irrigated, or plac	e of use  Forty-acre Tract	each of such channels and the source of development	N
11. If the location of t natural stream or stream or edifference in elevation be a difference in elevation be a location of area to the location of area to th	o be irrigated, or plac	e of use  Forty-acre Tract  N/W - S/N	each of such channels and the source of development	N
11. If the location of t natural stream or stream or edifference in elevation be a difference in elevation be a location of area to the location of area to th	o be irrigated, or plac	e of use  Forty-acre Tract  N/N - S/N  S/N - N/W	each of such channels and the source of development	N
11. If the location of t natural stream or stream of the difference in elevation by the diffe	o be irrigated, or plac	ance to the nearest point on d and the ground surface at  Forty-acre Tract  S/W - S/W  N/W - S/W  S/H - W/W	Number Acres To Be Irrigated  20	N
11. If the location of t natural stream or stream of the difference in elevation by the diffe	o be irrigated, or plac	ance to the nearest point on d and the ground surface at  Forty-acre Tract  S/W - S/W  N/W - S/W  S/H - N/W  S/E - N/W	Number Acres To Be Irrigated  20	N
11. If the location of t natural stream or stream of the difference in elevation by the diffe	o be irrigated, or plac	e of use  Forty-acre Tract  S/W - S/W  N/W - S/W  S/W - N/W  S/W - N/E  N/W - S/E	Number Acres To Be Irrigated  20  10	N
11. If the location of t natural stream or stream of the difference in elevation by the diffe	o be irrigated, or plac	e of use  Forty-acre Tract  S/W - S/W  N/W - S/W  S/W - N/W  S/W - N/E  N/W - S/E	Number Acres To Be Irrigated  20 20	N
11. If the location of t natural stream or stream of the difference in elevation by the diffe	o be irrigated, or plac	e of use  Forty-acre Tract  S/W - S/W  N/W - S/W  S/W - N/W  S/W - N/E  N/W - S/E	Number Acres To Be Irrigated  20 10 20 20 40	N
11. If the location of t natural stream or stream or edifference in elevation be a difference in elevation be a location of area to the location of area to the locati	o be irrigated, or plac	ance to the nearest point on d and the ground surface at  Forty-acre Tract  S/W - S/W  N/W - S/W  S/W - N/W  S/W - N/E  S/W - S/E  S/W - S/E  S/W - S/E	Number Acres To Be Irrigated  20 10 20 20 40	N

in	county, having (	a present population of		
and an estimated popul				
<b>*</b>		15, 16, 17 AND 18 IN ALL CA	ara	
1.	st of proposed works, \$.]		SES	
	49		191-1	
		fore January		
		on or before Suly		
17. The water wi	ll be completely applied	to the proposed use on or b	eforeA.U.J.U	571
		emental to an existing wate icated right to appropriate		
		12.310 + game		
				and the second second
Jourse !				
		Therenor I (Shend)		
		use soveral years		
by a 40 H.P. D	eep well pump, b	owls set about I90	!Produce	.s
400 - 450 gpm	is used with spr	inkder system.	••••••	
		······································	***************************************	
		ander en		
			***************************************	**********
			******************************	***************************************
		•••••••		***************
				•••••
			1 y	
STATE OF OREGON,				
County of Marion,	<b>88.</b>			
This is to certify	that I have examined th	he foregoing application, to	gether with the (	accompan
		correction and complet		
• • • • • • • • • • • • • • • • • • • •				
		tion must be returned to th	e State Engineer	, with co
tions on or before	July 14	, 1972.		
				· · · · · · · · · · · · · · · · · · ·
WITNESS my har	nd this 15th day of	May		1972
NO E			The state of the s	
° <del>ž</del> ō		CHRIS-L. WHEELER	<u> </u>	•••••
SALEM.			<b>つ </b>	<b>TATE ENGINE</b>

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions: The right herein granted is limited to the amount of water which can be applied to beneficial use or source of appropriation, or its equivalent in case of rotation with other water users, from Spencer Well The use to which this water is to be applied is <u>irrigation</u> and supplemental irrigation If for irrigation, this appropriation shall be limited to .....1/80..... of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed ..3...... acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is \_\_\_\_\_\_April 19, 1972 thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19...76..... Complete application of the water to the proposed use shall be made on or before October 1, 19.77... WITNESS my hand this 21st day of STATE ENGINEER 5553 office of the State Engineer at Salem, Oregon TATE ENGINEER This instrument was first received in APPROPRIATE THE GROUND X WATERS OF THE STATE Application No. G-578C Ground Water Permits on page OREGON March 21, 1975 Drainage Basin No. 9. o'clock Recorded in book No. applicant Permit No. 00,00 2

at

Returned