

RECEIVED
MAY 1972
STATE ENGINEER
SALEM, OREGON

Permit No. G- G 5564

APPLICATION FOR A PERMIT

CERTIFICATE NO. 46331

To Appropriate the Ground Waters of the State of Oregon

I, ~~Clarence Schmidt~~ Clarence Schmidt ~~FS~~ FS,
(Name of applicant)
of RT. 2 Box 228 SILVERTON, county of Marion,
(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Little Pudding River
(Name of stream)

tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 500 cubic feet per second or 500 gallons per minute.

3. The use to which the water is to be applied is IRRIGATION

4. The well or other source is located 1340 ft. North and 480 ft. East from the 1/4 corner of on the South line of Section 12
(N. or S.) (E. or W.)
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the N. W. 1/4 of S. E. 1/4 of Sec. 12, Twp. 6S, R. 2W,
W. M., in the county of Marion

5. The PORTABLE SYSTEM to be miles
(Canal or pipe line)
in length, terminating in the of Sec. , Twp. ,
(Smallest legal subdivision)
R. , W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

CONTROL VALVE WILL BE INSTALLED TO CONTROL FLOW

8. The development will consist of ONE WELL having a
(Give number of wells, tunnels, etc.)
diameter of 12 inches and an estimated depth of 115 feet. It is estimated that 115
feet of the well will require STEEL casing. Depth to water table is estimated
(Kind) (Feet)

FLOWING

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, starting with the headgate. At headgate: width on top (at water line) _____ feet, width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(b) At _____ mile from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, _____ ft.; size at intake _____ in.; in size at _____ ft. from intake _____ in.; size at place of use _____ in.; difference in elevation between intake and place of use, _____ ft. Is grade uniform? _____ Estimated capacity, _____ sec. ft.

10. If pumps are to be used, give size and type 30 H.P. SUBMERSIBLE

Give horsepower and type of motor or engine to be used _____

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

BANK OF LITTLE PUDDING RIVER

12. Location of area to be irrigated, or place of use _____

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T. 6S	R. 2W	12	N.W. 1/4 of S.E. 1/4	13.2 Ac.
T. 6S	R. 2W	12	S.W. 1/4 of S.E. 1/4	2.1 Ac.
T. 6S	R. 2W	12	S.E. 1/4 of S.W. 1/4	0.2 Ac.
T. 6S	R. 2W	12	N.E. 1/4 of S.W. 1/4	6.3 Ac.
				21.8

(If more space required, attach separate sheet)

Character of soil PEAT SOIL

Kind of crops raised ONIONS

MUNICIPAL SUPPLY—

13. To supply the city of _____
in _____ county, having a present population of _____
and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$ 5000.00

15. Construction work will begin on or before WELL HAS BEEN DRILLED

16. Construction work will be completed on or before 6/15/72

17. The water will be completely applied to the proposed use on or before 6/20/72

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. _____

Clarence Schmidt
(Signature of applicant)

Remarks: WILL AUTHORIZE CANCELLATION ON EXISTING SURFACE WATER RIGHTS

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER

By _____ ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.27 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; and shall be further limited to appropriation of water only to the extent that it does not impair or substantially interfere with existing surface water rights of others.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is May 19, 1972

Actual construction work shall begin on or before March 21, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1976

Complete application of the water to the proposed use shall be made on or before October 1, 1977

WITNESS my hand this 21st day of March, 1975

Chris L. Wheeler

STATE ENGINEER

8

Application No. G-5729
Permit No. G-556A

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 19th day of May, 1975, at 2:10 o'clock P.M.

Returned to applicant:

Approved:

March 21, 1975

Recorded in book No. of

Ground Water Permits on page G-556A

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 126