MAY 3 : 1972 STATE ENGINEER SALEM OREGON

Permit No. G- G 5569

FRITIFICATE NO. 44194

APPLICATION FOR A PERMIT

## · To Appropriate the Ground Waters of the State of Oregon

I, P_Ten + Judy Ann Gutoski of RT. Box 363, Eugene, county of LAS (Postoffice Address)	***************************************
(Postoffice Address)  (Postoffice Address)	n e
state of Replication for a permit following described ground waters of the state of Oregon, SUBJECT TO EXISTING R	to appropriate the RIGHTS:
If the applicant is a corporation, give date and place of incorporation	
1. Give name of nearest stream to which the well, tunnel or other source of war	ter development is
situated Mc Kenzie River	
tributary of	
2. The amount of water which the applicant intends to apply to beneficial use i feet per second or state gallons per minute.	0.
3. The use to which the water is to be applied is Irrigation	
4. The well or other source is located ft and ft	from the
4. The well or other source is located ft. and ft. and ft. (R. or W.)  corner of Well bears N 27° 32' W 1,116 feet	crom Ti
(Section or Eupdivision)	
h ( a) n.a.h a a fika 3110.u.d.///abrus.a 150a///m i	
E. Corner of The Manaweathen Brown (If preferable, give distance and bearing to section corner)	9.2.0.
(If preferable, give distance and bearing to section corner)  (If there is more than one well, each must be described. Use separate sheet if necessary)	
(If preferable, give distance and bearing to section corner)	
(If preferable, give distance and bearing to section corner)  (If there is more than one well, each must be described. Use separate sheet if necessary)	
(If preferable, give distance and bearing to section corner)  (If there is more than one well, each must be described. Use separate sheet if necessary)  peing within the S. W. of N.E. 7 of Sec. 3 4 , Twp. 16  W. M., in the county of AN 4	5., R 3 W B
(If preferable, give distance and bearing to section corner)  (If there is more than one well, each must be described. Use separate sheet if necessary) peing within the S. W. 7 of N.E. 7 of Sec. 3 d., Twp. 16	S., R. J.W. S., miles
(If preferable, give distance and bearing to section corner)  (If there is more than one well, each must be described. Use separate sheet if necessary)  peing within the S. W. Tof N.E. y of Sec. 3 & Twp. 16  W. M., in the county of An C.  5. The	5., R. J W F miles
(If preferable, give distance and bearing to section corner)  (If there is more than one well, each must be described. Use separate sheet if necessary)  peing within the S. W. Of N.E. 7 of Sec. 3 d. Twp. 16  W. M., in the county of AN C. to be  (Canal or pipe line)  n length, terminating in the	J., R. J W M miles Twp, ng map.
(If preferable, give distance and bearing to section corner)  (If there is more than one well, each must be described. Use separate sheet if necessary)  Deing within the S. W. Of N.E. 7 of Sec. 3 d. Twp. 16  W. M., in the county of And Sec. 16  The (Canal or pipe line)  In length, terminating in the (Smallest legal subdivision)  R	J., R. J W M miles Twp, ng map.
(If there is more than one well, each must be described. Use separate sheet if necessary)  oeing within the S. W. Of N.E. 4 of Sec. 3 d., Twp. 16  W. M., in the county of AN  5. The	5., R. S.W. B. miles Twp, ng map.
(If there is more than one well, each must be described. Use separate sheet if necessary)  Desing within the S. W. A. Of N.E. Y. of Sec. 3 d. Twp. 16  W. M., in the county of	5., R. S.W. B. miles Twp, ng map.
(If there is more than one well, each must be described. Use separate sheet if necessary)  being within the S. W. F. Of N.E. F. of Sec. 3 A., Twp. 16  W. M., in the county of	miles Twp, ng map.  onservation of the
(If there is more than one well, each must be described. Use separate sheet if necessary)  Deing within the S. W. 4 of N.E. 4 of Sec. 3 d., Twp. 16  W. M., in the county of	miles Twp, ng map.  onservation of the
(If there is more than one well, each must be described. Use separate sheet if necessary)  peing within the S. W. Q. Of N. E. Q. of Sec. S. Q. Twp. 16  W. M., in the county of	miles Twp, ng map.
(If there is more than one well, each must be described. Use separate sheet if necessary)  peing within the S. W. 7 Of N. E. 7 of Sec. 3 A , Twp. 16  W. M., in the county of	miles Twp, ng map.  onservation of the
(If there is more than one well, each must be described. Use separate sheet if necessary)  peing within the S. W. Q. Of N. E. Q. of Sec. S. Q. Twp. 16  W. M., in the county of	miles Twp, ng map.  onservation of the having a

CTA W

adgate. At head	gate: width on to	eadgate. At headgate: width on top (at water line)			
	feet; depth of u	vater	feet; grade	feet fo	ıll per o
ousand feet.					19. (
(b) At	<i>mi</i>	les from headg	ate: width on top (at water li	ne)	
	feet; width on	bottom	feet; depth of wate	r	fee
ade	feet fall 1	per one thousan	nd feet.		
(c) Length	of pipe,	ft.; :	size at intakein.;	in size at	
om intake	in.; s	rize at place of	use in.; differe	ence in elevatio	n betwe
take and place o	f use,	ft. Is	grade uniform?	Estimate	d capacit
	sec. ft.				* "
		give size and ty	ype	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
Give horsep	ower and type o	f motor or engi	ine to be used 20	hp. e	Lecti
	e , pumi				•
natural stream o	r stream channe	el, give the dist	ner development work is less t ance to the nearest point on e ed and the ground surface at t	each of such ch he source of de	annels a
natural stream o e difference in e	r stream channe levation between	el, give the dist	ance to the nearest point on e	each of such chickes of de	annels a velopme
natural stream of edifference in e	r stream channed levation between the stream of area to be in the stream of the stream	el, give the dist n the stream be rrigated, or place	ance to the nearest point on end and the ground surface at t	each of such chickes of de	annels a evelopme
natural stream of edifference in e	r stream channe levation between  n of area to be in	el, give the dist n the stream be rrigated, or place	sance to the nearest point on end and the ground surface at the second surface at the se	each of such chickes source of de	annels a evelopme
natural stream of edifference in e  12. Location  Township N. or S.  T. 16. S.	r stream channed levation between the stream of area to be in the stream of the stream	el, give the dist n the stream be rrigated, or place	see of use  Forty-acre Tract  S. W. & of NE. &  S. E. & of NW &	Number A	annels a evelopme
natural stream of edifference in e	r stream channelevation between n of area to be in Range E. or W. of Willamette Meridian R. 3. W.	el, give the dist n the stream be rrigated, or place section 3 2	sance to the nearest point on end and the ground surface at the second surface at the se	Number A	annels a evelopme
12. Location  Township N. or S.  7. 16. 5.	r stream channelevation between n of area to be in Range E or W of Willamette Meridian R. 3. W. R. 3. W.	el, give the dist n the stream be rrigated, or place section 3 2 3 2	see of use  Forty-acre Tract  S. W. & of NE. &  S. E. & of NW &	Number A	annels a evelopme
12. Location  Township N. or S.  7. 16. 5.	r stream channelevation between n of area to be in Range E or W of Willamette Meridian R. 3. W. R. 3. W.	el, give the dist n the stream be rrigated, or place section 3 2 3 2	see of use  Forty-acre Tract  S. W. & of NE. &  S. E. & of NW &	Number A	annels a evelopme
12. Location  Township N. or S.  7. 16. 5.	r stream channelevation between n of area to be in Range E or W of Willamette Meridian R. 3. W. R. 3. W.	el, give the dist n the stream be rrigated, or place section 3 2 3 2	see of use  Forty-acre Tract  S. W. & of NE. &  S. E. & of NW &	Number A	annels a evelopme
12. Location  Township N. or S.  7. 16. 5.	r stream channelevation between n of area to be in Range E or W of Willamette Meridian R. 3. W. R. 3. W.	el, give the dist n the stream be rrigated, or place section 3 2 3 2	see of use  Forty-acre Tract  S. W. & of NE. &  S. E. & of NW &	Number A	annels a evelopme
12. Location  Township N. or S.  7.16.5.	r stream channelevation between n of area to be in Range E or W of Willamette Meridian R. 3. W. R. 3. W.	el, give the dist n the stream be rrigated, or place section 3 2 3 2	see of use  Forty-acre Tract  S. W. & of NE. &  S. E. & of NW &	Number A	annels arevelopme
12. Location  Township N. or S.  7.16.5.	r stream channelevation between n of area to be in Range E or W of Willamette Meridian R. 3. W. R. 3. W.	el, give the dist n the stream be rrigated, or place section 3 2 3 2	see of use  Forty-acre Tract  S. W. & of NE. &  S. E. & of NW &	Number A	annels arevelopme
12. Location  Township N. or S.  7.16.5.	r stream channelevation between n of area to be in Range E or W of Willamette Meridian R. 3. W. R. 3. W.	el, give the dist n the stream be rrigated, or place section 3 2 3 2	see of use  Forty-acre Tract  S. W. & of NE. &  S. E. & of NW &	Number A	annels arevelopme
12. Location  Township N. or S.  7.16.5.	r stream channelevation between n of area to be in Range E or W of Willamette Meridian R. 3. W. R. 3. W.	el, give the dist n the stream be rrigated, or place section 3 2 3 2	see of use  Forty-acre Tract  S. W. & of NE. &  S. E. & of NW &	Number A	annels anvelopme

UNICIPAL SUP 13. To suppl	y the city of				······································	
	cour	ity, having a	present pop	ulation of	·····	
d an estimated p	opulation of	<u> </u>	in 19			
<b></b>	ANSWER OUE	TIONS 14 18	16 17 AND	18 IN ALL CA	ara	
<u> </u>					· ·	
14. Estimate	d cost of propose	l works, \$		 	Rilled ~ .	, AN - "
15. Construc	tion work will be	gın on or veje	ore	••••••	• • • • • • • • • • • • • • • • • • • •	
16. Construc	tion work will be	completed or	ı or before	1411 1	n c p	er of Arectan C
	er will be complet				_ ,	
18 If the am	ound water supp	Jec	ont in a	eristing anate	SINE	1767-
ion for permit,	permit, certificat	te or adjudic	ated right t	o appropriate	water, made or	held by the
olicant.	interior	·		<u> </u>		•••••
	CAPE A	<b>2.</b> 6年	<i>f</i> o	7_		
		6)	o to Co.	Human	J \	1
	Refer			(Signat	ure of applicant)	angement in the said of the
Remarks:	neten	Т0	encre	os ea	Letten	
				······		
	**************					•••••••••
		***************************************		•	•	•
***************************************				••••••		•
		····				
				***************************************		*******************
			,,,,,,,		<u></u>	
					•	* 1
***************************************		***************************************		••••••		•••••••••••••••••
ATE OF OREG			,	•		
County of Mario	$n, $ $\}$ ss.			•		
This is to cer	rtify that I have	examined th	e foregoing (	application, to	gether with the a	ccompanying
	return the same					
ps ana aara, ana	return the same	jor		<del></del>		****************
·			***************************************			
In order to re	etain its priority,	this applicat	ion must be	returned to th	e State Engineer	, with correc
ns on or before	September	25, 1972	, 1972			. •
		1 19				
Richard R						~~
WITNESSEN	y hand this2	oth. day of.	July			19.72
		n,				
1872 1872 1800 1800		제 - 1				
NGIN OREG			· · · · · · · · · · · · · · · · · · ·	сиртс т ши	ert.ep	
EN OREGIN				CHRIS L. WHI		ATE ENGINEER

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use or source of appropriation, or its equivalent in case of rotation with other water users, from Well: #1-A. The use to which this water is to be applied is \_\_\_\_\_irrigation If for irrigation, this appropriation shall be limited to .................................. of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed ...?. acre feet per acre for each acre irrigated during the irrigation season of each year; ..... and shall be subject to such reasonable rotation system as may be ordered by the proper state office. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. May 31, 1972 for 0.01 cfs The priority date of this permit is September 19, 1972 for 0.34 cts Actual construction work shall begin on or before .......March 21, 1976..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19....76.... Complete application of the water to the proposed use shall be made on or before October 1, 19...77.. 19...7.5.. APPROPRIATE THE GROUND WATERS OF THE STATE

Application No. G-59 Permit No. G.

5

This instrument was first received in the OREGON OF

office of the State Engineer at Salem, Oregon D F.OC o'clock day of on the Ast 1972... at

to applicant.

Returned

|pproved

Ground Water Permits on page Recorded in book No.

Basin No.