CERTIFICATE NO. 50434

Permit No. G- G 5570

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

1, VERNON A BRINKLY (Name of applicant)	
1, VERNOS ALC RIC (Name of applicant) 1540 ROCKY DALC RI (Country of Jose)	HIN &
te of ORCO A do hereby make application for a permit to applowing described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHT	oropriate the
If the applicant is a corporation, give date and place of incorporation	
1. Give name of nearest stream to which the well, tunnel or other source of water de	•
ated E.E. Illinais River (Name of stream)	
tributary of IIII Naus K	LECK
2. The amount of water which the applicant intends to apply to beneficial use is	6.7 cubic
3. The use to which the water is to be applied is	
4. The well or other source is located 3.15. ft. and 720 ft. from the source is located 3.15. ft. and 720 ft. from the source is located 3.15. ft. (N. or S.)	m the CENT
(If preferable, give distance and bearing to section corner)	
	R 8 W,
ng within the SWIY NE 14 of Sec. I.J., Twp. 375, M., in the county of Josephine 5. The Prelime to be 300	miles
ng within the SWIY NF 14 of Sec. I.J., Twp. 375, M., in the county of Josephine 5. The PPELINE to be 300	miles
ng within the SWIY NE IY of Sec. I.J., Twp. 375, M., in the county of JOSEPHINE 5. The Canador pipe line (Canador pipe line) length, terminating in the SWIY ME of Sec. 28, Twp	mileo- 3 95,
mg within the SWIY NE IY of Sec. I.J., Twp. 395, M., in the county of JOSEPHINE 5. The Canador pipe line (Canador pipe line) length, terminating in the SWIY ME of Sec. 28, Twp (Smallest legal subdivision) W. M., the proposed location being shown throughout on the accompanying ma	<i>mileo</i> . 3 9 5, p.
mg within the SWIY NE Y of Sec. I.J., Twp. 3.75., M., in the county of JOSEPHINE 5. The Canalor pipe line (Canalor pipe line) length, terminating in the SWIY ME of Sec. 25., Twp (Smallest legal subdivision) P.W., W. M., the proposed location being shown throughout on the accompanying ma 6. The name of the well or other works is	
mg within the SWIY NE II of Sec. II, Twp. 395, M., in the county of JOSEPHINE 5. The Canalor pipe line (Canalor pipe line) length, terminating in the SWIY ME of Sec. 28, Twp (Smallest legal subdivision) P.W., W. M., the proposed location being shown throughout on the accompanying ma 6. The name of the well or other works is DESCRIPTION OF WORKS	<i>miles</i> 3 9 5, p.
mg within the SWYY NE Y of Sec. I, Twp. 3.25, M., in the county of JOSEPHINE 5. The Canalor pipe line to be 300 (Canalor pipe line) length, terminating in the SWYY NE Y of Sec. 28, Twp (Smallest legal subdivision) W. M., the proposed location being shown throughout on the accompanying ma 6. The name of the well or other works is DESCRIPTION OF WORKS 7. If the flow to be utilized is artesian, the works to be used for the control and conservations.	<i>miles</i> 3 9 5, p.
mg within the SWYY NE Y of Sec. I, Twp. 3.25, M., in the county of JOSEPHINE 5. The Canalor pipe line (Canalor pipe line) length, terminating in the SWYY NE Y of Sec. 28, Twp (Smallest legal subdivision) W. M., the proposed location being shown throughout on the accompanying ma 6. The name of the well or other works is DESCRIPTION OF WORKS 7. If the flow to be utilized is artesian, the works to be used for the control and conservations.	<i>miles</i> 3 9 5, p.
mg within the SWYY NE Y of Sec. I, Twp. 3.25, M., in the county of JOSEPHINE 5. The Canalor pipe line to be 300 (Canalor pipe line) length, terminating in the SWYY NE Y of Sec. 28, Twp (Smallest legal subdivision) W. M., the proposed location being shown throughout on the accompanying ma 6. The name of the well or other works is DESCRIPTION OF WORKS 7. If the flow to be utilized is artesian, the works to be used for the control and conservations.	<i>miles</i> 3 9 5, p.
M, in the county of JOSE HINE to be 308 5. The Canalor pipe line (Canalor pipe line) length, terminating in the SKIH ME of Sec. 28, Twp W. M., the proposed location being shown throughout on the accompanying ma 6. The name of the well or other works is DESCRIPTION OF WORKS 7. If the flow to be utilized is artesian, the works to be used for the control and conservoply when not in use must be described.	miles 3 95, p. vation of the
M, in the county of JOSEPHNE 5. The Canalor pipe line to be 300 (Canalor pipe line) length, terminating in the SWY ME Soldivision of Sec. 25, Twp (Similar legal subdivision) DW, W. M., the proposed location being shown throughout on the accompanying ma 6. The name of the well or other works is DESCRIPTION OF WORKS 7. If the flow to be utilized is artesian, the works to be used for the control and conservoply when not in use must be described.	miles 2 95, p. vation of the
M, in the county of JOSE HINE to be 308 5. The Canalor pipe line (Canalor pipe line) length, terminating in the SKIH ME of Sec. 28, Twp W. M., the proposed location being shown throughout on the accompanying ma 6. The name of the well or other works is DESCRIPTION OF WORKS 7. If the flow to be utilized is artesian, the works to be used for the control and conservoply when not in use must be described.	p. vation of the having a

adgate. At he	aagate: wiath on i	top (at water t		,	eer, whath on ool
•	feet; depth of	water	feet; grade		feet fall per
ousand feet.					
(b) At	m	iles from head	igate: width on top (at i	water line)	
			feet; depth		
•	feet fall			•	·
				·	
(c) Lengt	n of pipe,	Jt.,	size at intake	in.; in siz	ze at
	· · · · · · · · · · · · · · · · · · ·		fuse in.;		
ake and place	of use,	<i>d</i> ft.	Is grade uniform?	y'es	Istimated capac
	•				
10. If pun	ips are to be used,	give size and i	type E/ec 3 "X 3 " gine to be used 12	CONT.	rifugal-
Direct	CONNEC	ted	3 × 3 "	•••••	
Give horse	power and type o	of motor or en	gine to be used	Horse_	
13	chipela	and .			
· · · · · · · · · · · · · · · · · · ·				a de la companya de	•
II. IJ the	iocation of the we	u, tunnei, or o	ther development work i	is iess than o	me-fourth mile fi
atural stream	or stream channe	el aine the dis	tance to the nearest noi	nt on anch o	f cuch chamas.
ıatural stream	or stream channe	el, give the dis	stance to the nearest poi ed and the ground surfa	nt on each o ice at the soi	f such channe's ource of developm
ıatural stream	or stream channe	el, give the dis	stance to the nearest point of and the ground surface.	nt on each o ace at the sor	f such channe's a urce of developm
atural stream	or stream channe	el, give the dis	stance to the nearest point of and the ground surface	nt on each o	f such channe's urce of developm
atural stream	or stream channe	el, give the dis	etance to the nearest poi	nt on each o	f such channe's urce of developm
atural stream	or stream channe	el, give the dis	etance to the nearest poi	nt on each o	f such channe's
atural stream	or stream channe elevation betwee	el, give the dis n the stream b	stance to the nearest point of and the ground surface of use	ace at the sor	f such channe's
atural stream	or stream channe elevation betwee	el, give the dis n the stream b	ed and the ground surfa	ace at the sor	f such channe's urce of developm Number Acres To Be Irrigated
atural stream difference in 12. Locati	or stream channed elevation between the stream channed on of area to be in the stream channed by the stream ch	el, give the dis n the stream b	rce of use	ace at the sor	Number Acres
atural stream difference in 12. Locati	or stream channed elevation between the stream channed on of area to be in the stream channed by the stream ch	el, give the dis n the stream b	ced and the ground surfa	ace at the sor	Number Acres
atural stream difference in 12. Locati	or stream channed elevation between the stream channed on of area to be in the stream channed by the stream ch	el, give the dis n the stream b	rce of use	ace at the sor	Number Acres
atural stream difference in 12. Locati	or stream channed elevation between the stream channed on of area to be in the stream channed by the stream ch	el, give the dis n the stream b	rce of use	ace at the sor	Number Acres
atural stream difference in 12. Locati	or stream channed elevation between the stream channed on of area to be in the stream channed by the stream ch	el, give the dis n the stream b	rce of use	ace at the sor	Number Acres
atural stream difference in 12. Locati	or stream channed elevation between the stream channed on of area to be in the stream channed by the stream ch	el, give the dis n the stream b	rce of use	ace at the sor	Number Acres
atural stream difference in 12. Locati	or stream channed elevation between the stream channed on of area to be in the stream channed by the stream ch	el, give the dis n the stream b	rce of use	ace at the sor	Number Acres
atural stream difference in 12. Locati	or stream channed elevation between the stream channed on of area to be in the stream channed by the stream ch	el, give the dis n the stream b	rce of use	ace at the sor	Number Acres
atural stream difference in 12. Locati	or stream channed elevation between the stream channed on of area to be in the stream channed by the stream ch	el, give the dis n the stream b	rce of use	ace at the sor	Number Acres
atural stream difference in 12. Locati	or stream channed elevation between the stream channed on of area to be in the stream channed by the stream ch	el, give the dis n the stream b	rce of use	ace at the sor	Number Acres
atural stream difference in 12. Locati	or stream channed elevation between the stream channed on of area to be in the stream channed by the stream ch	el, give the dis n the stream b	rce of use	ace at the sor	Number Acres
atural stream difference in 12. Locati	or stream channed elevation between the stream channed on of area to be in the stream channed by the stream ch	el, give the dis n the stream b	rce of use	ace at the sor	Number Acres
atural stream difference in 12. Locati	or stream channed elevation between the stream channed on of area to be in the stream channed by the stream ch	el, give the dis n the stream b	rce of use	ace at the sor	Number Acres
atural stream difference in 12. Locati	or stream channed elevation between the stream channed on of area to be in the stream channed by the stream ch	el, give the dis n the stream b rrigated, or pla Section 28	rce of use	ace at the sor	Number Acres

13. 10 supply the	e city of	······································				
	county,	having a preser	it population of	•••••		
d an estimated popu	lation of	in 1	9			
	ANSWER QUESTIC			CASES		
14. Estimated co	st of proposed we	orks, \$ 2	50 -00-			
15. Construction	work will begin	on or before	Ju/4	<u> </u>	1973	
16. Construction	and the same	mlated on on h	ofoma T	ulu /	1974	
	work will be con			,	•	
17. The water w	ill be completely	applied to the p	proposed use on (or before	July I	./
18. If the groun tion for permit, per	d water supply i	s supplemental r adjudicated	to an existing triant to appropr	water supply, iate water. m	identify and	y appli by the
plicant. Sopp.	10 months	£ 10	APPAUT	- 11305	2	
plicant	de time of the filter for the transferred		pr.L.J. I.M.C		•	
•		17/		7 N	- //	
		a Chil	ernou!	signature of applican	SMA	if
Remarks:	·····					-{
e e e e e e e e e e e e e e e e e e e	• • • • • • • • • • • • • • • • • • •			·	·······	<i>a</i>
ommencing at the Willamette	ne center of S	ection 28, T	ownship 39 S	outh, Rang	e 8 West	
ast 81.77 feet; the way line of the	County Road:	thence Sout	hongtonles of	na anid YV	at reight o	
are 14ma 599 fact.	Al YY/A		measterry arc	ng said we	or regime o	·
ay line 522 feet;	thence West	714.77 feet	to the true po	int of begin	ning.	4
ay line 522 feet;	thence West	714.77 feet	to the true po	int of begin	ning.	4
ay line 522 feet;	thence West	714.77 feet	to the true po	int of begin	ning.	
ay line 522 feet;	thence West	714.77 feet	to the true po	int of begin	ning.	
ay line 522 feet;	thence West	714.77 feet	to the true po	int of begin	ning.	
ay line 522 feet;	thence West	714.77 feet	to the true po	int of begin	ning.	
ay line 522 feet;	thence West	714.77 feet	to the true po	int of begin	ning.	
ay line 522 feet;	thence West	714.77 feet	to the true po	int of begin	ning.	
ay line 522 feet;	thence West	714.77 feet	to the true po	int of begin	ning.	
ay line 522 leet;	thence west	714.77 feet	to the true po	int of begin	ning.	
ay iine 522 leet;	thence west	714.77 feet	to the true po	int of begin	ning.	
TATE OF OREGON,	ss.	714.77 feet	to the true po	int of begin	ning.	
CATE OF OREGON, County of Marion, This is to certify	ss. y that I have exa	mined the fore	going application	int of begin	ning.	
TATE OF OREGON, County of Marion, This is to certify	ss. y that I have exa	mined the fore	going application	int of begin	ning.	
TATE OF OREGON, County of Marion, This is to certify	ss. y that I have exa	mined the fore	going application	int of begin	ning.	
TATE OF OREGON, County of Marion, This is to certify aps and data, and ret	ss. y that I have exa	mined the fore	going application	int of begin	h the accom	panyin
TATE OF OREGON, County of Marion, This is to certify aps and data, and ret	ss. y that I have exacturn the same for n its priority, this	mined the fore	going application	int of begin	h the accom	panyin
TATE OF OREGON, County of Marion, This is to certify aps and data, and ret	ss. y that I have exacturn the same for n its priority, this	mined the fore	going application	int of begin	h the accom	panyin
TATE OF OREGON, County of Marion, This is to certify aps and data, and ret In order to retain the constant on the constant of the constant	ss. y that I have exacturn the same for in its priority, this	mined the fore s application m , 19	going application	int of begin	h the accom	panyin
TATE OF OREGON, County of Marion, This is to certify aps and data, and ret In order to retain the constant on the constant of the constant	ss. y that I have exacturn the same for n its priority, this	mined the fore s application m , 19	going application	int of begin	h the accom	panyin
TATE OF OREGON, County of Marion, This is to certify aps and data, and ret In order to retain the constant on the constant of the constant	ss. y that I have exacturn the same for in its priority, this	mined the fore s application m , 19	going application	int of begin	h the accom	panyin
TATE OF OREGON, County of Marion, This is to certify aps and data, and ret In order to retai	ss. y that I have exacturn the same for in its priority, this	mined the fore s application m , 19	going application	int of begin	h the accom	panyin

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

SUBJECT TO EXISTING RIGHTS and the following limitations and conditions: The right herein granted is umited to the amount of water which can be applied to beneficial use or source of appropriation, or its equivalent in case of rotation with other water users, from ...a. sump..... The use to which this water is to be applied is supplemental irrigation or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed ...2\... acre feet per acre for each acre irrigated during the irrigation season of each year; provided further. that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is _______ June 6, 1972 thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.76...... Complete application of the water to the proposed use shall be made on or before October 1, 19...... WITNESS my hand this 21st day of TATE ENGINEER This instrument was first received in the office of the State Engineer at Salem, Oregon TTE ENGINEER TO APPROPRIATE THE GROUND Application No. G-. 58/7 × WATERS OF THE STATE .. page Ground Water Permits on page CHRIS L. WHEBLER OREGON 1.15 o'clock Recorded in book No. Permit No. GC. the 6.4h day of Basin No. applicant 2 Drainage Approved: 1972., at Returned