STATE ENGINEER
SALEM. OREGON

Permit No. G-...G....5591....

CERTIFICATENO

57914

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Sknigh and Bland	(Name of applicant)				
of 16955 Water Gap Rd William	ns county of lose phine.				
state of Ovegon 97544,	do hereby make application for a permit to appropriate the te of Oregon, SUBJECT TO EXISTING RIGHTS:				
If the applicant is a corporation, give date and place of incorporation					
	ich the well, tunnel or other source of water development is				
situated <u>Unnamed</u> Stream	(Name of stream)				
	tributary of Williams Creek				
2. The amount of water which the applied per second or gallons per min	olicant intends to apply to beneficial use iscubic inute.				
3. The use to which the water is to be a	applied is <u>Trrigation</u>				
4. The well or other source is located	560 ft. \leq and 1040 ft. \forall) from the $h \in \mathbb{Z}$				
corner of Sec. 29	(Section or subdivision)				
(If preferable, give	distance and bearing to section corner)				
(If there is more than one well, eac	ach must be described. Use separate sheet if necessary)				
being within the NE 4 NE 4 Sump-SE 4 SW4	of Sec. <u>A7</u> , Twp. <u>385</u> , R. <u>5ω</u> ,				
W. M., in the county oflcasphins.					
5. The Poline (Canal or pipe line)	to be boo Commiles				
	NEY of Sec. 27, Twp. 385				
	ring shown throughout on the accompanying map.				
6. The name of the well or other works	is .				
DESCR	RIPTION OF WORKS				
7. If the flow to be utilized is artesian, t supply when not in use must be described.	the works to be used for the control and conservation of the				
8. The development will consist of	ne drilled well + 1 Sump Well having a (Give number of wells, tunnels, etc.)				
diameter of inches and an estima	ated depth of				
feet of the well will require Steel	ated depth of 176 feet. It is estimated that 115 NOVE casing. Depth to water table is estimated (Feet)				
Static Level (Rine)					
이 사람들은 사람들이 아이를 가지면 하지 않는데	소프트를 만든 요즘 사람들이 아니는 그 사람들이 되었다.				

eadgate. At headgate: width on top (at water line)feet; grade				
	jeet, depin o	j water	jeet; grade	feet fall per
nusand feet.	•			
		* 1	dgate: width on top (at wate	
			feet; depth of v	vater j
	feet fal			
			; size at intake2	and the second s
m intake	in.	; size at place	of usein.; dif	ference in elevation betw
ike and plac	e of use,15	it the st.	Is grade uniform? Qe≤	Estimated capac
0.14	sec. ft.			
10. If pur	nps are to be used	d, give size and	type 5 Horse pow	er Submersib
***************************************	•			
Give hors	enower and tune		gine to be used 5. Horse	· *
	opower und type	of motor or en	gine to be used	ZOWET UN SINOTSIO

11. If the	location of the w	ell, tunnel, or o	other development work is le	ss than one-fourth mile fr
				condition for the motion of
atural strean	ı or stream chanı	nel, give the di	stance to the nearest point o	n each of such channels
atural strean difference ir	i or stream chani i elevation betwe	nel, give the di en the stream	stance to the nearest point o bed and the ground surface o	n each of such channels of it the source of developm
atural stream difference in	or stream chann lelevation betwee	nel, give the di en the stream channe	stance to the nearest point of bed and the ground surface of 150' North	n each of such channels of it the source of developm
atural stream difference in	or stream chann lelevation betwee	nel, give the di en the stream Lanne	stance to the nearest point o bed and the ground surface o	n each of such channels of it the source of developm
atural stream difference in	or stream chann lelevation betwee	nel, give the di en the stream Lanne	stance to the nearest point of bed and the ground surface of 150' North	n each of such channels of it the source of developm
atural stream difference in Closes	or stream chann lelevation betwee	nel, give the di en the stream Lanne	stance to the nearest point of bed and the ground surface of 150' North	n each of such channels of it the source of developm
atural stream difference in Closes	or stream channel elevation betwee	nel, give the dien the stream en anne nn elevations irrigated, or pl	stance to the nearest point of bed and the ground surface of 150' North	n each of such channels of it the source of developm
atural stream difference in Closes The dic	i or stream channel elevation between Streams. Texamse ion of area to be Range E. or W. of	nel, give the dien the stream en anne nn eleva	stance to the nearest point of bed and the ground surface of the s	n each of such channels of the source of developm Output Number Acres
atural stream difference in Closes The difference 12. Locat Township N. or S.	ior stream channel elevation between Stream. Teremore to be Range Willamette Meridian 5 W	irrigated, or pl	stance to the nearest point of bed and the ground surface of the s	n each of such channels of the source of developm Now Well Number Acres To Be Irrigated
atural stream difference in Closes The difference 12. Locat Township N. or S.	ior stream channel elevation between Stream. Teremore to be Range E. or W. of Willamette Meridian	irrigated, or pl	stance to the nearest point of bed and the ground surface of the s	n each of such channels of the source of developm Number Acres To Be Irrigated
tural stream difference in Closes The dig 12. Locat Township N. or S.	ior stream channel elevation between Stream. Teremore to be Range Willamette Meridian 5 W	irrigated, or pl	stance to the nearest point of bed and the ground surface of the s	n each of such channels of the source of developm Now Well Number Acres To Be Irrigated
tural stream difference in Closes The dig 12. Locat Township N. or S.	ior stream channel elevation between Stream. Teremore to be Range Willamette Meridian 5 W	irrigated, or pl	stance to the nearest point of bed and the ground surface of the s	n each of such channels of the source of developm Now Well Number Acres To Be Irrigated
tural stream difference in Closes The dig 12. Locat Township N. or S.	ior stream channel elevation between Stream. Teremore to be Range Willamette Meridian 5 W	irrigated, or pl	stance to the nearest point of bed and the ground surface of the s	n each of such channels of the source of developm Now Well Number Acres To Be Irrigated
tural stream difference in Closes The dig	ior stream channel elevation between Stream. Teremore to be Range Willamette Meridian 5 W	irrigated, or pl	stance to the nearest point of bed and the ground surface of the s	n each of such channels of the source of developm Now Well Number Acres To Be Irrigated
tural stream difference in Closes The dig	ior stream channel elevation between Stream. Teremore to be Range Willamette Meridian 5 W	irrigated, or pl	stance to the nearest point of bed and the ground surface of the s	n each of such channels of the source of developm Now Well Number Acres To Be Irrigated
tural stream difference in Closes The dig	ior stream channel elevation between Stream. Teremore to be Range Willamette Meridian 5 W	irrigated, or pl	stance to the nearest point of bed and the ground surface of the s	n each of such channels of the source of developm Now Well Number Acres To Be Irrigated
atural stream difference in Closes The difference 12. Locat Township N. or S.	ior stream channel elevation between Stream. Teremore to be Range Willamette Meridian 5 W	irrigated, or pl	stance to the nearest point of bed and the ground surface of the s	n each of such channels of the source of developm Now Well Number Acres To Be Irrigated
atural stream difference in Closes The difference 12. Locat Township N. or S.	ior stream channel elevation between Stream. Teremore to be Range Willamette Meridian 5 W	irrigated, or pl	stance to the nearest point of bed and the ground surface of the s	n each of such channels of the source of developm Now Well Number Acres To Be Irrigated
atural stream difference in Closes The difference 12. Locat Township N. or S.	ior stream channel elevation between Stream. Teremore to be Range Willamette Meridian 5 W	irrigated, or pl	stance to the nearest point of bed and the ground surface of the s	n each of such channels of the source of developm Now Well Number Acres To Be Irrigated
atural stream difference in Closes The difference 12. Locat Township N. or S.	ior stream channel elevation between Stream. Teremore to be Range Willamette Meridian 5 W	irrigated, or pl	stance to the nearest point of bed and the ground surface of the s	n each of such channels of the source of developm Now Well Number Acres To Be Irrigated

and an estimated population of	, having a present population of	
14. Estimated cost of proposed w	ONS 14, 15, 16, 17 AND 18 IN ALL CASES	
15. Construction work will begin		
	mpleted on or before Och 1,197	그 그 그는 그 그는 그 생각했다. 사람
	applied to the proposed use on or before	
ation for permit, permit, certificate of	is supplemental to an existing water supply or adjudicated right to appropriate water, 1	, identify any appli- nade or held by the
pplicant.		
	x Hony & M. Com	ord Junion
Remarks: Legal descrip	otion of Property (Signature of applic	ant) Warle S. McComore
TATE OF OREGON, Sss. County of Marion,		
	mined the foregoing application, together wi	th the accompanying
aps and data, and return the same for	correction and completion	
	s application must be returned to the State E	ngineer, with correc-
ons on or before November 6	, 19. 72.	
WITNESS my hand this7	day ofSeptember	, 19.72
WITNESS my hand this		
	CHRTS I MULLIUD	
P. O.	CHRIS L. WHEELER	STATE ENGINEER

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions: The right herein granted is limited to the amount of water which can be applied to beneficial use or source of appropriation, or its equivalent in case of rotation with other water users, from a well The use to which this water is to be applied is irrigation being 0.06 cfs from the well and 0.04 cfs from the sump If for irrigation, this appropriation shall be limited to ______ of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed ... 21... acre feet per acre for each acre irrigated during the irrigation season of each year; and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. July 28, 1972 The priority date of this permit is Actual construction work shall begin on or before ______March_21, 1976 _____ and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19...76..... Complete application of the water to the proposed use shall be made on or before October 1, 19.77.... WITNESS my hand this 21st day of ... STATE ENGINEER office of the State Engineer at Salem, Oregon This instrument was first received in APPROPRIATE THE GROUND WATERS OF THE STATE page THRIS I. WHEELER Application No. G. 5% **Ground Water Permits on page** OF OREGON Recorded in book No. Basin No. applicant

5

at

Returned