

RECEIVED
MAY 19 1972

STATE ENGINEER
SALEM, OREGON

Permit No. G-5602

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Walla Walla District, Corps of Engineers
(Name of applicant)
of City-County Airport, county of Walla Walla,
(Postoffice Address)
state of Washington, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Columbia River
(Name of stream)
tributary of _____

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 390 gallons per minute.

3. The use to which the water is to be applied is irrigation for lawn and shrubs

4. The well or other source is located _____ ft. _____ and _____ ft. _____ from the corner of NW 1/4 SE 1/4 Sec. 8, T4N, R25E, W.M.
(N. or S.) (E. or W.)
(Section or subdivision)
S 85° 59' W., 2568 feet from East 1/2 corner of Section 8
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the _____ of Sec. _____, Twp. _____, R. _____, W. M., in the county of Morrow

5. The _____ to be _____ miles in length, terminating in the _____ of Sec. _____, Twp. _____, R. _____, W. M., the proposed location being shown throughout on the accompanying map.
(Canal or pipe line)
(Smallest legal subdivision)

6. The name of the well or other works is Boardman Park Water Well

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one well having a diameter of 16 & 12 inches and an estimated depth of 45 feet. It is estimated that 45 feet of the well will require steel casing. Depth to water table is estimated 10
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) N/A feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type Deep Well Turbine
6" bowls

Give horsepower and type of motor or engine to be used Electric Motor - 2 hp

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

See sketch

12. Location of area to be irrigated, or place of use Boardman Park

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T4N	R25E	8	SE $\frac{1}{4}$ NE $\frac{1}{4}$	7.5
			SW $\frac{1}{4}$ NE $\frac{1}{4}$	7.5
				15.0

(If more space required, attach separate sheet)

Character of soil m Silty sand

Kind of crops raised N/A

MUNICIPAL SUPPLY—

13. To supply the city of N/A
in _____ county, having a present population of _____
and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 12,000
- 15. Construction work will begin on or before 1 September 1972
- 16. Construction work will be completed on or before 1 October 1972
- 17. The water will be completely applied to the proposed use on or before 1 December 1972

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. _____

Max L. Tybor
(Signature of applicant)

Remarks: _____
MAX L. TYBOR
Chief, Real Estate Division
Walla Walla District, Corps of Engineers

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____ correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before October 24, 1972

WITNESS my hand this 25th day of August, 1972

CHRIS L. WHEELER
STATE ENGINEER

By *Thomas E. Shook*
Thomas E. Shook ASSISTANT

RECEIVED
SEP 13 1972
STATE ENGINEER
SALEM OREGON

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.19 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Boardman Park Water Well.

The use to which this water is to be applied is irrigation.

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is August 15, 1972.

Actual construction work shall begin on or before March 21, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1976.

Complete application of the water to the proposed use shall be made on or before October 1, 1977.

WITNESS my hand this 21st day of March, 1975.

Chris L. Wheeler

STATE ENGINEER

Application No. G-5870

Permit No. G-5602

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 15th day of August, 1972, at 5:00 o'clock A. M.

Returned to applicant:

Approved:

March 21, 1975

Recorded in book No. _____ of _____
Ground Water Permits on page G 5602

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 7 page 70

#2022