Permit No. G- G 5614

APPLICATION FOR A PERMIT

· To Appropriate the Ground Waters of the State of Oregon

| I, Melvin W. Jo | Name of applicant) |
|--|---|
| of 6000 Thompson Creek | Road, Applegate, county ofJackson |
| state of Oregon 97530 | O, do hereby make application for a permit to appropriate the soft the state of Oregon, SUBJECT TO EXISTING RIGHTS: |
| If the applicant is a corporat | tion, give date and place of incorporation |
| 1. Give name of nearest str | eam to which the well, tunnel or other source of water development |
| situated Thompson Cree | (Name of stream) |
| | tributary ofApplegate River |
| | ich the applicant intends to apply to beneficial use is |
| 3. The use to which the wat | ter is to be applied is irrigation |
| | is located 220 ft. N and 160 ft. E from the S% |
| corner of | (Section or subdivision) |
| (If | preferable, give distance and bearing to section corner) |
| | than one well, each must be described. Use separate sheet if necessary) of Sec. 7, Twp. 39.5, R. 4. W |
| W. M., in the county ofJackso | |
| 5. The pipeline (Can | to be600 feet |
| in length, terminating in the | SEX SWX of Sec. 7, Twp. 39.8. |
| • | location being shown throughout on the accompanying map. |
| 6. The name of the well or o | other works is Johnson Well (Sump) |
| | DESCRIPTION OF WORKS |
| 7. If the flow to be utilized is supply when not in use must be de | is artesian, the works to be used for the control and conservation of the scribed. |
| | |
| | |
| | |
| 8. The development will co | nsist of One sump having (Give number of wells, tunnels, etc.) |
| | nd an estimated depth of feet. It is estimated thatnon |
| fact of the small smill magnine | none casing. Depth to water table is estimated (Feet) |
| jeel of the well will require | |

| ea d gate. At head | | top (at water | | jeel, wiain on ooi |
|--|--|--|--|--|
| | feet; depth of | water | feet; grade | feet fall per |
| ousand feet. | • | 40 | | |
| (b),At | m | ites from hea | dgate: width on top (at wo | ater line) |
| | | | | f water |
| , | feet fall | | | |
| | • | | | in.; in size at 300 |
| | | | | lifference in elevation betu |
| | | | | Estimated capa |
| | | Је. | is grade uniform? | Estimated capa |
| | | | 7.0 | |
| 10. If pump | s are to be used | , give size and | type2" X 2" C6 | entrifugal pump |
| | | | | |
| Give horsep | ower and type o | of motor or en | gine to be used5.0 |) H. P. electric me |
| | | *************************************** | | |
| e difference in e | or stream chann devation betwee 120 feet we | el, give the dis in the stream b | ther development work is stance to the nearest point ped and the ground surface empson Creek and gother than stream bed of | on each of such channels e at the source of developm |
| stural stream of difference in e | or stream channelevation between 120 feet we prove 18.5 feet manneles for the strength of area to be in Range | el, give the distribution the stream to the | stance to the nearest point ped and the ground surface empson Creek and g | on each of such channels e at the source of development of Thompson Creek |
| stural stream of difference in e | or stream chann elevation between 120 feet we not a second to be in the stream of area to be in the stream of area to be in the stream of a second to be stream of a second to b | el, give the distribution the stream to the | stance to the nearest point ped and the ground surface empson Creek and gother than stream bed | on each of such channels e at the source of developm |
| satural stream of difference in e Sump is at sum 12. Location | r stream chann elevation between 120 feet we no is 5 feet no of area to be in Range E or W. of | el, give the distribute of the stream best of The thigher or plants of the control of the contro | stance to the nearest point ped and the ground surface empson Creek and gothern bed contact of use | on each of such channels at the source of development of Thompson Creek Number Acres |
| stump is at sum 12. Location Township N. or S. | r stream chann elevation betwee 120 feet we 120 feet w | el, give the distribute of the stream best of The thigher or plants of the control of the contro | stance to the nearest point ped and the ground surface ompson Creek and go than stream bed of the ground stream bed of th | on each of such channels at the source of development of the source of development of the source of Thompson Creek Number Acres To Be Irrigated |
| atural stream of difference in e Sump is at sum 12. Location Township N. or S. | r stream chann elevation betwee 120 feet we 120 feet w | el, give the distribute of the stream best of The thigher or plants of the control of the contro | stance to the nearest point ped and the ground surface ompson Creek and go than stream bed on the ground stream bed of th | on each of such channels e at the source of developm ground surface of Thompson Creek Number Acres To Be Irrigated 0.3 acres |
| atural stream of difference in e Sump is at sum 12. Location Township N. or S. | r stream chann elevation betwee 120 feet we 120 feet w | el, give the distribute of the stream best of The thigher or plants of the control of the contro | stance to the nearest point ped and the ground surface ompson Creek and go than stream bed on the ground stream bed of th | on each of such channels e at the source of developm ground surface of Thompson Creek Number Acres To Be Irrigated 0.3 acres 5.7 acres |
| atural stream of difference in e Sump is at sum 12. Location Township N. or S. | r stream chann elevation betwee 120 feet we 120 feet w | el, give the distribute of the stream best of The thigher or plants of the control of the contro | stance to the nearest point ped and the ground surface ompson Creek and go than stream bed on the ground stream bed of th | on each of such channels e at the source of developm ground surface of Thompson Creek Number Acres To Be Irrigated 0.3 acres 5.7 acres |
| atural stream of difference in e Sump is at sum 12. Location Township N. or S. | r stream chann elevation betwee 120 feet we 120 feet w | el, give the distribute of the stream best of The thigher or plants of the control of the contro | stance to the nearest point ped and the ground surface ompson Creek and go than stream bed on the ground stream bed of th | on each of such channels e at the source of developm ground surface of Thompson Creek Number Acres To Be Irrigated 0.3 acres 5.7 acres |
| atural stream of difference in e Sump is at sum 12. Location Township N. or S. | r stream chann elevation betwee 120 feet we 120 feet w | el, give the distribute of the stream best of The thigher or plants of the control of the contro | stance to the nearest point ped and the ground surface ompson Creek and go than stream bed on the ground stream bed of th | on each of such channels e at the source of developm ground surface of Thompson Creek Number Acres To Be Irrigated 0.3 acres 5.7 acres |
| stump is at sum 12. Location Township N. or S. | r stream chann elevation betwee 120 feet we 120 feet w | el, give the distribute of the stream best of The thigher or plants of the control of the contro | stance to the nearest point ped and the ground surface ompson Creek and go than stream bed on the ground stream bed of th | on each of such channels e at the source of developm ground surface of Thompson Creek Number Acres To Be Irrigated 0.3 acres 5.7 acres |
| stump is at sum 12. Location Township N. or S. | r stream chann elevation betwee 120 feet we 120 feet w | el, give the distribute of the stream best of The thigher or plants of the control of the contro | stance to the nearest point ped and the ground surface ompson Creek and go than stream bed on the ground stream bed of th | on each of such channels e at the source of developm ground surface of Thompson Creek Number Acres To Be Irrigated 0.3 acres 5.7 acres |
| stump is at sum 12. Location Township N. or S. | r stream chann elevation betwee 120 feet we 120 feet w | el, give the distribute of the stream best of The thigher or plants of the control of the contro | stance to the nearest point ped and the ground surface ompson Creek and go than stream bed on the ground stream bed of th | on each of such channels e at the source of developm ground surface of Thompson Creek Number Acres To Be Irrigated 0.3 acres 5.7 acres |
| stream of the difference in each sump is | r stream chann elevation betwee 120 feet we 120 feet w | el, give the distribute of the stream best of The thigher or plants of the control of the contro | stance to the nearest point ped and the ground surface ompson Creek and go than stream bed on the ground stream bed of th | on each of such channels e at the source of developm ground surface of Thompson Creek Number Acres To Be Irrigated 0.3 acres 5.7 acres |
| stump is Sump is at sum 12. Location Township N. or S. | r stream chann elevation betwee 120 feet we 120 feet w | el, give the distribute of the stream best of The thigher or plants of the control of the contro | stance to the nearest point ped and the ground surface ompson Creek and go than stream bed on the ground stream bed of th | on each of such channels e at the source of developm ground surface of Thompson Creek Number Acres To Be Irrigated 0.3 acres 5.7 acres |

STATE ENGINEER

By

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same,

SUBJECT TO EXISTING RIGHTS and the following limitations and conditions: The right herein granted is limited to the amount of water which can be applied to beneficial use or source of appropriation, or its equivalent in case of rotation with other water users, from Johnson súmp well The use to which this water is to be applied is _____irrigation____ or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 23... acre feet per acre for each acre irrigated during the irrigation season of each year; and shall be further limited to appropriation of water only to the extent that it does not impair or substantially interfere with existing surface water rights of others. / and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is ______September 8, 1972 thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19...76..... Complete application of the water to the proposed use shall be made on or before October 1, 19.77... WITNESS my hand this ...21st.... day of STATE ENGINEER office of the State Engineer at Salem, Oregon. instrument was first received in APPROPRIATE THE GROUND Ž WATERS OF THE STATE page WHEELER Ground Water Permits on page OREGON

P. Co. o'clock

72. at

to applicant

Returned

on the Eth... day of

CHRIS L.

Recorded in book No.

4pproved

15

Drainage Basin No.

TO