

Permit No. G. G. 5615

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

feet per second or gallons per minute.	
3. The use to which the water is to be applied is	E LANO
	•
4. The well or other source is located 630 ft. N and 800 ft. (E.	E from the
WEST 1 CORNER OF THE NW 1	or w.)
corner of WEST 2 CORNER OF THE NW 2 of Section 13 (Section or subdivision)	
(If preferable, give distance and bearing to section corner)	
(If there is more than one well, each must be described. Use separate sheet if necessary)	ha
being within the Sex 14 T NW 1 of Sec. 13 Twp.	4S, R. 11E,
W. M., in the county of	
5. The PIPE LINE to be 0.5 F	PLUS, MINUS miles
in length, terminating in the NET OF THE NW To of Sec. 13 (Smallest legal subdivision)	
R. IIE , W. M., the proposed location being shown throughout on the accompa	inying map.
6. The name of the well or other works is . W. D. NO. ONE	
DESCRIPTION OF WORKS	
	nd conservation of the
7. If the flow to be utilized is artesian, the works to be used for the control as	
7. If the flow to be utilized is artesian, the works to be used for the control as supply when not in use must be described.	
supply when not in use must be described.	
supply when not in use must be described.	
supply when not in use must be described.	
supply when not in use must be described.	
8. The development will consist of ONE WELL (Give number of wells, tunnels, etc.)	having a
supply when not in use must be described.	having a
8. The development will consist of	having a estimated that 395.22
8. The development will consist of ONE WELL (Give number of wells, tunnels, etc.)	having a estimated that 320.22

feet; depth of water feet; grade feet; grade feet fall per ousand feet. (b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; width on bottom feet; depth of water feet fall per one thousand feet. (c) Length of pipe, 2700 ft.; size at intake fin.; in size at intake in.; in size at in.; size at place of use fin.; size at place of use fin.; size at place of use, 20 ft. Is grade uniform? YES Estimated capace of use, 20 ft. Is grade uniform? YES Estimated capace of use, 35 Mp, 60			and the state of t	· 1	feet; width on bot
(b) At miles from headgate: width on top (at water line) feet; width on bottom feet fall per one thousand feet. (c) Length of pipe, 2700 ft.; size at intake 4 in.; in size at mintake 4 in.; size at place of use 4 in.; difference in elevation betw face and place of use, 20 ft. Is grade uniform? VEE Estimated capac 9. 8.0 sec. ft. 10. If pumps are to be used, give size and type 35 MP, SUBMERSABLE Give horsepower and type of motor or engine to be used JACUZZI, 35 MP, 220 V, 5 PM, 60 cV, SUBMERSABLE 11. If the location of the well, tunnel, or other development work is less than one-fourth mile fratural stream or stream channel, give the distance to the nearest point on each of such channels of difference in elevation between the stream bed and the ground surface at the source of developm 12. Location of area to be irrigated, or place of use 13. If E 13 SWL or NWL 40 48 11 E 13 NWL or NWL 40 48 11 E 13 NWL or NWL 40 48 11 E 13 NWL or NWL 40 120	•••••••	feet; depth of	water	feet; grade	feet fall per
feet; width on bottom feet; depth of water feet fall per one thousand feet. (c) Length of pipe, 2700 ft.; size at intake fin.; in size at min; in size at min; on intake fin.; size at place of use fin.; difference in elevation between the second place of use, 20 ft. Is grade uniform? Security for the final feet and place of use, 20 ft. Is grade uniform? Security for the final feet and place of use, 20 ft. Is grade uniform? Security for the first final feet and place of use, 20 ft. Is grade uniform? Security for the first final feet and place of use, 20 ft. Is grade uniform? Security for the first final feet and place of use, 20 ft. Is grade uniform? Security for the first final feet and place of use, 20 ft. Is grade uniform? Security for the first final feet and place of use final feet and final final feet and final feet and final final feet and final final feet and final final feet and final	ousand feet.				
include feet fall per one thousand feet. (c) Length of pipe, 2700 ft.; size at intake 4 in.; in size at minimizate 4 in.; in size at minimizate 4 in.; difference in elevation between the stream bed uniform? See Estimated capace of use, 20 ft. Is grade uniform? See Estimated capace of use, see, ft. 10. If pumps are to be used, give size and type 55 MP, Submersable Give horsepower and type of motor or engine to be used JACUZZI, 35 MP, 220 V, 5 PP, 60 cv, submersable 11. If the location of the well, tunnel, or other development work is less than one-fourth mile fratural stream or stream channel, give the distance to the nearest point on each of such channels of difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use 13. If E 13 SW2 or NW2 40 Homes Acres Translated Capace Sweet Sw	(b) At	<i>m</i>	iles from hea	dgate: width on top (at wo	ater line)
(c) Length of pipe, 2700 ft.; size at intake 4 in.; in size at		feet; width on	bottom	feet; depth o	f water j
mintake					
mintake 4 in., size at place of use 4 in., difference in elevation between the stream bed and place of use, 20 ft. Is grade uniform? VES Estimated capace of use, sec. ft. 10. If pumps are to be used, give size and type 35 MP, SUBMERSABLE Give horsepower and type of motor or engine to be used JACUZZI, 35 MP, 220 N, 5 PN, 60 CV, SUBMERSABLE 11. If the location of the well, tunnel, or other development work is less than one-fourth mile fratural stream or stream channel, give the distance to the nearest point on each of such channels of difference in elevation between the stream bed and the ground surface at the source of developm of the contract of the stream bed and the ground surface at the source of developm in the contract of the stream bed and the ground surface at the source of developm in the stream bed and the ground surface at the source of developm in the stream bed and the ground surface at the source of developm in the stream bed and the ground surface at the source of developm in the stream bed and the ground surface at the source of developm in the stream bed and the ground surface at the source of developm in the stream bed and the ground surface at the source of developm in the stream bed and the ground surface at the source of developm in the stream bed and the ground surface at the source of developm in the stream bed and the ground surface at the source of developm in the stream bed and the ground surface at the source of developm in the stream bed and the ground surface at the source of developm in the stream bed and the ground surface at the source of developm in the stream bed and the ground surface at the source of developm in the stream bed and the ground surface at the source of developm in the stream bed and the ground surface at the source of developm in the stream bed and the ground surface at the source of developm in the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of th	(c) Length	of pipe, 270	0 ft.	; size at intake4	in ; in size at
Township N. o. S. 11. Is grade uniform? 12. Location of area to be irrigated, or place of use 13. Is grade uniform? 14. Is grade uniform? 15. MP, SUBMERSABLE 16. If pumps are to be used, give size and type 17. Manner of the well, tunnel, or other development work is less than one-fourth mile fractural stream or stream channel, give the distance to the nearest point on each of such channels a difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fractural stream or stream channel, give the distance to the nearest point on each of such channels are difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fractural stream or stream channels, give the distance to the nearest point on each of such channels are difference in elevation between the stream bed and the ground surface at the source of development with the source of development with the surface at the source of the surface at the source of the surface at the source of development with the surface at the source of development with the surface at the source of t					
Give horsepower and type of motor or engine to be used JACUZZI, 35 HP, 220 N, 5 PH, 60 CY, SUBMERSABLE 11. If the location of the well, tunnel, or other development work is less than one-fourth mile fractural stream or stream channel, give the distance to the nearest point on each of such channels of difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fractural stream or stream channel, give the distance to the nearest point on each of such channels of difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fractural stream or stream channels or difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fractural stream or stream channels or difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile from the stream of such channels or difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile from the stream of such channels or difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile from the stream of such channels or difference in elevation of a surface at the source of development work is less than one-fourth mile from the surface at the source of development work is less than one-fourth mile from the surface at the source of development work is less than one-fourth mile from the surface at the source of development work is less than one-fourth mile from the surface at the source of development work is less than one-fourth mile from the surface at the source of development work is less than one-fourth mile from the surface at the source of development work is less than one-fourth mile from the surface at the source of the surface at the source of the surface a					• •
10. If pumps are to be used, give size and type			,	g. was wangs nv.	Bstimated Capac
Give horsepower and type of motor or engine to be used			aine aine and	35 HP. SUBMER	SADIF
Give horsepower and type of motor or engine to be used JACUZZI, 35 MP, 220 N, 5 PM, 60 CY, SUBMERSABLE 11. If the location of the well, tunnel, or other development work is less than one-fourth mile fractural stream or stream channel, give the distance to the nearest point on each of such channels a difference in elevation between the stream bed and the ground surface at the source of developm N. or S. 12. Location of area to be irrigated, or place of use Township Range Place of Williametic Meridian Section Forty-acre Tract Number Acres To Be Irrigated 4 S	io. If punit	is are to be used			
11. If the location of the well, tunnel, or other development work is less than one-fourth mile fractural stream or stream channel, give the distance to the nearest point on each of such channels a difference in elevation between the stream bed and the ground surface at the source of developm 12. Location of area to be irrigated, or place of use 13. Location of area to be irrigated, or place of use 14. Source Tract 15. SWA OF NWA 16. SWA OF NWA 16. SWA OF NWA 17. OF NWA 18. SWA OF NWA 19. SWA OF					
11. If the location of the well, tunnel, or other development work is less than one-fourth mile frequency and the stream or stream channel, give the distance to the nearest point on each of such channels are difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use 13. Location of area to be irrigated, or place of use 14. Source Track 15. SWA OF NWA 46. SWA OF NWA 46. SWA OF NWA 47. OF NWA 48. SWA OF NWA 49. SWA OF NWA 40. SWA OF NWA	_ ,				
12. Location of area to be irrigated, or place of use Township Rance or Williams Section Forty-are Tract Number Acres To Be Irrigated 4 S	OU C1	9 SUBMERSABL	E		······
N. or S. Williamette Meridian Section Forty-acre Tract Number Acres)		e at the source of developm
4 S II E 13 NW of NW 2 40 4 S II E 13 NE 3 of NW 2 40 1 2 0	12. Location	of area to be in)		e at the source of developm
4 S II E 13 NEZ OF NWZ 40	12. Location Township N. or S.	of area to be in	rrigated, or plo	ice of use	Number Acres
	12. Location Township N. or S. 4 S	Range E. or W. of Willamette Meridian	rrigated, or plo	ICE of use	Number Acres To Be Irrigated
	12. Location Township N. or S. 4 S	Range E. or W. of Willamette Meridian	rrigated, or plo	Forty-acre Tract	Number Acres To Be Irrigated
(If more space required, attach separate sheet)	12. Location Township N. or S. 4 S	Range E. or W. of Willamette Meridian	rrigated, or pla Section 13	Forty-acre Tract SW1 OF NW1 NW1 OF NW1	Number Acres To Be Irrigated 40 40
(If more space required, attach separate sheet)	12. Location Township N. or S. 4 S	Range E. or W. of Willamette Meridian	rrigated, or pla Section 13	Forty-acre Tract SW1 OF NW1 NW1 OF NW1	Number Acres To Be Irrigated 40 40 40
(If more space required, attach separate sheet)	12. Location Township N. or S. 4 S	Range E. or W. of Willamette Meridian	rrigated, or pla Section 13	Forty-acre Tract SW1 OF NW1 NW1 OF NW1	Number Acres To Be Irrigated 40 40 40
(If more space required, attach separate sheet)	12. Location Township N. or S. 4 S	Range E. or W. of Willamette Meridian	rrigated, or pla Section 13	Forty-acre Tract SW1 OF NW1 NW1 OF NW1	Number Acres To Be Irrigated 40 40 40
(If more space required, attach separate sheet)	12. Location Township N. or S. 4 S	Range E. or W. of Willamette Meridian	rrigated, or pla Section 13	Forty-acre Tract SW1 OF NW1 NW1 OF NW1	Number Acres To Be Irrigated 40 40 40
(If more space required, attach separate sheet)	12. Location Township N. or S. 4 S	Range E. or W. of Willamette Meridian	rrigated, or pla Section 13	Forty-acre Tract SW1 OF NW1 NW1 OF NW1	Number Acres To Be Irrigated 40 40 40
(If more space required, attach separate sheet)	12. Location Township N. or S. 4 S	Range E. or W. of Willamette Meridian	rrigated, or pla Section 13	Forty-acre Tract SW1 OF NW1 NW1 OF NW1	Number Acres To Be Irrigated 40 40 40
(If more space required, attach separate sheet)	12. Location Township N. or S. 4 S	Range E. or W. of Willamette Meridian	rrigated, or pla Section 13	Forty-acre Tract SW1 OF NW1 NW1 OF NW1	Number Acres To Be Irrigated 40 40 40
(If more space required, attach separate sheet)	12. Location Township N. or S. 4 S	Range E. or W. of Willamette Meridian	rrigated, or pla Section 13	Forty-acre Tract SW1 OF NW1 NW1 OF NW1	Number Acres To Be Irrigated 40 40 40
	12. Location Township N. or S. 4 S	Range E. or W. of Willamette Meridian	rrigated, or pla Section 13	Forty-acre Tract SW1 OF NW1 NW1 OF NW1	Number Acres To Be Irrigated 40 40 40

AUI.	VICIPAL SUPPLY— 13. To supply the city of
2	county, having a present population of
	an estimated population of
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
	ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES
	14. Estimated cost of proposed works, \$ 15,000
	15. Construction work will begin on or before Oct., 1972
	16. Construction work will be completed on or before MAY, 1973
	17. The water will be completely applied to the proposed use on or before JUNE, 1974
atio	18. If the ground water supply is supplemental to an existing water supply, identify any applin for permit, permit, certificate or adjudicated right to appropriate water, made or held by the
ppli	icant. None
	× MCC-Ci
	(Signature of applicant) Remarks: WATER WILL BE USED FOR THE IRRIGATION OF 120 ACRES OF GRAZING
	PASTURE LAND. There will be no other source of water
<u></u>	
	this project, carequestly so amendment for supplement
E.E.	egatian is necessary
·····	
•••••	
TA'	TE OF OREGON, \ss.
C	ounty of Marion,
	This is to certify that I have examined the foregoing application, together with the accompanying
raps	and data, and return the same forcorrection and completion
	In order to retain its priority, this application must be returned to the State Engineer, with correc-
iama	on or before
10118	on or before
Z	WITNESS my hand this 26th day of September , 19 72
NOU	
RE	
0	Chills by Whitelink State Engineer
П Z	6 Horal
, K	Thomas Is. Shook ASSISTANT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same,

SUBJECT TO EXISTING RIGHTS and the following limitations and conditions: The right herein granted is limited to the amount of water which can be applied to beneficial use or source of appropriation, or its equivalent in case of rotation with other water users, from ... Well #1... The use to which this water is to be applied is ______irrigation or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed3.... acre feet per acre for each acre irrigated during the irrigation season of each year; and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is ______ September 11, 1972 Actual construction work shall begin on or beforeMarch...21, 1976...... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19...76..... Extended to Oct. 1978 Complete application of the water to the proposed use shall be made on or before October 1, 19.77... Extended to Oct. 1978 WITNESS my hand this ...21st day of March STATE ENGINEER This instrument was first received in the office of the State Engineer at Salem, Oregon CHRIS. L. WHEBLIGA STATE ENGINEER TO APPROPRIATE THE GROUND WATERS OF THE STATE Application No. G-589 Ground Water Permits on page OREGON Drainage Basin No. 5 O. O. o'clock Recorded in book No. Permit No. Gapplicant 2 at Returned Approved