

RECEIVED

SEP 15 1972

STATE ENGINEER
SALEM, OREGON

CERTIFICATE NO. 49977

Permit No. G- G 5617

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, McKAY INVESTMENT COMPANY
(Name of applicant)
of 2300 Oakmont Way Eugene, county of Lane
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Willamette River
(Name of stream)

tributary of

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 45 gallons per minute.

3. The use to which the water is to be applied is cooling source for building heat and air condition system

4. The well or other source is located [See attached map]
200 ft. North and 780 ft. East from the
(N. or S.) (E. or W.)
corner of Southwest corner of the Northwest quarter of the Northeast quarter of
(Section or subdivision)
Section 29, Township 17 South, Range 3 West of the Willamette Meridian
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the NW 1/4, NE 1/4 of Sec. 29, Twp. 17 S, R. 3 W,
W. M., in the county of Lane

5. The [None] to be _____ miles
(Canal or pipe line)
in length, terminating in the NW 1/4, NE 1/4 of Sec. 29, Twp. 17 S,
(Smallest legal subdivision)
R. 3 W, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Dorla

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

N/A

8. The development will consist of one well having a
(Give number of wells, tunnels, etc.)
diameter of 6 inches and an estimated depth of 62 feet. It is estimated that 62
feet of the well will require 6" pipe casing. Depth to water table is estimated 20
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type two horsepower three phase 230 volt
submerisble Jacuzzi Model #254X8-T2

Give horsepower and type of motor or engine to be used two horse power three phase 230 volt
submerisble Jacuzzi Model #254X8-T2

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

.....

.....

.....

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
17 South	3 West	29	NW $\frac{1}{4}$, NE $\frac{1}{4}$	————

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised

MUNICIPAL SUPPLY—

13. To supply the city of _____
in _____ county, having a present population of _____
and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$672.00—well drilling, \$500.00 electric & pump

15. Construction work will begin on or before September 1, 1972

16. Construction work will be completed on or before September 15, 1972

17. The water will be completely applied to the proposed use on or before October 1, 1972

18. If the ground water supply is supplemental to an existing water supply, identify any appli-
cation for permit, permit, certificate or adjudicated right to appropriate water, made or held by the
applicant. _____

McKAY INVESTMENT COMPANY

By: *[Signature]*
(Signature of applicant)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for _____ correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before November 27, 1972.

WITNESS my hand this 25th day of September, 1972.

RECEIVED
OCT 20 1972
STATE ENGINEER
SALEM, OREGON

CHRIS L. WHEELER
STATE ENGINEER
By: *[Signature]*
Thomas E. Shook
ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.10 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Dorla Well

The use to which this water is to be applied is cooling source for building heat and air conditioning system

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

Provided that use of water for air conditioning in excess of 5,000 gallons per day shall be subsequent in priority to future beneficial consumptive use unless a two well system is constructed and all water wasted from the system recharged to the same ground water reservoir from which it was withdrawn.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is September 15, 1972

Actual construction work shall begin on or before March 21, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1976

Complete application of the water to the proposed use shall be made on or before October 1, 1977

WITNESS my hand this 21st day of March, 1975

Chris L. Wheeler

STATE ENGINEER

Application No. G-5900

Permit No. G-5617

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 15th day of September, 1972, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

March 21, 1975

Recorded in book No. of

Ground Water Permits on page G 5617

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 128