

Permit No. G. G 5619

APPLICATION FOR A PERMIT

CERTIFICATE NO. 46203

To Appropriate the Ground Waters of the State of Oregon

1, fre 1 Ditche
of Hos-Hyel Green PS (Name of applicant), country of Marion,
state of Olympia, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is situated of the stream of stream.
(Name of stream) tributary of Rulling Penal 190,45
2. The amount of water which the applicant intends to apply to beneficial use iscubic feet per second or gallons per minute.
3. The use to which the water is to be applied is Mylingslim.
4. The well or other source is located ft. and ft. from the S.W. (N. or S.) corner of 22 N. W. 14 Sec. 24 (Section or subdivision)
corner of 20 12 145 W 14 Sec 24 (Section or subdivision)
(If preferable, give distance and bearing to section corner)
being within the New 14 SW 14 of Sec. 24, Twp. 65, R. 2W,
W. M., in the county of Marion
5. The Poralite to be miles (Canal or pipe line) of Sec. Two
in length, terminating in the of Sec, Twp, (Smallest legal subdivision) R, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is .
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
8. The development will consist of Osc Well having a (Give number of wells, tunnels, etc.)
diameter of
feet of the well will require

eaugute. At ne	adgate: width on	line)	feet; width on botte	
••••••••••••	feet; depth of	feet; grade	feet fall per o	
housand feet.				
(b) At	n	niles from he	adgate: width on top (at water	line)
			feet; depth of wo	
rade	feet fal	l per one thou	sand feet.	
(c) Lengt	h of pipe,	ft	t.; size at intakei	n.; in size at
rom intake	in.;	size at place	of use in.; diffe	erence in elevation betwe
ıtake and place	of use,	ft.	Is grade uniform?	Estimated capaci
L	sec. ft.		A	
10. If pun	ips are to be used	l, give size and	1 type 40 dy.	Elee.
	•••••	·		
Give horse	power and type	of motor or e	ngine to be used	
•				
natural stream	or stream share	en, numer, or	other development work is less	than one-fourth mile fro
naturai stream	or stream chann	iel, give the d	istance to the nearest point on	each of such channels a
ie uijjerence in	elevation between	en tne stream	bed and the ground surface at	the source of developme
ie uijjerence in	elevation betwee		bed and the ground surface at	
	elevation betwee		bed and the ground surface at	
	elevation betwee			
	elevation betwee			
12. Locati	on of area to be i	rrigated, or p	lace of use	Number Acres
12. Location	on of area to be i	rrigated, or p	lace of use	Number Acres
12. Location	on of area to be i	rrigated, or p	lace of use	Number Acres
12. Location	on of area to be i	rrigated, or p	lace of use	Number Acres
12. Location	on of area to be i	rrigated, or p	lace of use	Number Acres
12. Location	on of area to be i	rrigated, or p	Forty-acre Tract SEGMEG NEGSEG SWGNWG NWGSWG	Number Acres To Be Irrigated 3.4 11.2 3.9 17.5 0.4
12. Locati	on of area to be i	rrigated, or p	Forty-acre Tract SEGMEG NEGSEG SWGNWG NWGSWG	Number Acres
12. Locati	on of area to be i	rrigated, or p	Forty-acre Tract SEGMEG NEGSEG SWGNWG NWGSWG	Number Acres To Be Irrigated 3.4 11.2 3.9 17.5 0.4
12. Locati	on of area to be i	rrigated, or p	Forty-acre Tract SEGMEG NEGSEG SWGNWG NWGSWG	Number Acres To Be Irrigated 3.4 11.2 3.9 17.5 0.4
12. Locati	on of area to be i	rrigated, or p	Forty-acre Tract SEGMEG NEGSEG SWGNWG NWGSWG	Number Acres To Be Irrigated 3.4 11.2 3.9 17.5 0.4
12. Locati	on of area to be i	rrigated, or p	Forty-acre Tract SEGMEG NEGSEG SWGNWG NWGSWG	Number Acres To Be Irrigated 3.4 11.2 3.9 17.5 0.4
12. Locati	on of area to be i	rrigated, or p	Forty-acre Tract SEGMEG NEGSEG SWGNWG NWGSWG	Number Acres To Be Irrigated 3.4 11.2 3.9 17.5 0.4
12. Locati	on of area to be i	section 23	Forty-acre Tract SEGMEG NEGSEG SWGNWG NWGSWG	Number Acres To Be Irrigated 3.4 11.2 3.9 17.5 0.4

13. To supply the	city of		
n	county, having	a present population of	
nd an estimated popul	ition of	in 19	
A	NSWER QUESTIONS 14,	15, 16, 17 AND 18 IN ALL CAS	ES
14. Estimated cos	t of proposed works, \$.		
15. Construction	work will begin on or b	efore	
16. Construction	work will be completed	on or before	
17 The water wil	l he completely applied	to the proposed use on or be	fore Completed
18. If the ground	water supply is suppl	demental to an existing water	supply, identify any app
ition for permit, perm	iit, certificate or adju	dicated right to appropriate	
oplicant			
			1 6
		(Signatur	the of applicant)
Remarks:		UU	
X			
	and the second s		
	······		
	·····		•••••
	e e grande de la company		<u> </u>
	••••••		
			•••••••••••••••••••••••••••••••••••••••
		•••••••	•••••
			····
TATE OF OREGON,			
County of Marion,	88.		
		the foregoing application, toge	
aps and data, and return	rn the same forCor	npletion	
In order to retain	its priority, this applica	ation must be returned to the	State Engineer, with corr
ons on or before Fe	bruary 19	1973.	
9.55	19		
<u>D</u>	li i		
TNESS my han	ed this18th day o	f December	, 19. 72.
SEG SEG			
ZÖ	en de la companya de La companya de la co		
Z W Z		CHRIS L. WHLLI	STATE ENGINEER
ATI ALE		J. Shoot	
Ew		Thomas E. Shoo	k ASSISTANT

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use or source of appropriation, or its equivalent in case of rotation with other water users, fromwell...... The use to which this water is to be applied is ______irrigation or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed2\frac{1}{2}... acre feet per acre for each acre irrigated during the irrigation season of each year; and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority sate of this permit is September 22, 1972 Actual construction work shall begin on or before _______March_21, 1976 ____ and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19...76..... Complete application of the water to the proposed use shall be made on or before October 1, 19.77... STATE ENGINEER This instrument was first received in the office of the State Engineer at Salem, Oregon STATE ENGINEER APPROPRIATE THE GROUND WATERS OF THE STATE Application No. G-520. page Permit No. G. G. 561 Ground Water Permits on page WHEELER OREGON March 21, 1975 o'clock Recorded in book No. Returned to applicant. Drainage Basin No. i 2,50 CHRIS at Approved 10 22

>