

Permit No. G- G 5623

APPLICATION FOR A PERMISTINED, See Misc. Rec., Vol. 6 Page 904

To Appropriate the Ground Waters of the State of Oregon

I, Robert A. Baesler for VIEW P	POINT RANCHES
of P.O. Box 240 (Postoffice Address)	/
state of Oregon , do hereb following described ground waters of the state of Oreg	by make application for a permit to appropriate the gon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and p	lace of incorporation
1. Give name of nearest stream to which the w	vell, tunnel or other source of water development is
situated There is no natural water in (Name of	the area of stream)
<u> </u>	tributary of Fort Rock Basin
2. The amount of water which the applicant int feet per second or 2,000 gallons per minute.	tends to apply to beneficial use is cubic
3. The use to which the water is to be applied	is Irrigation
6a 726 f 4. The well or other source is located712 ft.	It N and 1,518 ft East SW corner S2 N and 528 ft. W from the SE (E. or W.)
corner of Section 20, TWP 27, South, R	19 East
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	10017 Jaioti
(If preferable, give distance and	
(If there is more than one well, each must be de	escribed. Use separate sheet if necessary)
being within the	of Sec20, Twp27S, R19E,
W. M., in the county ofLake	
5. The	to be miles
(Canal or pipe line)	
in length, terminating in the(Smallest legal subdivisi	, of Sec, Twp,
R, W. M., the proposed location being shou	vn throughout on the accompanying map.
6. The name of the well or other works is	Well 6A and Well 7, Summer 1972 Dev
DESCRIPTION	ment. OF WORKS
	to be used for the control and conservation of the
supply when not in use must be described.	
<u> </u>	
	Wells haxingxaxhinm having a (Give number of wells, tunnels, etc.)
diameter of14 inches and an estimated depth	
feet of the well will require Stall (Kind)	ing. Depth to water table is estimated 17-20

	aagate, wiath on to	op (at water	· line)	feet; width on bo
•••••	feet; depth of i	vater	feet; grade	feet fall pe
isand feet.				
(b) At	mi	iles from he	adgate: width on top (at wate	r line)
	feet; width on	bottom	feet; depth of 1	vater
e	feet fall 1	per one thou	sand feet.	
(c) Lengt	th of pipe,	ft.;	size at intakein	.; in size at
intake	in.; siz	ze at place o	of use in.; dif	ference in elevation bet
ce and place	e of use,	ft	. Is grade uniform?	Estimated cape
	sec. ft.			
10. If pun	nps are to be used,	give size and	type5 stage turbin	e VHS Electric m
and f	they are 150	horsepow	er each.	
Give hors	epower and type o	of motor or	engine to be usedT	he horsepower is.
50 for e	ach motor.			
tural stream lifference in	elevation between	l, give the d	listance to the nearest point of bed and the ground surface of	
tural stream lifference in 12. Locati	ion of area to be irr	l, give the dather the stream	listance to the nearest point o bed and the ground surface o	Number Acres
tural stream lifference in	i or stream channe lelevation between ion of area to be irr	l, give the danger the stream the stream the stream trigated, or p	listance to the nearest point of bed and the ground surface of lace of use	at the source of develops
tural stream lifference in 12. Locati	ion of area to be irr	l, give the d the stream rigated, or p Section	listance to the nearest point of bed and the ground surface of lace of use Forty-acre Tract SEL SEL	Number Acres To Be Irrigated
tural stream lifference in 12. Locate Township N. or S.	ion of area to be irr Range E. or W. of Willamette Meridian	rigated, or p	listance to the nearest point of bed and the ground surface of lace of use Forty-acre Tract SEL SEL NWL SWL	Number Acres To Be Irrigated 03.3 14.4
tural stream lifference in 12. Locate Township N. or S.	ion of area to be irr Range E. or W. of Willamette Meridian	rigated, or p Section 19 20 20	listance to the nearest point of bed and the ground surface of lace of use Forty-acre Tract SEL SEL NWL SWL SWL SWL SWL	Number Acres To Be Irrigated
tural stream lifference in 12. Locate Township N. or S.	ion of area to be irr Range E. or W. of Willamette Meridian	rigated, or p Section 19 20 20	listance to the nearest point of bed and the ground surface of lace of use Forty-acre Tract SEL SEL NWL SWL SWL SWL SWL	Number Acres To Be Irrigated 03.3 14.4
tural stream lifference in 12. Locate Township N. or S.	ion of area to be irr Range E. or W. of Willamette Meridian	rigated, or p Section 19 20 20 20	listance to the nearest point of bed and the ground surface of lace of use Forty-acre Tract SE1 SE1 NW1 SW1 SW1 SW1 SW1 SW1 SW1 SW1 SW1 SW1 S	Number Acres To Be Irrigated 03.3 14.4 40.0
tural stream lifference in 12. Locate Township N. or S.	ion of area to be irr Range E. or W. of Willamette Meridian	rigated, or p Section 19 20 20 20 20	set and the ground surface of use Forty-acre Tract SE1 SE1 NW1 SW1 SW1 SW1 NE1 SW1 NE1 SW1 NE1 SW1 NW1 SE1 NW1 SE1	Number Acres To Be Irrigated 03.3 14.4 40.0
tural stream lifference in 12. Locate Township N. or S.	ion of area to be irr Range E. or W. of Willamette Meridian	rigated, or p Section 19 20 20 20	listance to the nearest point of bed and the ground surface of lace of use Forty-acre Tract SE1 SE1 NW1 SW1 SW1 SW1 SW1 SW1 SW1 SW1 SW1 SW1 S	Number Acres To Be Irrigated 03.3 14.4 40.0 27.8
tural stream lifference in 12. Locate Township N. or S.	ion of area to be irr Range E. or W. of Willamette Meridian	rigated, or p Section 19 20 20 20 20	set and the ground surface of use Forty-acre Tract SE1 SE1 NW1 SW1 SW1 SW1 NE1 SW1 NE1 SW1 NE1 SW1 NW1 SE1 NW1 SE1	Number Acres To Be Irrigated 03.3 14.4 40.0 27.8 40.0 08.62
tural stream lifference in 12. Locate Township N. or S.	ion of area to be irr Range E. or W. of Willamette Meridian	rigated, or p Section 19 20 20 20 20 20 20	listance to the nearest point of bed and the ground surface of lace of use Forty-acre Tract SEL SEL NWL SWL SWL SWL SWL SWL SWL SWL SWL SWL S	Number Acres To Be Irrigated 03.3 14.4 40.0 27.8 40.0 08.62 33.02
tural stream lifference in 12. Locate Township N. or S.	ion of area to be irr Range E. or W. of Willamette Meridian	rigated, or p Section 19 20 20 20 20 20 20 21	listance to the nearest point of bed and the ground surface of lace of use Forty-acre Tract SEL SEL NWL SWL SWL SWL SWL SWL SWL SWL SWL SWL S	Number Acres To Be Irrigated 03.3 14.4 40.0 27.8 40.0 08.62 33.02 40.0
tural stream lifference in 12. Locate Township N. or S.	ion of area to be irr Range E. or W. of Willamette Meridian	20 20 20 20 20 21	listance to the nearest point of bed and the ground surface of bed and the ground surface of lace of use Forty-acre Tract SE1 SE1 NW1 SW1 SW1 SW1 SW1 SW1 SW1 SW1 SW1 SW1 S	Number Acres To Be Irrigated 03.3 14.4 40.0 27.8 40.0 08.62 33.02 40.0 12.06

VIEW POINT RANCHES

POST OFFICE BOX 240
CHRISTMAS VALLEY, OREGON 97638

NOV 21972 TR STATE TR

October 31, 1972

Additional Sheet

Item 4: There are two wells, 6A and 7. Well 6A is located 726 feet north and 1,518 feet east of the SW corner of Section 20, TWP 27S, R19E. Well 7 is located 712 feet north and 528 feet west from the SE corner of Section 20, TWP27S, R19E. Well 6A is within the SE1 of the SW1 of Section 20 and Well 7 is within the SE1 of the SE1 of Section 20.

Item: 12: continued:

TWP 27 S	R 19 E	Sec 29	NWI NWI	12.6 21.4
			NW1 NE1 NE1 NE1	8 .5 8 21 . 30
		Sec 20	NE l SE l	22.62

360.22

ASSISTANT

	the city of			
	county, hav	ing a present population of		
d an estimated pop	oulation of	in 19		
	ANSWER QUESTIONS	14, 15, 16, 17 AND 18 IN AL	L CASES	
14. Estimated	cost of proposed work	s, \$80,000.00		
15. Constructi	on work will begin on	or beforeJ.une15,19	972	
	•			
		eted on or beforeAugu		
17. The water	will be completely app	lied to the proposed use on	or beforeAugus	st1.5.,1.9
tion for permit, p	ermit, certificate or a	upplemental to an existing djudicated right to approper 1972 and View Point	riate water, made or	r held by th
		5-4-1-L	Sunda	
			(Signature of applicant)	
Remarks:				
			•••••	
				••••••

		•		
	•••••••••••••••••••••••••••••••••••••••			
		•••••		

ATE OF OREGO	N, $\}$ ss.			
County of Marion,				
This is to certi	fy that I have examin	ed the foregoing application	, together with the c	ccompanyi
ips and data, and r	eturn the same for			
•				
***************************************		•••••••••••••••••••••••••••••••••••••••		
In order to reto	iin its priority, this app	lication must be returned t	o the State Engineer	, with corre
ns on or before		, 19		
WITNESS may	hand this	v of		10
WITNESS my	hand thisda	y of		, 19
WITNESS my	hand thisda	y of		, 19

County of Marion,

	the following limitations and conditions:
The right herein granted is limited	d to the amount of water which can be applied to beneficial use
and shall not exceed 4.46 cubic	c feet per second measured at the point of diversion from the well
or source of appropriation, or its equivale	ent in case of rotation with other water users, fromWell.#6A.
• An	
	e applied is irrigation
	shall be limited to1/80 of one cubic foot per second
or its equivalent for each acre irrigated o	and shall be further limited to a diversion of not to exceed3
acre feet per acre for each acre irrigated	during the irrigation season of each year;
<u></u>	
line, adequate to determine water level The permittee shall install and masshall keep a complete record of the amount	intain a weir, meter, or other suitable measuring device, and unt of ground water withdrawn.
The priority date of this permit is	September 27, 1972
Actual construction work shall begin	in on or beforeMarch 21, 1976 and shall
thereafter be prosecuted with reasonable	e diligence and be completed on or before October 1, 1976
Complete application of the water to	to the proposed use shall be made on or before October 1, 1977
WITNESS my hand this 21st	day of, 19.75
	ekis L-skol
	STATE ENGINEER
PER PROPRIATIVE OF	on the 27 " day of September, 1972, at 2.'00 o'clock A M. Returned to applicant: Approved: March 21, 1975 Recorded in book No. Ground Water Permits on page G 5623 Ground Water Permits on L3 page 60. Drainage Basin No. 13 page 60.