

Permit No. G- G 5632

APPLICATION FOR A PERMIT

CERTIFICATE NO. 46306

To Appropriate the Ground Waters of the State of Oregon

I, Mr. Eldon W. Heringer (Name of applicant)	
of Rt. 1, Box 213, Otis, Oregon county of Lincoln	
of, county of	
state of Oregon , do hereby make application for a permit to appropriate t	he
following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:	
If the applicant is a corporation, give date and place of incorporation	
1. Give name of nearest stream to which the well, tunnel or other source of water development	; is
situated Spring Creek (Name of stream)	••••
tributary of Salmon River	
The state of the s	•••••
2. The amount of water which the applicant intends to apply to beneficial use is	
3. The use to which the water is to be applied is Domestic and lawn and garden	Latte
innigation for 20 mobile house	Nov.
irrigation for 30 mobile home units	
4. The well or other source is located 1965 ft.South and 919 ft. West from theNF	
corner of Section 32 (Section or subdivision)	
(Section or subdivision)	
(If preferable, give distance and bearing to section corner)	
(If there is more than one well, each must be described. Use separate sheet if necessary)	Letter
being within the SEA NE 12 of Sec. 32 Twp. 68 R. 10W	Nov 6
	-
W. M., in the county of Lincoln	
5. The pipe line to be 1 mi	100
(Canal or pipe line)	
in length, terminating in the NE4 of the NE4 of Sec. 32 , Twp. 68.	,
R, W. M., the proposed location being shown throughout on the accompanying map.	
6. The name of the well or other works is . None	
DESCRIPTION OF WORKS	
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of t supply when not in use must be described.	he
	••••
and the state of t	
8. The development will consist of one drilled well having (Give number of wells, tunnels, etc.)	100
diameter of	

feet of the well will require welded casing. Depth to water table is estimated 11 (Kind)	***

9. (a) Giv			•	
dgate. At hea	dgate: width on to	p (at water lir	ne)	feet; width on botto
	feet; depth of u	oater	feet; grade	feet fall per or
usand feet.				· · · · · · · · · · · · · · · · · · ·
(b) At	mil	es from headg	gate: width on top (at was	ter line)
	feet; width on l	bottom	feet; depth of	water fee
de	feet fall p	er one thousar	nd feet.	
(c) Length	of pipe,440	ft.;	size at intake2	in.; in size at 1390
n intake	4 in.; s	ize at place of	use 4 in.; de	ifference in elevation between
ike and place	of use, 90	ft. Is	grade uniform? Yes	Estimated capacit
.17	sec. ft.			
10. If pum	ps are to be used, ;	give size and ty	pe Jacuzzi Sub	mersible
	•••••••			
Give horse	power and type of	motor or engi	ine to be used 1 HP	230 V Control
11. If the latural stream difference in Spring	or stream channe elevation between Creek - 700	l, tunnel, or oth l, give the dist the stream be feet	ner development work is l ance to the nearest point	on each of such channels a at the source of developme
11. If the latural stream difference in Spring	ocation of the well or stream channel elevation between Creek - 700 River- 1200 on of area to be important t	l, tunnel, or oth l, give the dist the stream be feet feet	ner development work is lance to the nearest point and the ground surface diff: 40 feet diff: 100 feet	on each of such channels and at the source of developme
11. If the latural stream difference in Spring Salmon 12. Location Township N. or S.	ocation of the well or stream channel elevation between Creek - 700 River- 1200 on of area to be in Range E or W of Willamette Meridian	tunnel, or oth l, give the dist the stream be feet feet rigated, or place	ner development work is lance to the nearest point and the ground surface diff: 40 feet diff: 100 feet	on each of such channels as at the source of developme
11. If the latural stream difference in Spring Salmon 12. Location	ocation of the well or stream channel elevation between Creek - 700 River- 1200 on of area to be important t	l, tunnel, or oth l, give the dist the stream be feet feet rigated, or place	ner development work is lance to the nearest point and the ground surface diff: 40 feet diff: 100 feet	on each of such channels at the source of developme
11. If the latural stream difference in Spring Salmon 12. Location Township N. or S.	ocation of the well or stream channel elevation between Creek - 700 River- 1200 on of area to be in Range E or W of Willamette Meridian	tunnel, or oth l, give the dist the stream be feet feet rigated, or place	ner development work is lance to the nearest point and the ground surface diff: 40 feet diff: 100 feet	on each of such channels at the source of developme
11. If the latural stream difference in Spring Salmon 12. Location Township N. or S.	ocation of the well or stream channel elevation between Creek - 700 River- 1200 on of area to be in Range E or W of Willamette Meridian	tunnel, or oth l, give the dist the stream be feet feet rigated, or place	ner development work is lance to the nearest point and the ground surface diff: 40 feet diff: 100 feet	on each of such channels at at the source of developme
11. If the latural stream difference in Spring Salmon 12. Location Township N. or S.	ocation of the well or stream channel elevation between Creek - 700 River- 1200 on of area to be in Range E or W of Willamette Meridian	tunnel, or oth l, give the dist the stream be feet feet rigated, or place	ner development work is lance to the nearest point and the ground surface diff: 40 feet diff: 100 feet	on each of such channels at at the source of developme
11. If the latural stream difference in Spring Salmon 12. Location Township N. or S.	ocation of the well or stream channel elevation between Creek - 700 River- 1200 on of area to be in Range E or W of Willamette Meridian	tunnel, or oth l, give the dist the stream be feet feet rigated, or place	ner development work is lance to the nearest point and the ground surface diff: 40 feet diff: 100 feet	on each of such channels at at the source of developme
11. If the latural stream difference in Spring Salmon 12. Location Township N. or S.	ocation of the well or stream channel elevation between Creek - 700 River- 1200 on of area to be in Range E or W of Willamette Meridian	tunnel, or oth l, give the dist the stream be feet feet rigated, or place	ner development work is lance to the nearest point and the ground surface diff: 40 feet diff: 100 feet	on each of such channels at at the source of developme
11. If the latural stream difference in Spring Salmon 12. Location Township N. or S.	ocation of the well or stream channel elevation between Creek - 700 River- 1200 on of area to be in Range E or W of Willamette Meridian	tunnel, or oth l, give the dist the stream be feet feet rigated, or place	ner development work is lance to the nearest point and the ground surface diff: 40 feet diff: 100 feet	on each of such channels at at the source of developme
11. If the latural stream difference in Spring Salmon 12. Location Township N. or S.	ocation of the well or stream channel elevation between Creek - 700 River- 1200 on of area to be in Range E or W of Willamette Meridian	tunnel, or oth l, give the dist the stream be feet feet rigated, or place	ner development work is lance to the nearest point and the ground surface diff: 40 feet diff: 100 feet	on each of such channels ar at the source of developme
11. If the latural stream difference in Spring Salmon 12. Location Township N. or S.	ocation of the well or stream channel elevation between Creek - 700 River- 1200 on of area to be in Range E or W of Willamette Meridian	tunnel, or oth l, give the dist the stream be feet feet rigated, or place	ner development work is lance to the nearest point and the ground surface diff: 40 feet diff: 100 feet	on each of such channels ar at the source of developme
11. If the latural stream difference in Spring Salmon 12. Location Township N. or S.	ocation of the well or stream channel elevation between Creek - 700 River- 1200 on of area to be in Range E or W of Willamette Meridian	tunnel, or oth l, give the dist the stream be feet feet rigated, or place	ner development work is lance to the nearest point and the ground surface diff: 40 feet diff: 100 feet	Number Acres

Kind of crops raised

MUN	CIPAL SUPPLY—
	13. To supply the city of
in	county, having a present population of
and o	estimated population ofin 19
	ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES
•	14. Estimated cost of proposed works, \$\\$17,500
	15. Construction work will begin on or before (See Remarks)
	16. Construction work will be completed on or before 11 October 1972
	17. The water will be completely applied to the proposed use on or before 1. December 19
	18. If the ground water supply is supplemental to an existing water supply, identify any apple
catio	for permit, permit, certificate or adjudicated right to appropriate water, made or held by th
appli	ant.
	6 lolon of Merenigh
	(Signature of appreciation)
	Remarks:
•	tem #15: Well drilled on March 29-30, 1972, by
C	sey Jones Well Drilling Co., Inc.
·····	
•••••	
•••••	
STAT	E OF OREGON,)
Co	inty of Marion, ss.
	This is to certify that I have examined the foregoing application, together with the accompanyin
maps	and data, and return the same for
•••••	
	In order to retain its priority, this application must be returned to the State Engineer, with correc
tions	on or before, 19
	WITNESS my hand this day of, 19,
	STATE ENGINEER

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is simited to the amount of water which can be applied to beneficial use or source of appropriation, or its equivalent in case of rotation with other water users, from ...a well..... The use to which this water is to be applied is domestic use in a 30 unit mobile home park including the irrigation of lawn and garden not to exceed ½ acre in area If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year; and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is October 24, 1972 thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19...76.... Complete application of the water to the proposed use shall be made on or before October 1, 19..77... WITNESS my hand this __2lst__ day of _____ March TATE ENGINEER This instrument was first received in the office of the State Engineer at Salem, Oregon STATE ENGINEER APPROPRIATE THE GROUND WATERS OF THE STATE Application No. G. 552 Ground Water Permits on page. OREGON No. G-... 972., at 8:60. o'clock Recorded in book No. Returned to applicant: Drainage Basin No. on the 24th. day of TO