

Permit No. G-5656

APPLICATION FOR A PERMIT

CERTIFICATE NO. 46189

To appropriate the Ground Waters of the State of Oregon

I, Charles H. Retzliff (Name of applicant)

of 1991 SE Portola Drive (Postoffice Address), county of Josephine

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

No

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated West Fork of Williams Creek (Name of stream)

tributary of Williams Creek

2. The amount of water which the applicant intends to apply to beneficial use is .31 cubic feet per second or gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located 950 ft. South and 1175 ft. East from the NW corner of Section 3. (N. or S.) (E. or W.)

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NW 1/4 of NW 1/4 of Sec. 3, Twp. 39 S., R. 5 W., W. M., in the county of Josephine

Letter dated January 15, 1972

5. The Pipe Line to be 1700 feet in length, terminating in the NE 1/4 NW 1/4 & SW 1/4 NW 1/4 of Sec. 3, Twp. 39 S., R. 5 W., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is None

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

None

8. The development will consist of 1 Well having a diameter of 7.5' X 600' inches and an estimated depth of 8 feet. It is estimated that None feet of the well will require No casing. Depth to water table is estimated 2 feet.

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1700 ft.; size at intake 2½" in.; in size at 100 ft. from intake 1" in.; size at place of use 1" in.; difference in elevation between intake and place of use, 15 ft. Is grade uniform? Yes Estimated capacity, Unknown sec. ft.

10. If pumps are to be used, give size and type 2 ½ " Centrifugal - Direct Connect.

Give horsepower and type of motor or engine to be used 7½ Horse Power - Electric.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

1100 feet. West Fork of Williams Creek

Difference in Elevation - Stream Bed 30 to 50 feet lower.

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T. 39 S.	R. 5 W.	3	NE¼ of NW¼	14.55
T. 39 S.	R. 5 W.	3	NW¼ of NW¼	6.58
T. 39 S.	R. 5 W.	3	SW¼ of NW¼	1.80
T. 39 S.	R. 5 W.	3	SE¼ of NW¼	2.38
Total Acres				25.31

(If more space required, attach separate sheet)

Character of soil Sandy Loam

Kind of crops raised Permanent Pasture

MUNICIPAL SUPPLY—

13. To supply the city of _____
in _____ county, having a present population of _____
and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 3,500.00
- 15. Construction work will begin on or before March 1, 1973.
- 16. Construction work will be completed on or before March 1, 1974.
- 17. The water will be completely applied to the proposed use on or before March 1, 1975.

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Charles P. Pyle
(Signature of applicant)

Remarks: The Northwest Quarter of Section 3, Township 39 South, Range 5 West, Willamette Meridian, Josephine County, Oregon. LESS & EXCEPT: All that portion lying South of the West Fork of Williams Creek. Also LESS & EXCEPT: Beginning at the Northwest Corner of said Section 3; thence South 0° 43' West 1231.42 feet along the West line of said Section 3; thence South 89° 17' East 30.0 feet to a 1/2 inch iron pipe on the east Right of Way line of the William's Highway, the true point of beginning; thence South 89° 17' East 230.73 feet; thence South 0° 43' West 120.0 feet; thence South 61° 37' West 193.66 feet; thence South 85° 42' West 64.01 feet to the East Right of Way line of the Williams Highway; thence along said East Right of Way line North 2° 27' East 49.56 feet; thence along said Right of Way line North 0° 56' 15" East 170.33 feet to the true point of beginning.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____ correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before March 22, 1973.

WITNESS my hand this 22nd day of January, 1973.

RECEIVED
JAN 21 1973
STATE ENGINEER
SALEM, OREGON

CHRIS L. WHEELER
STATE ENGINEER
Thomas E. Shook
By Thomas E. Shook ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.31 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is December 18, 1972

Actual construction work shall begin on or before March 21, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1976

Complete application of the water to the proposed use shall be made on or before October 1, 1977

WITNESS my hand this 21st day of March, 1975

STATE ENGINEER

Application No. G-5959
Permit No. G-5656

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 18th day of December, 1972, at 8:00 o'clock A.M.

Returned to applicant:

Approved:

March 21, 1975
Recorded in book No. G 5656 of
Ground Water Permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 15 page 102