RECEIVED

JUN5 1974 STATE ENGINEER SALEM, OREGON

Permit No. G. G. 5694

APPLICATION FOR A PERMIT

CERTIFICATE NO.

45136

To Appropriate the Ground Waters of the State of Oregon

I, Fldon C. Evans (Name of applicant)
of 22289 S. Molalla Hiway , Oregon City, Ore, 97045, county of Clackamas
state of Oregon , do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation No.
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Parott Creek North Fork (Name of stream)
tributary of Willamette River
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or
3. The use to which the water is to be applied isIrrigation
4. The well or other source is located 603 ft. and 72 ft. from the corner of 603! N Center of Section 28 then E 72 ft. (Section or subdivision)
(Section of Subdivision)
(If preferable, give distance and bearing to section corner)
(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the SW gr. of NEgr. of Sec. 28 Twp. 35 R. 2E
W. M., in the county of Clackamas
5. The to be miles
in length, terminating in the
R, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
8. The development will consist of one well having a
diameter ofinches and an estimated depth of2581 feet. It is estimated that
feet of the well will require. 258! Steel casing. Depth to water table is estimated

adgate. At headga	ite: width on to	p (at water line	e)	feet; width on botto
f	feet; depth of w	ater	feet; grade	feet fall per o
ousand feet.				
(b) At	mi	les from headge	ite: width on top (at water l	ine)
			feet; depth of wat	
ıde				•
			e at intake in.; i	n size at
			se in.; differ	
			grade uniform?	
So	. `			
	•	aine size and tu	pe 20 HP. Submersibl	.e
ւս. 1յ քաուք				
~.			gine to be used 20 HP Sub	
Give horsepo	wer and type		gine to be used	
			ner development work is less	than one fourth mile for
e difference in ele 600 Ft to	evation between o North Fork	n the stream be	d and the ground surface at	the source of developm
e difference in ele 600 Ft to 10 ft. a	o North Fork hove Parott (n the stream be of Parott Ci	d and the ground surface at	the source of developm
e difference in ele 600 Ft to 10 ft. a	evation between o North Fork hove Parott	n the stream be of Parott Ci	d and the ground surface at	the source of developm
e difference in ele 600 Ft to 10 ft. al 12. Location	o North Fork hove Parott (of Parott Cr Creek	e of use	Number Acres
600 Ft to 10 ft. a) 12. Location Township N. or S.	o North Fork hove Parott of area to be in Range E. or W. of Willamette Meridian	of Parott Cr Creek rrigated, or place	reek re of use Forty-acre Tract	Number Acres To Be Irrigated 8 Primary 9 Primary
e difference in ele 600 Ft to 10 ft. al 12. Location Township N. or S. T 3 S	o North Fork bove Parott of area to be in Range E. or W. of Willamette Meridian	of Parott Cr Creek crigated, or place section	reek Forty-acre Tract SW-1 of NE-1	Number Acres To Be Irrigated 8 Primary
e difference in election for the second seco	o North Fork hove Parott of area to be in Range E. or W. of Willamette Meridian 2E	n the stream be of Parott Cr Creek rrigated, or place section 28 28	d and the ground surface at reek Forty-acre Tract SW_4^1 of NE_4^1 NW_4^2 of NE_4^1	Number Acres To Be Irrigated 8 Primary 9 Primary
e difference in election for the second seco	o North Fork North Fork of area to be in Range E. or W. of Willamette Meridian 2E 2E	of Parott Cr Creek rrigated, or place section 28 28 28	reek Forty-acre Tract SW ¹ / ₄ of NE ¹ / ₄ SW ¹ / ₄ of NE ¹ / ₄ SW ¹ / ₄ of NE ¹ / ₄	Number Acres To Be Irrigated 8 Primary 9 Primary 5.6 Supplament
e difference in election for the second seco	o North Fork North Fork of area to be in Range E. or W. of Willamette Meridian 2E 2E	of Parott Cr Creek rrigated, or place section 28 28 28	reek Forty-acre Tract SW ¹ / ₄ of NE ¹ / ₄ SW ¹ / ₄ of NE ¹ / ₄ SW ¹ / ₄ of NE ¹ / ₄	Number Acres To Be Irrigated 8 Primary 9 Primary 5.6 Supplament
e difference in election for the second seco	o North Fork North Fork of area to be in Range E. or W. of Willamette Meridian 2E 2E	of Parott Cr Creek rrigated, or place section 28 28 28	reek Forty-acre Tract SW ¹ / ₄ of NE ¹ / ₄ SW ¹ / ₄ of NE ¹ / ₄ SW ¹ / ₄ of NE ¹ / ₄	Number Acres To Be Irrigated 8 Primary 9 Primary 5.6 Supplament
e difference in election for the second seco	o North Fork North Fork of area to be in Range E. or W. of Willamette Meridian 2E 2E	of Parott Cr Creek rrigated, or place section 28 28 28	reek Forty-acre Tract SW ¹ / ₄ of NE ¹ / ₄ SW ¹ / ₄ of NE ¹ / ₄ SW ¹ / ₄ of NE ¹ / ₄	Number Acres To Be Irrigated 8 Primary 9 Primary 5.6 Supplament
e difference in election for the second seco	o North Fork North Fork of area to be in Range E. or W. of Willamette Meridian 2E 2E	of Parott Cr Creek rrigated, or place section 28 28 28	reek Forty-acre Tract SW ¹ / ₄ of NE ¹ / ₄ SW ¹ / ₄ of NE ¹ / ₄ SW ¹ / ₄ of NE ¹ / ₄	Number Acres To Be Irrigated 8 Primary 9 Primary 5.6 Supplament
e difference in election for the second seco	o North Fork North Fork of area to be in Range E. or W. of Willamette Meridian 2E 2E	of Parott Cr Creek rrigated, or place section 28 28 28	reek Forty-acre Tract SW ¹ / ₄ of NE ¹ / ₄ SW ¹ / ₄ of NE ¹ / ₄ SW ¹ / ₄ of NE ¹ / ₄	Number Acres To Be Irrigated 8 Primary 9 Primary 5.6 Supplament
e difference in election for the second seco	o North Fork North Fork of area to be in Range E. or W. of Willamette Meridian 2E 2E	of Parott Cr Creek rrigated, or place section 28 28 28	reek Forty-acre Tract SW ¹ / ₄ of NE ¹ / ₄ SW ¹ / ₄ of NE ¹ / ₄ SW ¹ / ₄ of NE ¹ / ₄	Number Acres To Be Irrigated 8 Primary 9 Primary 5.6 Supplament
e difference in election for the second seco	o North Fork North Fork of area to be in Range E. or W. of Willamette Meridian 2E 2E	of Parott Cr Creek crigated, or place section 28 28 28	reek Forty-acre Tract SW ¹ / ₄ of NE ¹ / ₄ SW ¹ / ₄ of NE ¹ / ₄ SW ¹ / ₄ of NE ¹ / ₄	Number Acres To Be Irrigated 8 Primary 9 Primary 5.6 Supplament
e difference in election for the second seco	o North Fork North Fork of area to be in Range E. or W. of Willamette Meridian 2E 2E	n the stream be of Parott Cr Creek rigated, or place 28 28 28	reek Forty-acre Tract SW ¹ / ₄ of NE ¹ / ₄ SW ¹ / ₄ of NE ¹ / ₄ SW ¹ / ₄ of NE ¹ / ₄	Number Acres To Be Irrigated 8 Primary 9 Primary 5.6 Supplament

MUNICIPAL SUPPLY-

CHRIS L. MHEELER

STATE ENGINEER

ASSISTANT,

County of Marion, This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS and the following limitations and conditions: The right herein granted is smited to the amount of water which can be applied to beneficial was or source of appropriation, or its equivalent in case of rotation with other water users, from a well..... The use to which this water is to be applied isirrigation and supplemental irrigation... If for irrigation, this appropriation shall be limited to1/80th...... of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed .22... acre feet per acre for each acre irrigated during the irrigation season of each year; ...provided further. that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is ______ June 5, 1974 Actual construction work shall begin on or before _____July 16, 1976 _____ and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1976...... Complete application of the water to the proposed use shall be made on or before October 1, 19.77... WITNESS my hand this 16th day of July Resources Director HOROSON STATE office of the State Engineer at Salem, Oregon This instrument was first received in TO APPROPRIATE THE GROUND N WATERS OF THE STATE Application No. G. 6555 Permit No. G. G. 569 Ground Water Permits on page ${f G}$ Sexson 4, at 6.00. o'clock Recorded in book No. on the 54h day of Drainage Basin No. to applicant FAI

Returned

Approved