

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Rickreall Community Water Association  
(Name of applicant)  
of Rickreall, Oregon, county of Polk  
(Postoffice Address)  
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

September 17, 1971, Salem, Oregon

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Willamette River  
(Name of stream)

tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 120 gallons per minute.

3. The use to which the water is to be applied is Municipal Water Supply

4. The well or other source is located 0 ft. and 1,140 ft. W. from the SE corner of Sec. 34, T7S, R4W, W. M.  
(N. or S.) (E. or W.)  
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)  
being within the SE  $\frac{1}{4}$  of SE  $\frac{1}{4}$  of Sec. 34, Twp. 7 S, R. 4 W, W. M., in the county of Polk

5. The (Canal or pipe line) to be miles in length, terminating in the of Sec. , Twp. , R. , W. M., the proposed location being shown throughout on the accompanying map.  
(Smallest legal subdivision)

6. The name of the well or other works is Rickreall Community Water Association Well No. 1

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one well having a diameter of 12 inches and an estimated depth of 65 feet. It is estimated that 65 feet of the well will require steel casing. Depth to water table is estimated 27 feet below ground surface  
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake ..... in.; in size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type ..... 120 gpm turbine

Give horsepower and type of motor or engine to be used ..... 20 HP electric motor

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T7S	R4W	Sec 9	S½ of SE¼	
T7S	R4W	10	SW¼ of SW¼	
T7S	R4W	16	NE¼ & SE¼	
T7S	R4W	21	NE¼ & SE¼	
T7S	R4W	25	NW¼ & N½ of SW¼	
T7S	R4W	26	SW¼ & N½ of SE¼	
T7S	R4W	27	S½	
T7S	R4W	28	NE¼, SE¼ & SW¼	
T7S	R4W	29	S½	
T7S	R4W	30	NW¼, SW¼, SE¼	
T7S	R4W	31	W½	
T7S	R4W	32	N½	
T7S	R4W	34	E½ of SE¼	
T7S	R4W	35	NW¼, SW¼, SW¼, NW¼ & N½, NW¼	
T7S	R5W	10	S½	
T7S	R5W	15	Entire Section	
T7S	R5W	22	Entire Section	
T7S	R5W	23	SW¼	
T7S	R5W	25	S½	
T7S	R5W	26	Entire Section	
T7S	R5W	27	NE¼	
T8S	R4W	6	N½ of NW¼	

(If more space required, attach separate sheet)

Character of soil .....

Kind of crops raised .....

MUNICIPAL SUPPLY—

13. To supply the city of Rickreall Community Water Association  
in Polk county, having a present population of 500  
and an estimated population of 1,000 in 1990

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$ 335,000

15. Construction work will begin on or before October 1973

16. Construction work will be completed on or before October 1974

17. The water will be completely applied to the proposed use on or before October 1974

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. None

Remarks:

*C. D. Barendse*  
(Signature of applicant)  
Chairman Rickreall Water Assn.

The well for which this application is intended was drilled April 28, 1971. This well is intended to be the primary source of water for the proposed municipal water system shown on the attached map.

When further details of the system are worked out they will be included in this application.

STATE OF OREGON, } ss.  
County of Marion, }

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before August 7, 1972  
March 22, 73

RECEIVED  
MAR 22 1973  
STATE ENGINEER  
SALEM, OREGON

WITNESS my hand this 6th day of June, 1972  
22nd January 73

RECEIVED

JUL 28 1972 CHRIS L. WHEELER  
STATE ENGINEER  
SALEM OREGON

By *Thomas E. Shook*  
Thomas E. Shook

STATE ENGINEER

ASSISTANT

STATE OF OREGON, }  
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.27 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Kickreall Community Water Association Well #1

The use to which this water is to be applied is quasi-municipal

If for irrigation, this appropriation shall be limited to \_\_\_\_\_ of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed \_\_\_\_\_ acre feet per acre for each acre irrigated during the irrigation season of each year; \_\_\_\_\_

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is June 4, 1971

Actual construction work shall begin on or before July 17, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1976

Complete application of the water to the proposed use shall be made on or before October 1, 1977

WITNESS my hand this 17th day of July, 1975

James E. Saxson  
Water Resources Director

Application No. G-5536

Permit No. G-5701

PERMIT

TO APPROPRIATE THE GROUND  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the  
office of the State Engineer at Salem, Oregon,  
on the 4th day of June,  
1971, at 1 o'clock P. M.

Returned to applicant:

Approved:

June 17, 1975

Recorded in book No. \_\_\_\_\_ of  
Ground Water Permits on page G 5701

James E. Saxson STATE ENGINEER  
Drainage Basin No. 2 page 123

#2500  
Ref. 5200