

DEPARTMENT OF  
STATE ENGINEERING  
JULY 1, 1972  
STATE ENGINEER  
SALEM, OREGON

Permit No. G- 5703

CERTIFICATE NO. 48476

ASSIGNED, See Misc. Rec., Vol.

APPLICATION FOR A PERMIT

ASSIGNED, See Misc. Rec., Vol.

6 Page 561

6 Page 252

# To Appropriate the Ground Waters of the State of Oregon

I, RONALD E. JONES, Trustee  
(Name of applicant)

of 8285 Portland Road N.E., Brooks, county of Marion  
(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Lake Labish Ditch  
(Name of stream)

tributary of Willamette

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 600 gallons per minute.

3. The use to which the water is to be applied is Irrigation crop

4. The well or other source is located 20 ft. N. and 15 ft. E. from the SW corner of Lot 49  
(N. or S.) (E. or W.)

corner of Lot 49  
(Section or subdivision)

Labish Gardens

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)  
being within the NW 1/4 of the NW 1/4 of Sec. 32, Twp. 6 S., R. 2 W.,  
W. M., in the county of Marion

5. The pipeline (portable) to be 500 ft. miles  
(Canal or pipe line)  
in length, terminating in the Lot 49 SW 1/4 of the SW 1/4 of Sec. 29, Twp. 6 S.  
(Smallest legal subdivision)

R. 2 W., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is .

## DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 well having a diameter of 8 inches and an estimated depth of 93 feet. It is estimated that 93 feet of the well will require iron casing. Depth to water table is estimated 2 feet (Feet)  
drilled by Willamette Drilling Company Feb. 26, 1972

## CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) .....  
..... feet; width on bottom ..... feet; depth of water ..... feet;  
grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake ..... in.; in size at ..... ft.  
 from intake ..... in.; size at place of use ..... in.; difference in elevation between  
 intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity,  
 ..... sec. ft.

10. If pumps are to be used, give size and type Centrifugal - Cornell Rainflow

Give horsepower and type of motor or engine to be used ..... 15 HP electric motor

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

70 ft. North of main Lake Labish Ditch

12. Location of area to be irrigated, or place of use Lot 49 - Labish Gardens

(If more space required, attach separate sheet)

Character of soil ..... Clay and beaverdam.....

Kind of crops raised ..... Onions

## MUNICIPAL SUPPLY—

13. To supply the city of .....  
 in ..... county, having a present population of .....  
 and an estimated population of ..... in 19.....

## ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$ 1400.00 pump and motor  
 15. Construction work will begin on or before Feb. 12, 1972 Villamette Drilling Co.  
 16. Construction work will be completed on or before Feb. 26, 1972  
 17. The water will be completely applied to the proposed use on or before June 1, 1972  
 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

*Ronald E. Frost*  
(Signature of applicant) Trustee

Remarks: Will authorize cancellation of any existing rights

Legal Description is lot #9 of Lebush Gardens *QX*  
 within Tp 6 S., R.R. N., W.M.

STATE OF OREGON, { ss.  
 County of Marion,

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ..... 19.....

WITNESS my hand this ..... day of ..... 19.....

STATE ENGINEER

By ..... ASSISTANT

STATE OF OREGON,  
County of Marion,

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed ..... 0.12 ..... cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well .....

The use to which this water is to be applied is ..... irrigation .....

If for irrigation, this appropriation shall be limited to ..... 1/80th ..... of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed ..... 2 ..... acre feet per acre for each acre irrigated during the irrigation season of each year; .....

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is ..... June 6, 1972 .....

Actual construction work shall begin on or before ..... July 17, 1976 ..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1976.....

Complete application of the water to the proposed use shall be made on or before October 1, 1977....

WITNESS my hand this 17th day of ..... July ..... , 1975 .....

*Jerry E. Serson*  
Water Resources Director STATE ENGINEER

Application No. G-5203  
Permit No. G-5203

PERMIT

TO APPROPRIATE THE GROUND  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 6<sup>th</sup> day of June, 1975, at 12:30 o'clock A.M.

Returned to applicant:

Approved:

July 17, 1975

Recorded in book No. .... of

Ground Water Permits on page G-5203

James E. Serson

STATE ENGINEER

Drainage Basin No. 2 page 122