

RECEIVED
JAN 16 1973

Permit No. G-5706

STATE ENGINEER
SALEM, OREGON

APPLICATION FOR A PERMIT

CERTIFICATE NO. 4688

To Appropriate the Ground Waters of the State of Oregon

I, Ronald E Jones
of 8785 Portland Rd NE - Bldg 9731 county of Marion
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Lake Lewis Reservoir Dam
(Name of stream)
tributary of Clappitt Creek

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 1.5 gallons per minute.

3. The use to which the water is to be applied is for water

4. The well or other source is located 600 ft. North and 730 ft. West from the Southerly NW corner of Blk. #72 in Lot 52 of Labial Garden Subdivision
(Name of subdivision)
all in NE 1/4 of the NW 1/4 Section 32 - 6 S. R 2 W
(If possible, give direction and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the NE 1/4 of NW 1/4 of Sec. 32, Twp. 6 S, R. 2 W
W. M., in the county of Marion

5. The _____ to be _____ miles
(Diameter or pipe size)
in length, terminating in the _____ of Sec. _____, Twp. _____
(Smallest legal subdivision)
R. _____, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is _____

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one well having a diameter of 10 inches and an estimated depth of 20 feet. It is estimated that 2000 feet of the well will require _____ casing: Depth to water table is estimated 5
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type centrif. electric
 hp unknown at this time

Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development
180' north of the main Lake Labish Drainage ditch
normally 6 feet deep

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
6 S	2 W	32	N ¹ / ₂ of NW ¹ / ₄	2.84 A
6 S	2 W	29	SE ¹ / ₄ of SW ¹ / ₄	12.00 A
6 S	2 W	29	SW ¹ / ₄ of SW ¹ / ₄	3.79 A
<i>see description 6 S</i>	2 W	29	SW ¹ / ₂ SE ¹ / ₂	0.15
			<u>Total</u>	<u>18.78</u>
6 S	2 W	29-32	Lot # 521 of the ...	5.5
6 S	2 W	29	N ¹ / ₂ of SW ¹ / ₄ A 112 ✓	2.25
6 S	2 W	29	From North East corner of Lot 12 to the ...	
			280' from the ...	
			821' to the ...	
			of 252' ...	
6 S	2 W	29	... lot 51 ...	

(If more space required, attach separate sheet)

Character of soil Best - Heavy clay
 Kind of crops raised Corn, etc.

MUNICIPAL SUPPLY—

13. To supply the city of _____
in _____ county, having a present population of _____
and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$ well - \$236.00

15. Construction work will begin on or before _____

16. Construction work will be completed on or before 1-1-73

17. The water will be completely applied to the proposed use on or before Jan 1-73

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. _____

Ronald E. Jones
(Signature of applicant)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER
By _____
ASSISTANT

0751

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.23 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.


The priority date of this permit is January 16, 1973

Actual construction work shall begin on or before July 17, 1976 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1976

Complete application of the water to the proposed use shall be made on or before October 1, 1977

WITNESS my hand this 17th day of July, 1975.


Water Resources Director STATE ENGINEER

FH
B

Application No. G- 5979
Permit No. G- G 5706

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 16th day of JANUARY,
1973, at 11:12 o'clock A. M.

Returned to applicant:

Approved:

July 17, 1975

Recorded in book No. _____ of

Ground Water Permits on page G 5706

James E. Sexson

STATE ENGINEER

Drainage Basin No. 2 page 122

4200