

Permit No. G-5739

76421 & 50386

APPLICATION FOR A PERMIT

CERTIFICATE NO. ~~46505~~

# To Appropriate the Ground Waters of the State of Oregon

I, Laurence & Marjorie Iverson  
(Name of applicant)  
of Silver Lake, county of Lake  
(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Silver Creek  
(Name of stream)

tributary of

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 1200 gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located 1130 ft. <sup>S</sup>~~1130~~ and 1360 ft. <sup>SW</sup>~~1360~~ from the corner of 17, 18, 19, 20 <sup>18/17</sup>~~19/20~~  
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NW 1/4 NE 1/4 of Sec. 19, Twp. 28S, R. 15E, W. M., in the county of Lake

5. The Sprinkler Pipe line to be 1/2 Main / Lateral in length, terminating in the SW 1/4 NE 1/4 of Sec. 19, Twp. 28S, R. 15E, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Marjorie Iverson Well

## DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 well having a diameter of 14" inches and an estimated depth of 300 feet. It is estimated that 100 feet of the well will require 14x1/4 casing. Depth to water table is estimated 17

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake ..... in.; in size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type 10" Deep Well

Give horsepower and type of motor or engine to be used 75 Electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use Silver Lake

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
28S	15E	18	SW <sup>1</sup> / <sub>4</sub> SE <sup>1</sup> / <sub>4</sub>	6.1
28S	15E	18	SE <sup>1</sup> / <sub>4</sub> SE <sup>1</sup> / <sub>4</sub>	6.1
28S	15E	19	NW <sup>1</sup> / <sub>4</sub> NE <sup>1</sup> / <sub>4</sub>	40
28S	15E	19	NE <sup>1</sup> / <sub>4</sub> NE <sup>1</sup> / <sub>4</sub>	40
28S	15E	19	SW <sup>1</sup> / <sub>4</sub> NE <sup>1</sup> / <sub>4</sub>	35.2
28S	15E	19	SE <sup>1</sup> / <sub>4</sub> NE <sup>1</sup> / <sub>4</sub>	32.8

(If more space required, attach separate sheet)

Character of soil .....

Kind of crops raised Alfalfa For Hay

MUNICIPAL SUPPLY—

13. To supply the city of .....  
in ..... county, having a present population of .....  
and an estimated population of ..... in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$..... 25,000 .....

15. Construction work will begin on or before ..... 4/1/73 .....

16. Construction work will be completed on or before ..... 10/1/73 .....

17. The water will be completely applied to the proposed use on or before ..... 7/1/73 .....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. ....

*Laurence J. Swanson*  
(Signature of applicant)  
*Marjorie Swanson*

Remarks: .....  
See Attached map  
~~This map is approx~~

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ..... June 25, ....., 19.73..

WITNESS my hand this 24th ..... day of April ....., 19.73.

RECEIVED  
MAY 7 1973 CHRIS L. WHEELER  
STATE ENGINEER  
SALEM OREGON  
By *[Signature]*  
Assistant

STATE OF OREGON, }  
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 2.0 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from the Marjorie Iverson Well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is March 26, 1973

Actual construction work shall begin on or before July 17, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1976

Complete application of the water to the proposed use shall be made on or before October 1, 1977

WITNESS my hand this 17th day of July, 1975

*James E. Sexson*  
Water Resources Director STATE ENGINEER

Application No. G- 6047  
Permit No. G- 5739

PERMIT  
TO APPROPRIATE THE GROUND  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 26th day of March, 1973, at 11:15 o'clock A. M.

Returned to applicant:

Approved:

July 17, 1975

Recorded in book No. \_\_\_\_\_ of \_\_\_\_\_  
Ground Water Permits on page G 5739

James E. Sexson  
STATE ENGINEER

Drainage Basin No. 13 page 60