Permit No. G- 575

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Bert Hinchman and Anna Margaret Hinchman, husband and wife,
of Rt. 3. Junction City, Oregon , county of Lane
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Willamette River
(Name of stream) tributary of
2. The amount of water which the applicant intends to apply to beneficial use is •075 cubi feet per second or 33.66 gallons per minute.
3. The use to which the water is to be applied is Irrigation
4 m; 2 4 107 02. W 1280 20 W 7 1 SF
4. The well or other source is located 107.93t. N and 289.29t W, from the SE
corner of NW 1/4 of the NE1/4 of Section 20. Township 15 S., Range 4 W (Section or subdivision)
(If preferable, give distance and bearing to section corner)
WWX. If there is more than one we' each must be described. Use separate sheet if necessary)
being within the NE 1/4 of Sec. 20 Twp. 155 R. 4W
W. M., in the county of Lan e
5. The pipe line to be all mile (Canal or pipe line)
in length, terminating in the NW1/4 of the NE 1/4 of Sec. 20 Twp. 158
R. 4. W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of th supply when not in use must be described.
· · · · · · · · · · · · · · · · · · ·
8. The development will consist of one well having (Give number of wells, tunnels, etc.)
diameter of 6 inches and an estimated depth of 20 feet. It is estimated that 20
feet of the well will require 6 1nch casing. Depth to water table is estimated 20 (Kind)

ate. At head	gate. water on top	(at water time	:)	<i>jett</i> , <i>wi</i>
1	eet; depth of water	r	feet; grade	feet fall per
and feet.				
(b) At	mile	s from headge	ate: width on top (at water line)
•	feet; width on bo	ettora	feet; depth of water	
· • • • • • • •	feet fall pe	r one thousan	d feet.	
(c) Length	of pipe, 600	ft.; si	ze at intake, 2 in.; i	n size at 10
intake	2 in.; siz	re at place of	use 2 in.; differe	ence in elevation bet
e and place o	of use, none	ft. Is	grade uniform? Jos	. Estimated capo
	sec. ft.			
10. If pum	ps are to be used, gi	ive size and ty	pe Jacuzzi 3500 R	.P.M.,Centrifu
**			······································	
Give horse	power and type of	motor or engi	ne to be used 1 1/2 H.P	. , Elec tric
•	•			
11. If the	location of the well	, tunnel, or oti	her development work is less in	un one-journ mile
	- stream channel	give the dist	her development work is less the cance to the nearest point on each and the ground surface at the cancel and the	ach of such channel
ral stream (difference in	- stream channel	give the dist	eance to the nearest point on e	ach of such channel
ral stream (difference in	or stream channel, elevation between	give the dist	eance to the nearest point on e	ach of such channel
tral stream of difference in d	ion of area to be irrectly and the manual state of the irrectly and the irrectly and irrectly are an irrectly and irrectly and irrectly are an irrectly and irrectly and irrectly and irrectly are an irrectly and irrectly and irrectly are an irrectly and irrectly and irrectly are an irrectly and irrectly area.	give the dist	eance to the nearest point on e ed and the ground surface at t ce of use Forty-scre Tract	Number Acres
tral stream of difference in 12. Locat:	ion of area to be irr	give the dist the stream be	eance to the nearest point on e	Number Acres To Be Irrigated
tral stream of difference in d	ion of area to be irrectly and the manual state of the irrectly and the irrectly and irrectly are an irrectly and irrectly and irrectly are an irrectly and irrectly and irrectly and irrectly are an irrectly and irrectly and irrectly are an irrectly and irrectly and irrectly are an irrectly and irrectly area.	give the dist the stream be	eance to the nearest point on e ed and the ground surface at t ce of use Forty-scre Tract	Number Acres To Be Irrigated
tral stream of difference in d	ion of area to be irrectly and the manual state of the irrectly and the irrectly and irrectly are an irrectly and irrectly and irrectly are an irrectly and irrectly and irrectly and irrectly are an irrectly and irrectly and irrectly are an irrectly and irrectly and irrectly are an irrectly and irrectly area.	give the dist the stream be	eance to the nearest point on e ed and the ground surface at t ce of use Forty-scre Tract	Number Acres To Be Irrigated
tral stream of difference in d	ion of area to be irrectly and the manual state of the irrectly and the irrectly and irrectly are an irrectly and irrectly and irrectly are an irrectly and irrectly and irrectly and irrectly are an irrectly and irrectly and irrectly are an irrectly and irrectly and irrectly are an irrectly and irrectly area.	give the dist the stream be	eance to the nearest point on e ed and the ground surface at t ce of use Forty-scre Tract	Number Acres To Be Irrigated
tral stream of difference in d	ion of area to be irrectly and the manual state of the irrectly and the irrectly and irrectly are an irrectly and irrectly and irrectly are an irrectly and irrectly and irrectly and irrectly are an irrectly and irrectly and irrectly are an irrectly and irrectly and irrectly are an irrectly and irrectly area.	give the dist the stream be	eance to the nearest point on e ed and the ground surface at t ce of use Forty-scre Tract	Number Acres To Be Irrigated
tral stream of difference in d	ion of area to be irrectly and the manual state of the irrectly and the irrectly and irrectly are an irrectly and irrectly and irrectly are an irrectly and irrectly and irrectly and irrectly are an irrectly and irrectly and irrectly are an irrectly and irrectly and irrectly are an irrectly and irrectly area.	give the dist the stream be	eance to the nearest point on e ed and the ground surface at t ce of use Forty-scre Tract	Number Acres To Be Irrigated
tral stream of difference in d	ion of area to be irrectly and the manual state of the irrectly and the irrectly and irrectly are an irrectly and irrectly and irrectly are an irrectly and irrectly and irrectly and irrectly are an irrectly and irrectly and irrectly are an irrectly and irrectly and irrectly are an irrectly and irrectly area.	give the dist the stream be	eance to the nearest point on e ed and the ground surface at t ce of use Forty-scre Tract	Number Acres To Be Irrigated
tral stream of difference in d	ion of area to be irrectly and the manual state of the irrectly and the irrectly and irrectly are an irrectly and irrectly and irrectly are an irrectly and irrectly and irrectly and irrectly are an irrectly and irrectly and irrectly are an irrectly and irrectly and irrectly are an irrectly and irrectly area.	give the dist the stream be	eance to the nearest point on e ed and the ground surface at t ce of use Forty-scre Tract	Number Acres To Be Irrigated
tral stream of difference in d	ion of area to be irrectly and the manual state of the irrectly and the irrectly and irrectly are an irrectly and irrectly and irrectly are an irrectly and irrectly and irrectly and irrectly are an irrectly and irrectly and irrectly are an irrectly and irrectly and irrectly are an irrectly and irrectly area.	give the dist the stream be	eance to the nearest point on e ed and the ground surface at t ce of use Forty-scre Tract	Number Acres To Be Irrigated
tral stream of difference in d	ion of area to be irrectly and the manual state of the irrectly and the irrectly and irrectly are an irrectly and irrectly and irrectly are an irrectly and irrectly and irrectly and irrectly are an irrectly and irrectly and irrectly are an irrectly and irrectly and irrectly are an irrectly and irrectly area.	give the dist the stream be	eance to the nearest point on e ed and the ground surface at t ce of use Forty-scre Tract	Number Acres To Be Irrigated
tral stream of difference in d	ion of area to be irrectly and the manual state of the irrectly and the irrectly and irrectly are an irrectly and irrectly and irrectly are an irrectly and irrectly and irrectly and irrectly are an irrectly and irrectly and irrectly are an irrectly and irrectly and irrectly are an irrectly and irrectly area.	give the dist the stream be	eance to the nearest point on e ed and the ground surface at t ce of use Forty-scre Tract	Number Acres To Be Irrigated

STATE ENGINEER

county, havis	ng a present population of
n estimated population of	
14. Estimated cost of proposed works,	
	r before June 1st. 1957
	ed on or before June 30, 1957
17. The water will be completely appl	lied to the proposed use on or before June 30, 1957
18. If the ground water supply is su on for permit, permit, certificate or a	spplemental to an existing water supply, identify any appli- djudicated right to appropriate water, made or held by the
licant. Anone	
	Stiffitz voluments of applicants
•	of No. 9 and 10. The pump and pipe
as specified will change	ed in the future.
	•
	r
·	
TATE OF OREGON,	•
County of Marion,	
This is to certify that I have examin	ned the foregoing application, together with the accompanying
naps and data. and return the same for	· · · · · · · · · · · · · · · · · · ·
In order to rate in its enjoyits: this s	application must be returned to the State Engineer, with correc

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

או פיזין און	propriation or its	equivalent in case of		at the point of div	
	•	equivalent in case of		•	
·	se to which this t	water is to be applied	lis irrigati	*	<u></u>
				1/80 of or	se cubic foot per second
					of not to exceed $-2\frac{1}{2}$.
				·	;
acre jeet pe	r acre jor each a	cre irrigated during			• • • • • • • • • • • • • • • • • • • •
			•		
••••••••••	••••••		•••••		

		reasonable rotation		he andered he the	nenner etate officer
The valine, adequate The passes the passes The passes Actual thereafter	works constructed ate to determine bermittee shall in plete record of the priority date of the al construction when the prosecuted when the prosec	water level elevationstall and maintain a he amount of ground his permit is work shall begin on o with reasonable diligations.	r line and pres m in the well a weir, meter, or water withdra May 28, r beforeJu ence and be co	sure gauge or an a stall times. rother suitable me wn. 1957	ccess port for measuring asuring device, and shal
No. G- 670 3- 575	PERMIT APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 28th day of May		proved: June 20, 1957	Ground Water Permits on page 575 LECTS A. STALLSY STATE ENGINEER Drainage Basin No. 2 page 91.X

00