

RECEIVED
APR 1 1973
STATE ENGINEER
SALISBURY, OREGON

Permit No. G- G 5751

APPLICATION FOR A PERMIT

ASSIGNED, See Misc. Rec., Vol. 6 Page 904

To Appropriate the Ground Waters of the State of Oregon

I, Robert A. Baesler for VIEW POINT RANCHES
(Name of applicant)
of P. O. Box 240, Christmas Valley, county of Lake
(Postoffice Address)
state of Oregon 97638, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated none
(Name of stream)

tributary of Fort Rock Basin

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 2,100 gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located 2660 ft. N and 2110 ft. E from the SW corner of Section 29
(N. or S.) (E. or W.) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SE 1/4 NW 1/4 of Sec. 29, Twp. 27 S., R. 19E, W. M., in the county of Lake

5. The _____ to be _____ miles in length, terminating in the _____ of Sec. _____, Twp. _____, R. _____, W. M., the proposed location being shown throughout on the accompanying map.
(Canal or pipe line) (Smallest legal subdivision)

6. The name of the well or other works is View Point Well No 3 under Permit No 696 and Permit No 697; 1973 Addition.
DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of _____ having a diameter of _____ inches and an estimated depth of _____ feet. It is estimated that _____ feet of the well will require _____ casing. Depth to water table is estimated _____
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 3 Stage 150 HP VHS

Give horsepower and type of motor or engine to be used 150 HP Electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
27 S	19 E	29	SE $\frac{1}{4}$ OF NE $\frac{1}{4}$	14.0
			NE $\frac{1}{4}$ OF SE $\frac{1}{4}$	11.8
			NW $\frac{1}{4}$ OF SE $\frac{1}{4}$ ^{SE$\frac{1}{4}$}	11.4
			SW $\frac{1}{4}$ OF NE $\frac{1}{4}$	11.8
			NW $\frac{1}{4}$ OF NE $\frac{1}{4}$	5.0
			SW $\frac{1}{4}$ OF SE $\frac{1}{4}$	1.0
				35.0

(If more space required, attach separate sheet)

Character of soil Sandy Loam
 Kind of crops raised Alfalfa and Oat hay

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$.....41,000.00.....
- 15. Construction work will begin on or before ~~APR~~ Feb 1, 1973
- 16. Construction work will be completed on or before April 1, 1973 ✓
- 17. The water will be completely applied to the proposed use on or before May 1, 1973

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Robert A. Baesler
Robert A. Baesler for View Point Rancho
(Signature of applicant)

Remarks: This allocation is in addition to the existing permits No. G-696 and No. G-697. The pump has been changed and now just additional acreage is being irrigated from the same well, View Point No. 3. A pivot irrigation system has been installed to replace some wheel lines but the only thing that has changed is the amount of water we are pumping and the number of acres we are irrigating.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before August 24, 1973.

WITNESS my hand this 25th day of June, 1973.

RECEIVED
JUL 3 1973
STATE ENGINEER
SALEM, OREGON

CHRIS L. WHEELER
STATE ENGINEER
Thomas E. Shook
By Thomas E. Shook ASSISTANT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.7 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from View Point Well No. 3

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed .3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is April 9, 1973

Actual construction work shall begin on or before July 28, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1976

Complete application of the water to the proposed use shall be made on or before October 1, 1977

WITNESS my hand this 28th day of July, 1975

James C. [Signature]
Water Resources Director STAFF ENGINEER

Application No. G-6062
Permit No. G-575A

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 28th day of April,
1975, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. _____ of
Ground Water Permits on page G 575A

STATE ENGINEER

Drainage Basin No. 13 page 60

F.H.
e