APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon.

I, Donald D. ROEOWSKI (Name of applicant)
of Rt. 4, Box 205, Hillsboro , county of meshington
state of
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated McFee Creek (Name of stream)
tributary of Tualatin River
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or gallons per minute.
3. The use to which the water is to be applied is irrigation
4. The well or other source is located 1280 ft. N and 530 ft. E from the Content or Section 13 (Section or subdivision)
(Section or subdivision)
(If preferable, give distance and bearing to section corner)
being within the $\frac{NW_{4}^{\frac{1}{4}} \text{ of } NE_{4}^{\frac{1}{4}}}{NW_{4}^{\frac{1}{4}} \text{ of } NE_{4}^{\frac{1}{4}}}$ of Sec. 13 , Twp. 28 , R. 3W ,
W. M., in the county of Washington
5: The PENTAble SYSTERE to be miles
in length, terminating in the
R, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
<u>'</u>
8. The development will consist of DNe (Give number of wells, tunnels, etc.)
diameter of inches and an estimated depth of feet. It is estimated that
feet of the well will require 5726 casing. Depth to water table is estimated (Kind)
same well as Permit # 6-4044

dgate. At he	adgate: width on	top (at water li	ne)	feet: width on b
			feet; grade	
	jeet, aeptit oj	water	jeet, graae	jeet jan pe
usand feet.			,	
			gate: width on top (at wate	•
***************************************	feet; width on	bottom	feet; depth of u	vater
de	feet fall	per one thousa	nd feet.	
(c) Lengt	h of pipe,	ft.; si	ze at intake in	.; in size at
n intake	in.; s	rize at place of 1	use in.; dif	ference in elevation bet
ke and place	e of use,	ft. I	s grade uniform?	Estimated cap
***************************************	sec. ft.			
10. If pur	nps are to be used	, give size and t	ype 20 HP submo	erSible .
				•
Give hors	senower and tune	of motor or e	rgine to be used	
	· ·	o,		
itural strean	n or stream chann	el, give the dist	her development work is letance to the nearest point of and the ground surface of and the ground surface of the	n each of such channel
itural strean difference ir	n or stream chann n elevation betwee	el, give the dist	tance to the nearest point o	n each of such channel at the source of develop
itural strean difference ir	n or stream chann n elevation betwee	el, give the dist	tance to the nearest point of and the ground surface of	n each of such channel at the source of develop
tural stream difference in 12. Locate	ion of area to be i	el, give the dist	tance to the nearest point of the ground surface of the ground sur	n each of such channel at the source of develop Number Acres
tural stream difference in 12. Locat Township N. or S.	ion of area to be i	rrigated, or place	tance to the nearest point of and the ground surface of the ground	n each of such channel at the source of develop Number Acres To Be Irrigated
12. Locat Township N. or S.	ion of area to be i Range E or W. of Willamette Meridian	el, give the distent the stream be rrigated, or place section	tance to the nearest point of the ed and the ground surface of the ed and the ground surface of the ed and the ground surface of the edge	n each of such channel at the source of develop Number Acres To Be Irrigated
12. Locat Township N. or S.	ion of area to be i Range E or W. of Willamette Meridian	el, give the distent the stream be rrigated, or place section	tance to the nearest point of the ed and the ground surface of the ed and the ground surface of the ed and the ground surface of the edge	n each of such channel at the source of develop Number Acres To Be Irrigated
12. Locat Township N. or S.	ion of area to be i Range E or W. of Willamette Meridian	el, give the distent the stream be rrigated, or place section	tance to the nearest point of the ed and the ground surface of the ed and the ground surface of the ed and the ground surface of the edge	n each of such channel at the source of develop Number Acres To Be Irrigated
12. Locat Township N. or S.	ion of area to be i Range E or W. of Willamette Meridian	el, give the distent the stream be rection	tance to the nearest point of the ed and the ground surface of the ed and the ground surface of the ed and the ground surface of the edge	n each of such channel at the source of develop Number Acres To Be Irrigated
12. Locat Township N. or S.	ion of area to be i Range E or W. of Willamette Meridian	el, give the distent the stream be rection	tance to the nearest point of the ed and the ground surface of the ed and the ground surface of the ed and the ground surface of the edge	n each of such channel at the source of develop Number Acres To Be Irrigated
12. Locat Township N. or S.	ion of area to be i Range E or W. of Willamette Meridian	el, give the distent the stream be rection	tance to the nearest point of the ed and the ground surface of the ed and the ground surface of the ed and the ground surface of the edge	n each of such channel at the source of develop Number Acres To Be Irrigated
12. Locat Township N. or S.	ion of area to be i Range E or W. of Willamette Meridian	el, give the distent the stream be rection	tance to the nearest point of the ed and the ground surface of the ed and the ground surface of the ed and the ground surface of the edge	n each of such channel at the source of develop Number Acres To Be Irrigated
12. Locat Township N. or S.	ion of area to be i Range E or W. of Willamette Meridian	el, give the distent the stream be rection	tance to the nearest point of the ed and the ground surface of the ed and the ground surface of the ed and the ground surface of the edge	n each of such channel at the source of develop Number Acres To Be Irrigated
12. Locat Township N. or S.	ion of area to be i Range E or W. of Willamette Meridian	el, give the distent the stream be rection	tance to the nearest point of the ed and the ground surface of the ed and the ground surface of the ed and the ground surface of the edge	n each of such channel at the source of develop Number Acres To Be Irrigated
12. Locat Township N. or S.	ion of area to be i Range E or W. of Willamette Meridian	el, give the distent the stream be rection	tance to the nearest point of the ed and the ground surface of the ed and the ground surface of the ed and the ground surface of the edge	n each of such channel at the source of develop Number Acres To Be Irrigated

Kind of crops raised

ASSISTANT

MUNICIPAL SUPPLY— 13. To supply the city of
in county, having a present population of
and an estimated population of in 19
ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES
.14. Estimated cost of proposed works, \$ 500. 720
15. Construction work will begin on or before STIPT-L
16. Construction work will be completed on or before
17. The water will be completely applied to the proposed use on or before
18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the
applicant. NONC.
(Signature of applicant)
Remarks:
,
· · · · · · · · · · · · · · · · · · ·
STATE OF OREGON, ss. Ss.
This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for
In order to retain its priority, this application must be returned to the State Engineer, with correc
tions on or before, 19,
WITCHESS Land 41:
WITNESS my hand thisday of, 19
STATE ENGINEER

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

Th	e right herein grant	ed is limited to the am	ount of w	ater which can	be applied to	beneficial no
		27				•
			. 4			
Th	e use to which this ı	water is to be applied is		irrigati	on	
If j	for irrigation, this ap	opropriation shall be lin	nited to	1/80th	of one cubic fo	oot per second
or its equ	ivalent for each acr	e irrigated and shall be	: further l	imited to a div	ersion of not to	exceed .2
acre feet	per acre for each ac	re irrigated during the	i rrigation	season of each	year;	••••••••
***************************************				••••••	•••••	
				•••••		
••••••				•••••••••••••••••••••••••••••••••••••••	••••••	
•••••	•••••••••••••••••••••••••••••••••••••••	·				
••••••						••••••••••
The the works The line, adeq The shall keep The Act hereafter	e well shall be cased shall include prope works constructed that to determine permittee shall inso a complete record priority date of this wal construction works be prosecuted with aplete application of	easonable rotation system as necessary in according to applying and control to shall include an air line water level elevation at the amount of grounds permit is	lance with valve to prove and water and be consedured by the consedure of	a good practice revent the wast ssure gauge or l at all times. or other suit withdrawn. will 16, 1973 July	and if the floe of ground was an access port pable measuring able measuring 28, 1976	w is artesian ter. for measuring device, and shall r 1, 1976
			Water R	desources Dir	rector &	ENERADON SER
Application No. G-6073 Permit No. G- G 5760	PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 16 m day of 1923, at 1:40 o'clock M.	Returned to applicant:	Approved:	Recorded in book No. of Ground Water Permits on page G 5730	Drainage Basin No. 2 page 130

1