

RECEIVED  
APR 27 1973  
STATE ENGINEER  
SALEM, OREGON

RECEIVED  
APR 27 1973  
STATE ENGINEER  
SALEM, OREGON

"CERTIFICATE NO. 54447"

Permit No. G-G 5777

APPLICATION FOR A PERMIT

# To appropriate the Ground Waters of the State of Oregon

I, Oregon Roses Inc......  
(Name of applicant)

of 1170 E. Tualatin Valley Highway, Hillsboro county of Washington.....  
(Postoffice Address) 97123

state of Oregon....., do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

July 31, 1956, Hillsboro, Oregon.....

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated East Dairy Creek.....  
(Name of stream)

..... tributary of Tualatin River

2. The amount of water which the applicant intends to apply to beneficial use is 94 cubic feet per second or 423 gallons per minute. ~~XXXXXX~~ 60.43 G.P.M. per well

supplemental

3. The use to which the water is to be applied is irrigation.....

4. The well or other source is located -- All measurements taken from the S.E. corner of ~~SW 1/4~~ SW 1/4 and ~~NE 1/4~~ NE 1/4 of the ~~SW 1/4~~ SW 1/4 subdivision. Well #1 - 290' N 29° 30' W, well

Wells #2 - 350' N 25° W, well #3 - 485' N 14° W, well #4 - 510' N 32° 30' W, well #5, #6, & #7 Measured from the SW corner of SW 1/4 NE 1/4 Subdivision:

well #5 - 875' N 65° E, well #6 - 450' N 56° E, well #7 - 170' N 21° E.  
(If there is more than one well, each must be described. Use separate sheet if necessary)

All wells being within the SW 1/4 NE 1/4 of Sec. 20, Twp. 1N, R. 3W, W. M., in the county of Washington.....

5. The ..... to be ..... miles  
(Canal or pipe line)  
in length, terminating in the ..... of Sec. ...., Twp. ....  
(Smallest legal subdivision)

R. ...., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Verboort Farm.....

### DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 7 wells -- see attached note having a diameter of 6 inches and an estimated depth of 60 feet. It is estimated that 60 feet of the well will require PVC pipe casing. Depth to water table is estimated 24  
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake ..... in.; in size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type ..... 1 1/4 " Submersible 9 stage

Give horsepower and type of motor or engine to be used ..... 1 HP - submersible

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use ..... Verboort Farm

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T 1N	R 3W	20	NW 1/4 SE 1/4	.4
T 1N	R 3W	20	NE 1/4 SW 1/4	1.6
T 1N	R 3W	20	SE 1/4 NW 1/4	21.7
T 1N	R 3W	20	SW 1/4 NE 1/4	33.4
T 1N	R 3W	20	SE 1/4 NE 1/4	2.4
T 1N	R 3W	20	NE 1/4 NW 1/4	6.5
T 1N	R 3W	20	NW 1/4 NE 1/4	8.8
T 1N	R 3W	20	NE 1/4 NE 1/4	.4

75

(If more space required, attach separate sheet)

Character of soil Woodburn silt loam, Amity silt loam, Verboort Silty Clay loam.

Kind of crops raised Nursery stock

8. We plan to pump from wells into a 8 acre foot reservoir. When sufficient water is collected, we will irrigate from the reservoir using a 30 HP 320 GPM Turbine pump.

**RECEIVED**  
APR 18 1973  
STATE ENGINEER  
SALEM OREGON

**RECEIVED**  
JUN 11 1973  
STATE ENGINEER  
SALEM OREGON

Application No.  
Permit No. G 5777

MUNICIPAL SUPPLY—

G 5777

13. To supply the city of .....  
in ..... county, having a present population of .....  
and an estimated population of ..... in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$5,500.....
- 15. Construction work will begin on or before April 1972.....
- 16. Construction work will be completed on or before September 1975.....
- 17. The water will be completely applied to the proposed use on or before September 1975.....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Application has been made for appropriation of 8 acre feet of surface drainage accumulated during winter months.....

*David R. Jensen* - Vice Pres.  
(Signature of applicant)  
Oregon River Inc.

Remarks: Legal Description:

Beginning at the Northeast corner of the donation land claim of Henry Black and wife in Section 20, Township 1 North, Range 3 West of the Willamette Meridian, and running thence West 34.11 chains; thence South 90° East 35.60 chains; thence North 75° East 33.82 chains to the East boundary of said claim; thence North 90° 30' West 26.34 chains to the place of beginning.

Excepting therefrom the following described land:

Beginning at the Northeast corner of d.L.C. of Henry Black and wife as aforesaid in Section 20, Township 1 North, Range 3 West of the Willamette Meridian, Washington County, Oregon; and running thence West 33 chains and 37 feet; thence South 90° East 5 chains and 62 feet; thence North 76° East 33 chains and 37 feet; thence North 90° 30' West 5 chains and 62 feet to said Northeast corner of said donation land claim to the place of beginning.

Also reserving and excepting the following described land:

Beginning and at the Southwest corner of the above tract and running thence North 90° West 220 feet; thence North 75° East 198 feet; thence South 90° East 220 feet to the South line of said tract; thence South 75° West 198 feet to the place of beginning.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for ..... correction and completion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before July 23....., 1973..

WITNESS my hand this 22nd day of May, 1973..

RECEIVED  
JUN 11 1973  
STATE ENGINEER  
DIVISION OF WATER RESOURCES  
STATE OF OREGON

CHRIS L. WHEELER  
STATE ENGINEER  
By *Thomas E. Shook*  
Thomas E. Shook  
ASSISTANT

STATE OF OREGON, }  
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.94 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Seven Wells being 0.134 c.f.s. from each well.

The use to which this water is to be applied is supplemental irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 22 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is April 27, 1973.

Actual construction work shall begin on or before July 28, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1976.

Complete application of the water to the proposed use shall be made on or before October 1, 1977.

WITNESS my hand this 28th day of July, 1975.

*James E. Owen*  
Water Resources Director STATE ENGINEER

Application No. G- 10096  
Permit No. G- 5777

PERMIT  
TO APPROPRIATE THE GROUND  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 27th day of April, 1973, at 8:00 o'clock A. M.

Returned to applicant:  
  
Approved:

Recorded in book No. of  
Ground Water Permits on page G 5777

STATE ENGINEER  
Drainage Basin No. 2 page 130