

RECEIVED
NOV 27 1972
STATE ENGINEER
SALEM OREGON

CERTIFICATE NO. 49273

Permit No. G- G 5810

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, John N. Wain (Name of applicant)
of Sprague River Star Route 12 Klamath Falls, county of Klamath,
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the
following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Whiskey Creek (Name of stream)
tributary of Sprague River

2. The amount of water which the applicant intends to apply to beneficial use is cubic
feet per second or 3,200 gallons per minute.

3. The use to which the water is to be applied is Pasture irrigation

4. The well or other source is located 500 ft. N and 300 ft. E from the South
(N. or S.) (E. or W.)
corner of quarter-section corner of Section 35, T. 36 S., R. 11 E., W. M.
(Section or subdivision)
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the SW 1/4 SE 1/4 of Sec. 35, Twp. 36 S., R. 11 E.,
W. M., in the county of Klamath

5. The main ditch (Canal or pipe line) to be 1 miles
in length, terminating in the NE 1/4 SW 1/4 (Smallest legal subdivision) of Sec. 36, Twp. 36 S.,
R. 11 E., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Mark Time Well #1

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the
supply when not in use must be described.

8. The development will consist of one well (Give number of wells, tunnels, etc.) having a
diameter of 16 inches and an estimated depth of 384 feet. It is estimated that 120
feet of the well will require 16" steel (Kind) casing. Depth to water table is estimated 31 feet (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 6 feet; width on bottom 2 to 4 feet; depth of water 1 to 2 feet; grade 10 feet fall per one thousand feet.

(b) At same miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 5 ft.; size at intake 12 in.; in size at ft. ditch only in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft. pump discharge to

10. If pumps are to be used, give size and type 12" deep well turbine

Give horsepower and type of motor or engine to be used 100 H. P. direct connected
..... V. H. S. electric motor.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	
T. 36 S.	R. 11 E.	25	SE $\frac{1}{4}$ SW $\frac{1}{4}$	35	
			NE $\frac{1}{4}$ SE $\frac{1}{4}$	40	
		35	NW $\frac{1}{4}$ SE $\frac{1}{4}$	40	
			SW $\frac{1}{4}$ SE $\frac{1}{4}$	20	
		36		SE $\frac{1}{4}$ SE $\frac{1}{4}$	15
				NE $\frac{1}{4}$ NW $\frac{1}{4}$	40
				NW $\frac{1}{4}$ NW $\frac{1}{4}$	32
				SW $\frac{1}{4}$ NW $\frac{1}{4}$	40
				SE $\frac{1}{4}$ NW $\frac{1}{4}$	35
				NE $\frac{1}{4}$ SW $\frac{1}{4}$	20
				NW $\frac{1}{4}$ SW $\frac{1}{4}$	25
					24

(If more space required, attach separate sheet)

Character of soil adobe loam

Kind of crops raised pasture

MUNICIPAL SUPPLY—

13. To supply the city of _____
in _____ county, having a present population of _____
and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 12,000
- 15. Construction work will begin on or before well already drilled
- 16. Construction work will be completed on or before 7/1/72
- 17. The water will be completely applied to the proposed use on or before 7/1/73

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. _____

Remarks: _____

John W. Mann (Signature of applicant)
 by *Frank C. ...*
Manager in charge

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____ correction and completion _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before January 26, 1973

~~September 27~~ 77
~~November 8~~ 77
~~December 2~~ 72

WITNESS my hand this 28th day of November, 1972
~~20th~~ ~~July~~ 71
~~8th~~ ~~September~~ 74
~~2nd~~ ~~October~~ 72

CHRIS L. WHEELER
STATE ENGINEER

By *[Signature]*
ASSISTANT

ENGINEER
 JAMES B. ...
 STATE ENGINEER
 ALEM. OREGON

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 4.3 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Mark Time Well No. 1

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is July 6, 1971

Actual construction work shall begin on or before September 4, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1976. Extended to Oct. 1977

Complete application of the water to the proposed use shall be made on or before October 1, 1977.

WITNESS my hand this 4th day of September, 1975.

James E. [Signature]
Water Resources Director STATE ENGINEER

Application No. G- 5564
Permit No. G- G 5810

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 27th day of November, 1972, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. of Ground Water Permits on page G 5810

STATE ENGINEER

Drainage Basin No. 14 page 38

41262