RECEIVED

NOV 1 3 1973 STATE ENGINEER SALEM, OREGON

Permit No. G- G 5813

APPLICATION FOR A PERMIT

CERTIFICATE NO. 440206

To Appropriate the Ground Waters of the State of Oregon

I, LEANE W. AND HAZEL J. GUBSON
of RT. BOX 75 BUENS, OF GON, county of HARNEY,
state of <u>CECON</u> , do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Forson CREEK
tributary of SILVIES RIVER
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or
3. The use to which the water is to be applied is RRIGATION
4. The well or other source is located 340 ft. 5 and 1775 ft. 6 from the from the
corner of 12 1 12 12 12 12 12 12 12 12 12 12 12 1
(Section or subdivision) (If preferable, give distance and bearing to postion corner)
(If there'is more than one well, each must be described. Use separate sheet if necessary)
being within the ME 14 N.C. 14 of Sec. 3 Twp. 235, R. 3/E,
W. M., in the county of Alaxass
5. The Main Line Strictle System to be miles in length, terminating in the
in length, terminating in the $NW/4/15/4$ $NE/4/16/4$ of Sec. 3, Twp. 23 , (Smallest legal subdivision)
R, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
8. The development will consist of
diameter of inches and an estimated depth of feet. It is estimated that
feet of the well will require casing. Depth to water table is estimated (Kind)

headgate. At headgate: width on top (at water line)					feet; width on bo		
feet; depth of waterfeet; grade					feet fa	ill per	
usand feet.				! !	•		
•	m_i	les from hea	dgate: width on top	(at water l	ine)		
		• •					
	•		feet; d	epin of wan	ET ,	*********	
	feet fall 1			٠.			
	i		; size at intake				
n intake	in.; s	ize at place o	f use	in.; differ	ence in elevation	n bet	
ike and place	of use,	ft.	Is grade uniform?		Estimated	d cap	
	-			_			
10. If pum	ps are to be used,	give size and	type Electro	(c) T	Marof	• • • • • • • • • • • • • • • • • • • •	
	•••••	•					
Give horse	power and type o	f motor or en	gine to be used	5-H.P.	Submeras	o be	
•	•						
atural stream		l, give the di	stance to the neares bed and the ground	st point on	each of such cha	innel	
atural stream difference in	or stream channe elevation between	el, give the di	stance to the neare:	st point on surface at	each of such cho	unnels velop	
atural stream difference in	or stream channe	el, give the di	stance to the neares bed and the ground	st point on surface at	each of such cho	unnels velop	
atural stream difference in 12. Locatio	or stream channe elevation between on of area to be in Range	rigated, or pl	stance to the neares bed and the ground ace of use	st point on surface at	each of such cho the source of de	res ted	
atural stream difference in 12. Location	or stream channe elevation between on of area to be in Range	rigated, or pl	stance to the neares bed and the ground ace of use	st point on surface at	each of such cho the source of de Number Act To Be Irriga	unnels velop	
atural stream difference in 12. Locatio	or stream channe elevation between on of area to be in Range	rigated, or pl	stance to the neares bed and the ground ace of use	st point on surface at	each of such cho the source of de Number Act To Be Irriga	res ted	
atural stream difference in 12. Locatio	or stream channe elevation between on of area to be in Range	rigated, or pl	stance to the neares bed and the ground ace of use	st point on surface at	each of such cho the source of de Number Act To Be Irriga	res ted	
atural stream difference in 12. Locatio	or stream channe elevation between on of area to be in Range	rigated, or pl	stance to the neares bed and the ground ace of use	st point on surface at	each of such cho the source of de Number Act To Be Irriga	res ted	
atural stream difference in 12. Locatio	or stream channe elevation between on of area to be in Range	rigated, or pl	stance to the neares bed and the ground ace of use	st point on surface at	each of such cho the source of de Number Act To Be Irriga	res ted	
atural stream difference in 12. Locatio	or stream channe elevation between on of area to be in Range	rigated, or pl	stance to the neares bed and the ground ace of use	st point on surface at	each of such cho the source of de Number Act To Be Irriga	unnels velop	
atural stream difference in 12. Locatio	or stream channe elevation between on of area to be in Range E. or W. of	rigated, or pl	stance to the neares bed and the ground ace of use	st point on surface at	each of such cho the source of de Number Act To Be Irriga	res ted	
atural stream difference in 12. Locatio	or stream channe elevation between on of area to be in Range E. or W. of	rigated, or pl	stance to the neares bed and the ground ace of use	st point on surface at	each of such cho the source of de Number Act To Be Irriga	res ted	
atural stream difference in 12. Locatio	or stream channe elevation between on of area to be in Range E. or W. of	rigated, or pl	stance to the neares bed and the ground ace of use	st point on surface at	each of such cho the source of de Number Act To Be Irriga	res ted	
atural stream difference in 12. Locatio	or stream channe elevation between on of area to be in Range E. or W. of	rigated, or pl	stance to the neares bed and the ground ace of use	st point on surface at	each of such cho the source of de Number Act To Be Irriga	unnels velop	
atural stream difference in 12. Location	or stream channe elevation between on of area to be in Range E. or W. of	rigated, or pl	stance to the neares bed and the ground ace of use	st point on surface at	each of such cho the source of de Number Act To Be Irriga	unnels velop	
atural stream difference in 12. Location	or stream channe elevation between on of area to be in Range E. or W. of	rigated, or pl	stance to the neares bed and the ground ace of use	st point on surface at	each of such cho the source of de Number Act To Be Irriga	unnels velop	

	13. To supply the city of
	in county, having a present population of
	and an estimated population of in 19
	ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES
	14. Estimated cost of proposed works, \$ 3, 425,00 nat including Premps.
	14. Estimated cost of proposed works, \$ 3,425,00 nat including Premps. of Drugation Figures 15. Construction work will begin on or before Otalize 15,1975
	16. Construction work will be completed on or before <u>Manage Lean 1,1973</u>
	17. The water will be completely applied to the proposed use on or before Jilly 1, 1974
	18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the
	applicant.
	Remarks: Trans & Lielan
	Remarks: Trans William
	•••••••••••••••••••••••••••••••••••••••
	•
	STATE OF OREGON,)
	County of Marion, ss.
	This is to certify that I have examined the foregoing application, together with the accompanying
	maps and data, and return the same forcorrection and completion
ক	& Z
MAY 1 0 1974	In order to retain its priority, this application must be returned to the State Engineer, with correc-
7.1	utions on or before April 29 , 19 74
MA	In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before April 29 19.74
	WITNESS my hand this 27th day of February , 19.74.
	CUDT C I LIUDET CO

MUNICIPAL SUPPLY—

Assistant

E. Shook

PERMIT

Th SUBJEC	is is to certify that I T TO EXISTING RIG	have examined the	foregoing ay ing limitation	oplication and s	d do hereby gr ions:	rant the same,
Th	e right herein granted	l is limited to the am	ount of wate	er which can	be applied to	beneficial use
	not exceedQ.51	8				
	of appropriation, or i	1 3.1				
4	e use to which this wa					
	for irrigation, this app					
or its equ	ivalent for each acre	irrigated and shall be	e further lim	ited to a dive	rsion of not to	exceed3
acre feet	per acre for each acre	e irrigated during the	≥ irrigation s	eason of each	year;	•••••••••••••••••••••••••••••••••••••••
.80		•••••				
		•				
						•
The line, adeq The shall keep	e well shall be cased a shall include proper of works constructed sh uate to determine wa permittee shall insta o a complete record o	capping and control to tall include an air linter level elevation in lind and maintain a we for the amount of ground the amount of grou	valve to prev ne and pressu n the well at ir, meter, or und water wi	ent the waste ire gauge or a all times. r other suita ithdrawn.	e of ground wat an access port j	er. for measuring device, and
	priority date of this		Manage	,	973	••••••
	ual construction work	, and the second se				
	be prosecuted with					
,	nplete application of t				or before Octo	ber 1, 19.77
WIT	TNESS my hand this .	4th day of	Sep	tember	19.75	
	•		Water Reso	urces Dire	ctor	ATTOCHAMOTER E
Application No. G- [635.] Permit No. G- G 5813.	PERMIT APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the se of the State Engineer at Salem, Oregon, he 29th day of November 3, at 11:15.0°clock A.M.	to applicant:		lecorded in book No	Basin No. 1.2. page 34