JUN - 4 1973

STATE ENGINEER
SALEM, OREGON

CERTIFICATE NO. 51423

Permit No. G. G 5843

APPLICATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

· · · · · · · · · · · · · · · · · · ·	
I, Arthur Schwab (Name of applicant)	
of Rt. Box 184 Mt. Angel., county of Manien	,
state of <i>Oxegen 97362</i> , do hereby make application for a permit to following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIC	o appropriate the GHTS:
If the applicant is a corporation, give date and place of incorporation	
1. Give name of nearest stream to which the well, tunnel or other source of wate	
situated Pudding River (Name of stream)	
tributary of	
2. The amount of water which the applicant intends to apply to beneficial use is . feet per second or gallons per minute.	
3. The use to which the water is to be applied is	iga kain
4230' S 67" E	NW
4. The well or other source is located #550 ft. and 270 ft. (E. or W.)	rom the
corner of Att Att of Section 4 765 Riw w	<u> </u>
(If preferable, give distance and bearing to section corner)	
(If there is more than one well, each must be described. Use separate sheet if necessary)	
being within the SNA NEA of Sec. 4, Twp. 65	, R
W. M., in the county of Mariaiz	•
5. The Portole 5/5/22 to be	miles
(Canal or pipe line) in length, terminating in the	
R, W. M., the proposed location being shown throughout on the accompanyin	g map.
6. The name of the well or other works is	*************
DESCRIPTION OF WORKS	
7. If the flow to be utilized is artesian, the works to be used for the control and consupply when not in use must be described.	servation of the
	•
8. The development will consist of	having a
(Give number of wells, tunnels, etc.)  liameter of	
eet of the well will require	
	•
dwilled by Steellie Well dwilling seat 1972	1000

th Park

adgate. At hed	idgate: wiath on t	op (at water li	re)	jeer, which on
••••	feet; depth of t	water	feet; grade	feet fall p
ousand feet.			!	
(b) At	m	iles from heads	gate: width on top (at u	vater line)
	feet; width on	bottom	feet; depth	of water :
ade	feet fall	per one thousa	nd feet.	
(c) Lengt	h of pipe,	ft.; si	e at intake	in.; in size at
om intake	in.; si	ize at place of i	se in.;	difference in elevation be
e e constantina				Estimated ca
<del>-</del> .	sec. ft.			
		give size and t	pe	9
		'		
			•	H.P. Elec.
are nore	epower und type			
	*			nt on each of such channice at the source of develo
12. Locat	ion of area to be it			ice at the source of develo
	ion of area to be i			ice at the source of devek
12. Locat	ion of area to be it	rrigated, or pla	rorty-acre Tract	Number Acres
12. Locat	ion of area to be it  Range E. or W. of Willamette Meridian	rrigated, or pla	Ce of use	Number Acres
12. Locat	ion of area to be it  Range E. or W. of Willamette Meridian	rrigated, or pla	Forty-acre Tract  NW4 NE4  5W4 NE4  ME4 NW4	Number Acres To Be Irrigated
12. Locat	ion of area to be it  Range E. or W. of Willamette Meridian	rrigated, or pla	Forty-acre Tract  NW4 NE4  5W4 NE4	Number Acres To Be Irrigated  27.0  14.0
12. Locat	ion of area to be it  Range E. or W. of Willamette Meridian	rrigated, or pla	Forty-acre Tract  NW4 NE4  5W4 NE4  ME4 NW4	Number Acres To Be Irrigated  27.0
12. Locat	ion of area to be it  Range E. or W. of Willamette Meridian	rrigated, or pla	Forty-acre Tract  NW4 NE4  5W4 NE4  ME4 NW4	Number Acres To Be Irrigated  27.0  14.0
12. Locat	ion of area to be it  Range E. or W. of Willamette Meridian	rrigated, or pla	Forty-acre Tract  NW4 NE4  5W4 NE4  ME4 NW4	Number Acres To Be Irrigated  27.0  14.0
12. Locat	ion of area to be it  Range E. or W. of Willamette Meridian	rrigated, or pla	Forty-acre Tract  NW4 NE4  5W4 NE4  ME4 NW4	Number Acres To Be Irrigated  39.0  20.0  14.0  100.0
12. Locat	ion of area to be it  Range E. or W. of Willamette Meridian	rrigated, or pla	Forty-acre Tract  NW4 NE4  5W4 NE4  ME4 NW4	Number Acres To Be Irrigated  27.0  14.0
12. Locat	ion of area to be it  Range E. or W. of Willamette Meridian	section	Forty-acre Tract  NW4 NE4  5W4 NE4  ME4 NW4	Number Acres To Be Irrigated  39.0  20.0  14.0  100.0
12. Locat	ion of area to be it  Range E. or W. of Willamette Meridian	rrigated, or pla	Forty-acre Tract  NW4 NE4  5W4 NE4  ME4 NW4	Number Acres To Be Irrigated  39.0  20.0  14.0  100.0
12. Locat	ion of area to be it  Range E. or W. of Willamette Meridian	section	Forty-acre Tract  NW4 NE4  5W4 NE4  ME4 NW4	Number Acres To Be Irrigated  39.0  20.0  14.0  100.0

	To supply the city of having a present	nonulation	of	
	county, having a present			- included the second of the s
nd an esti	mated population of in 19.			·
	ANSWER QUESTIONS 14, 15, 16, 17		ALL CASES	
.14. 1	Estimated cost of proposed works, \$ 340	<i>D</i>		
.15.	Construction work will begin on or before	nell c	o mple teel	
16. (	Construction work will be completed on or bej	ore Ju	ne 30, 1973	
	The water will be completely applied to the pro		*-	
18. I	f the ground water supply is supplemental to permit, permit, certificate or adjudicated rig	o an existin	g water supply, iden	tify any a
	Certificate No G.R. 165			
•			2 2	
		Post	a Solm	b-
	<b></b>		(Signature of applicant)	<u> </u>
Remo	arks:			*************
••••••		***************************************		******************
				************
				Production of the second
			The state of the s	
		•		
		•		
	<u> </u>			************
			•	•
••••••••••••		*************		
TATE O	FOREGON, )			
	of Marion,			
	is to certify that I have examined the forego			accompan
aps and d	lata, and return the same forcorrection	and comp	<u>letion</u>	•
	48.4			
In or	der to retain its priority, this application must	be returne	l to the State Engine	er, with co
		, :	n de la companya de l	. <b></b>
VIIS UTI OT	before Pesomber 19 , 19.77	*** **********************************		· · · · · · · · · · · · · · · · · · ·
Real Park	æ de		and the section of the section of	Andreas Commence
LLI WIT		<del>Ostober</del> December	A CONTRACTOR	
50		- acembe I.		<b> </b>
m i			The state of the s	· Andrew Week
လ		CHRIS L.	WHEEDER	STATE ENGIN
		ZA	KA X	•
- same	Biv	بالالكار	Shook	

STATE OF OREGON, )	PERMIT
County of Marion, ss.	
This is to certify that I have SUBJECT TO EXISTING RIGHTS	examined the foregoing application and do hereby grant the same and the following limitations and conditions:  nited to the amount of water which can be applied to beneficial us
	cubic feet per second measured at the point of diversion from the wel
or source of appropriation, or its equ	ivalent in case of rotation with other water users, from Well #2
The use to which this water is	to be applied is for supplemental irrigation
	tion shall be limited to
or its equivalent for each acre irrigat	ted and shall be further limited to a diversion of not to exceed . 2煮
acre feet per acre for each acre irriga	ated during the irrigation season of each year; provided further
that the right allowed herein	shall be limited to any deficiency in the available
supply of any prior right exi	sting for the same land and shall not exceed the limi-
tation allowed herein.	
tation allowed herein,	
tation allowed herein,	
tation allowed herein,	
	le rotation system as may be ordered by the proper state officer.
and shall be subject to such reasonab The well shall be cased as nece the works shall include proper cappin	le rotation system as may be ordered by the proper state officer. essary in accordance with good practice and if the flow is artesiang and control valve to prevent the waste of ground water.
The well shall be cased as nece the works shall include proper cappir The works constructed shall in line, adequate to determine water le The permittee shall install and	le rotation system as may be ordered by the proper state officer. essary in accordance with good practice and if the flow is artesian
The well shall be cased as nece the works shall include proper capping The works constructed shall in line, adequate to determine water lift The permittee shall install and shall keep a complete record of the	le rotation system as may be ordered by the proper state officer.  essary in accordance with good practice and if the flow is artesian ng and control valve to prevent the waste of ground water. nclude an air line and pressure gauge or an access port for measuring evel elevation in the well at all times. I maintain a weir, meter, or other suitable measuring device, and amount of ground water withdrawn.
The well shall be cased as necestive works shall include proper capping.  The works constructed shall in the adequate to determine water to the permittee shall install and thall keep a complete record of the the order.	le rotation system as may be ordered by the proper state officer.  essary in accordance with good practice and if the flow is artesian and control valve to prevent the waste of ground water. Include an air line and pressure gauge or an access port for measuring evel elevation in the well at all times.  I maintain a weir, meter, or other suitable measuring device, and amount of ground water withdrawn.
The well shall be cased as necestive works shall include proper capping.  The works constructed shall in the adequate to determine water to the permittee shall install and thall keep a complete record of the the the priority date of this permit	le rotation system as may be ordered by the proper state officer.  essary in accordance with good practice and if the flow is artesian ng and control valve to prevent the waste of ground water. nclude an air line and pressure gauge or an access port for measuring evel elevation in the well at all times. I maintain a weir, meter, or other suitable measuring device, and amount of ground water withdrawn.
The well shall be cased as necestic works shall include proper capping.  The works constructed shall in the adequate to determine water leading the permittee shall install and thall keep a complete record of the the The priority date of this permitted.  Actual construction work shall	le rotation system as may be ordered by the proper state officer.  essary in accordance with good practice and if the flow is artesian and control valve to prevent the waste of ground water. Include an air line and pressure gauge or an access port for measuring evel elevation in the well at all times.  I maintain a weir, meter, or other suitable measuring device, and amount of ground water withdrawn.
The well shall be cased as necestive works shall include proper capping.  The works constructed shall in the adequate to determine water to the permittee shall install and thall keep a complete record of the the priority date of this permitted.  Actual construction work shall thereafter be prosecuted with reasons.	le rotation system as may be ordered by the proper state officer.  essary in accordance with good practice and if the flow is artesian and control valve to prevent the waste of ground water. Include an air line and pressure gauge or an access port for measuring evel elevation in the well at all times.  I maintain a weir, meter, or other suitable measuring device, and amount of ground water withdrawn.  It isJune 4, 1973

Presources Director This instrument was first received in the office of the State Engineer at Salem, Oregon, TO APPROPRIATE THE GROUND WATERS OF THE STATE Drainage Basin No. . Z... page ... 132. G 5843 on the 4th day of June 19.23, at 10:17. o'clock A Ground Water Permits on page OF OREGON Recorded in book No. .. Permit No. G-Returned to applicant:

pproved:

Application No. G-6157