

Permit No. G- G 5856

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

	I, VINCENT P Woods
	of 3697 3446 Ave NE SALEM county of MARION,
	state of, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
	If the applicant is a corporation, give date and place of incorporation
	1. Give name of nearest stream to which the well, tunnel or other source of water development is situated PUDDING River (Name of stream)
	tributary of
/	2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or gallons per minute.
	3. The use to which the water is to be applied is AMIGATE FARM Crops
	4. The well or other source is located 208' ft. South and 1/02,45 ft. East from the 4 (N. or S.) corner of See 33 T. 6 S., R. 2 W. W. M. Marson Co., Ore (Section or subdivision)
	(Section or subdivision) (If preferable, give distance and bearing to section corner)
	(in presentable, gave distance and beating to section energy
	being within the NW YY NE YY of Sec. 33, Twp. 65, R. 2W
,	W. M., in the county of MARION
	5. The Portable System to be miles (Canal or pipe line)
	in length, terminating in the
	(Smallest legal subdivision) R, W. M., the proposed location being shown throughout on the accompanying map.
	6. The name of the well or other works is
	DESCRIPTION OF WORKS
	7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
) 14
	8. The development will consist of Wells, tunnels, etc.)
	diameter of inches and an estimated depth of feet. It is estimated that3
	feet of the well will require Steel casing. Depth to water table is estimated (Feet)

G1-2M

adgate. At hea	dgate: width on	top (at water l	ine)	***************	jeet, width on ooi
	feet; depth of	water	feet; grade	••••••	feet fall per
ousand feet.					
(b) At	m	riles from head	lgate: width on top (at	water line)	***************************************
	feet; width on	bottom	feet; depth	of water	j
ade	feet fall	per one thousa	and feet.		
(c) Length	of pipe,	ft.; s	ize at intake	in.; in siz	ze at
om intake	in.; s	ize at place of	use in.,	; difference	e in elevation betw
take and place	of use,	ft. 2	Is grade uniform?	·····	Estimated capac
·				* . *	
10. If pum	ps are to be used,	, give size and t	type	p	Flectric
tur	bine .		······································		
Give horse	power and type	of motor or e	engine to be used	5/10	ELectri
•••••				•••••	••
iatural stream	or stream chann	el, give the dis	ther development work stance to the nearest poped and the ground surf	int on each	of such channels
natural stream s difference in 12. Locatio	or stream chann elevation between on of area to be i	el, give the disen the stream b	stance to the nearest poped and the ground surf	int on each	of such channels source of developm Number Acres
natural stream e difference in 12. Location Township N. or S.	or stream chann elevation between on of area to be in Range E. or W. of Willamette Meridian	el, give the disen the stream b	stance to the nearest ported and the ground surf	int on each	Number Acres To Be Irrigated
natural stream e difference in 12. Locatio	or stream chann elevation between on of area to be i	el, give the disen the stream be rrigated, or pla	retance to the nearest ported and the ground surf	int on each ace at the	Number Acres To Be Irrigated
township N. or S.	or stream chann elevation between on of area to be in Range E. or W. of Willamette Meridian	el, give the disen the stream been the stream	retance to the nearest ported and the ground surface of use N.W. 4 of N.W.	int on each ace at the s	Number Acres To Be Irrigated
township N. or S.	or stream chann elevation between on of area to be in Range E. or W. of Willamette Meridian	el, give the disen the stream be rrigated, or pla	retance to the nearest ported and the ground surf	int on each ace at the s	Number Acres To Be Irrigated 39, 97 Ac. 0.54 Ac.
12. Locatio	or stream chann elevation between on of area to be in Range E. or W. of Willamette Meridian	el, give the disen the stream been the stream	retance to the nearest ported and the ground surface of use N.W. 4 of N.W.	int on each ace at the s	Number Acres To Be Irrigated
12. Locatio	or stream chann elevation between on of area to be in Range E. or W. of Willamette Meridian	el, give the disen the stream been the stream	retance to the nearest ported and the ground surface of use N.W. 4 of N.W.	int on each ace at the s	Number Acres To Be Irrigated 39, 97 Ac. 0.54 Ac.
12. Locatio	or stream chann elevation between on of area to be in Range E. or W. of Willamette Meridian	el, give the disen the stream been the stream	retance to the nearest ported and the ground surface of use N.W. 4 of N.W.	int on each ace at the s	Number Acres To Be Irrigated 39, 97 Ac. 0.54 Ac.
township N. or S.	or stream chann elevation between on of area to be in Range E. or W. of Willamette Meridian	el, give the disen the stream been the stream	retance to the nearest ported and the ground surface of use N.W. 4 of N.W.	int on each ace at the s	Number Acres To Be Irrigated 39, 97 Ac. 0.54 Ac.
natural stream e difference in 12. Location Township N. or S.	or stream chann elevation between on of area to be in Range E. or W. of Willamette Meridian	el, give the disen the stream been the stream	retance to the nearest ported and the ground surface of use N.W. 4 of N.W.	int on each ace at the s	Number Acres To Be Irrigated 39, 97 Ac. 0.54 Ac.
natural stream e difference in 12. Location Township N. or S.	or stream chann elevation between on of area to be in Range E. or W. of Willamette Meridian	el, give the disen the stream been the stream	retance to the nearest ported and the ground surface of use N.W. 4 of N.W.	int on each ace at the s	Number Acres To Be Irrigated 39, 97 Ac. 0.54 Ac.
natural stream e difference in 12. Location Township N. or S.	or stream chann elevation between on of area to be in Range E. or W. of Willamette Meridian	el, give the disen the stream been the stream	retance to the nearest ported and the ground surface of use N.W. 4 of N.W.	int on each ace at the s	Number Acres To Be Irrigated 39, 97 Ac. 0.54 Ac.
natural stream e difference in 12. Location Township N. or S.	or stream chann elevation between on of area to be in Range E. or W. of Willamette Meridian	el, give the disen the stream been the stream	retance to the nearest ported and the ground surface of use N.W. 4 of N.W.	int on each ace at the s	Number Acres To Be Irrigated 39, 97 Ac. 0.54 Ac.

County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying naps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before WITNESS my hand this	MUNICIPAL SUPPLY—	e e e e e e e e e e e e e e e e e e e	
and an estimated population of the 19 NANNER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES 14. Estimated cost of proposed works, \$ 500000 15. Construction work will begin on or before Well 5 Constructed 16. Construction work will be completed on or before TUNE 30 1973 17. The water will be completely applied to the proposed use on or before OCT 1 1976 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. MONE Remarks: STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 19. WITNESS my hand this day of 19.			
ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES 14. Estimated cost of proposed works, \$			of
14. Estimated cost of proposed works, \$ 5000,00 15. Construction work will begin on or before Well's Constructed 16. Construction work will be completed on or before JUNE 30 1973 17. The water will be completely applied to the proposed use on or before OCT 1 1976. 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, certificate or adjudicated right to appropriate water, made or held by the applicant. NONE. Remarks: STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 19. WITNESS my hand this day of 19.			
15. Construction work will begin on or before Well's Constructed 16. Construction work will be completed on or before JUNE 30 /973 17. The water will be completely applied to the proposed use on or before OCT 1 /976 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. NON E Remarks: Remarks: STATE OF OREGON, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 19. WITNESS my hand this day of 19.		V.	LL CASES
16. Construction work will be completely applied to the proposed use on or before OCT / /976 17. The water will be completely applied to the proposed use on or before OCT / /976 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Algalism. Remarks: Remarks: STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 19. WITNESS my hand this. day of 19.	,14. Estimated cost of proposed	works, \$ 5000.00	
17. The water will be completely applied to the proposed use on or before OCT 1 / 976. 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. NONE. Remarks: Remarks: STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 19. WITNESS my hand this 4 day of 19.			
18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. **NONE*** **Remarks:** **Remarks:** **Remarks:** **STATE OF OREGON, County of Marion, 182. **This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for	16. Construction work will be	completed on or before	NE 30 1973
18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. **NONE*** **Remarks:** **Remarks:** **Remarks:** **STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before	17. The water will be complete	ly applied to the proposed use o	n or before OCT / 1976
Remarks: STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 19	18. If the ground water supply	y is supplemental to an existing	g water supply, identify any appli
Remarks: STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying naps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 19		, -	
Remarks: STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before	applicant. NONE	A	
Remarks: STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before	·		
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying naps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before		Vincen	(Signature of applicant)
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying naps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before WITNESS my hand this day of	Remarks:		
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying naps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before WITNESS my hand this day of	#		
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying naps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before WITNESS my hand this day of			
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying naps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before WITNESS my hand this day of , 19			
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying naps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before			
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying naps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before		***************************************	and the second s
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying naps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before	New 2000 per 1900 pe		······································
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying naps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before			
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying naps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before	······································	······································	······································
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying naps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before			*
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying naps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before			
County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying naps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before WITNESS my hand this			•
County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying naps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before			
County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying naps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before WITNESS my hand this		***************************************	
County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying naps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before	STATE OF OREGON,)		
In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before	County of Marion, } ss.		
In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before	This is to certify that I have es	camined the foregoing application	on, together with the accompanying
In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before			
ions on or before	po ana aasa, ana recarit ine came je		
ions on or before, 19, 19, WITNESS my hand this day of, 19, 19, 19			
WITNESS my hand thisday of		-	to the State Engineer, with correc
WITNESS my hand thisday of	tions on or before		en e
Herman Communication Communication (1996)		Apply of the policy of the control o	er e
STATE ENGINEER			STATE ENGINEER

STATE	OF	OREGON,)
		6 3 6	88.

PERMIT

SUBJECT TO EXISTING RIGHTS and the follow	e foregoing application and do hereby grant the same, ving limitations and conditions:
The right herein granted is limited to the ar	nount of water which can be applied to beneficial use
and shall not exceed0.52 cubic feet per s	econd measured at the point of diversion from the well
or source of appropriation, or its equivalent in case	of rotation with other water users, from a well
The use to which this water is to be applied i	s for irrigation
If for irrigation, this appropriation shall be li	imited to1/80th of one cubic foot per second
or its equivalent for each acre irrigated and shall b	pe further limited to a diversion of not to exceed . 23
acre feet per acre for each acre irrigated during the	e i rrigation season of each year;
	•••••••••••••••••••••••••••••••••••••••
	······································
and shall be subject to such reasonable rotation sys	tem as may be ordered by the proper state officer.
the works shall include proper capping and control The works constructed shall include an air l line, adequate to determine water level elevation The permittee shall install and maintain a u shall keep a complete record of the amount of gro	ine and pressure gauge or an access port for measuring in the well at all times. veir, meter, or other suitable measuring device, and ound water withdrawn.
The priority date of this permit isJune 1	•
	efore November 3, 1976 and shall
e transporter de la companya del companya de la companya del companya de la compa	and be completed on or before October 1, 19.7.7
	posed use shall be made on or before October 1, 19.78
WITNESS my hand this3rd day of	November 19.75
	Water Resources Director
Application No. G. 61729 Permit No. G. G. 5856 TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 15 day of 120.	Returned to applicant: Approved: Recorded in book No. of Ground Water Permits on page G 5856 Ground Water Permits on page G 5856