

RECEIVED

JUL 1 2 1973

STATE ENGINEER  
SALEM, OREGON

ASSIGNMENT AND MIN. REG. VOL. (By State Decree)

Permit No. G-5878

"CERTIFICATE NO. 56225"

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, N.J. CHAUSSE

(Name of applicant)

of FORT ROCK

(Postoffice Address)

county of LAKE

state of OREGON

do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is

situated

(Name of stream)

tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.503 cubic feet per second or 350 gallons per minute. #1 = 300 gpm = 0.50 c.f.s. #2 = 50 gpm = 0.085 "

3. The use to which the water is to be applied is

ALFALFA - CLOVER

4. The well or other source is located 1300' ft. and 1266' ft. from the 1/4 corner of NORTH SIDE OF SECTION 27 - TWP. 25 SOUTH - RANGE 15 EAST

(N. or S.)

(E. or W.)

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the #1 - S.E. 1/4 - NW 1/4 #2 - NW 1/4 - NE 1/4 of Sec. 27, Twp. 25 S, R. 15E, W. M., in the county of LAKE

5. The (Canal or pipe line) to be miles

in length, terminating in the of Sec. Twp. R.


(Smallest legal subdivision)

W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is #1 CHAUSSE #2 CHAUSSE

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.



8. The development will consist of #1 CHAUSSE #2 CHAUSSE having a

(Give number of wells, tunnels, etc.)

diameter of 8 inches and an estimated depth of 40 feet. It is estimated that 40

feet of the well will require #1 CHAUSSE - 40 #2 CHAUSSE - 40 casing. Depth to water table is estimated 40

(Kind)

(Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) \_\_\_\_\_ feet; width on bottom \_\_\_\_\_ feet; depth of water \_\_\_\_\_ feet; grade \_\_\_\_\_ feet fall per one thousand feet.

(b) At \_\_\_\_\_ miles from headgate: width on top (at water line) \_\_\_\_\_ feet; width on bottom \_\_\_\_\_ feet; depth of water \_\_\_\_\_ feet; grade \_\_\_\_\_ feet fall per one thousand feet.

(c) Length of pipe, \_\_\_\_\_ ft.; size at intake \_\_\_\_\_ in.; in size at \_\_\_\_\_ ft. from intake \_\_\_\_\_ in.; size at place of use \_\_\_\_\_ in.; difference in elevation between intake and place of use, \_\_\_\_\_ ft. Is grade uniform? \_\_\_\_\_ Estimated capacity, \_\_\_\_\_ sec. ft.

10. If pumps are to be used, give size and type #1 - 300 g.p.m.  
#2 - 50 g.p.m.

Give horsepower and type of motor or engine to be used #1 - 20 H.P. ELECTRIC  
#2 - 5 H.P. "

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T. 25. S.	15 E	27	SW 1/4 - NW 1/4	3.4 AC.
"	"	"	SE 1/4 - NW 1/4	26.6 AC
				30.0 AC WELL #1
T. 25 S.	15 E	27	NW 1/4 - NE 1/4	8.0 AC WELL #2

(If more space required, attach separate sheet)

Character of soil SANDY LOAM  
Kind of crops raised ALFALFA - CLOVER

MUNICIPAL SUPPLY—

13. To supply the city of \_\_\_\_\_  
in \_\_\_\_\_ county, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 8280.0
- 15. Construction work will begin on or before Now in OPERATION
- 16. Construction work will be completed on or before " " "
- 17. The water will be completely applied to the proposed use on or before " "

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. \_\_\_\_\_

H. J. Chausse  
(Signature of applicant)

Remarks: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_ correction and completion \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_ December 10 \_\_\_\_\_, 1973.

WITNESS my hand this \_\_\_\_\_ 10<sup>th</sup> \_\_\_\_\_ day of \_\_\_\_\_ October \_\_\_\_\_, 1973.

**RECEIVED**

DEC 13 1973

STATE ENGINEER  
SALEM, OREGON

CHRIS L. WHEELER  
By [Signature]  
Thomas E. Shook

STATE ENGINEER

ASSISTANT

STATE OF OREGON, }  
County of Marion, } ss.

PERMIT

G 5878

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.48 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Chausse Wells numbered 1 & 2, being 0.4 c.f.s. from #1 and 0.08 c.f.s. from #2

The use to which this water is to be applied is for irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is December 13, 1973

Actual construction work shall begin on or before November 3, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977

Complete application of the water to the proposed use shall be made on or before October 1, 1978

WITNESS my hand this 3rd day of November, 1975

*James E. Selby*  
Water Resources Director  
STATE ENGINEER F.H. S.

Application No. G-6227  
Permit No. G-5878

PERMIT

TO APPROPRIATE THE GROUND  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 12th day of July 1973, at 8:00 o'clock A.M.

Returned to applicant:

Approved:

Recorded in book No. of G 5878  
Ground Water Permits on page

STATE ENGINEER

Drainage Basin No. 13 page 60

A2700