

Permit No. G- 588

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

ALOHA-HUBER WATER DISTRICT
I, By Earl Thompson, Chairman, Board of Commissioners

of 17860 S.W. Alanton St., Aloha, county of Washington

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

Aloha-Huber Water District legally incorporated April 30, 1941.

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Beaverton Creek

(Name of stream)

tributary of Tualatin River

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 1,000 gallons per minute.

3. The use to which the water is to be applied is domestic water supply

4. The well or other source is located 1520 ft. N 0°34'E and 990.3 ft. N 89°41'W from the S.E. corner of Section 24

(N. or S.)

(E. or W.)

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

NE 1/4 of the being within the southeast quarter of Sec. 24, Twp. 1 S., R. 2 W.,

W. M., in the county of Washington

5. The pipe line (See District Map) to be miles in length, terminating in the of Sec. , Twp. R. W. M., the proposed location being shown throughout on the accompanying map.

(Canal or pipe line)

(Smallest legal subdivision)

6. The name of the well or other works is Aloha-Huber Water District Well No. 1

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one well having a diameter of 16 inches and an estimated depth of 400 feet. It is estimated that 75 feet of the well will require steel casing. Depth to water table is estimated 130

(Give number of wells, tunnels, etc.)

(Kind)

(Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, **See District Map** ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type

Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use **See District Map**

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated		
1 S.	1 W.	6	SW $\frac{1}{4}$ SW $\frac{1}{4}$	municipal		
		7	All			
		8	S $\frac{1}{2}$ SW $\frac{1}{4}$			
		16	W $\frac{1}{2}$			
		17	All			
		18	All			
		19	N $\frac{1}{2}$; SW $\frac{1}{4}$			
		20	N $\frac{1}{2}$ NW $\frac{1}{4}$			
		2 W.	1		All	
			2		E $\frac{1}{2}$	
	10		E $\frac{1}{2}$			
	11		All			
	12		All			
	13		All			
	14		NE $\frac{1}{4}$ NE $\frac{1}{4}$			
	24		E $\frac{1}{2}$			

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised

MUNICIPAL SUPPLY--

13. To supply the ~~supply~~ of Aloha-Hub or Water District
in Washington county, having a present population of 5250
and an estimated population of 10,000 in 1975...

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 55,000.
- 15. Construction work will begin on or before June 1, 1957
- 16. Construction work will be completed on or before August 15, 1957
- 17. The water will be completely applied to the proposed use on or before August 15, 1957

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Carl J. Thompson
Chairman (Signature of applicant)
Board of Commissioners
Aloha-Huber Water District

Remarks:

- 1. Aloha-Huber Water District presently receives its water supply from the City of Hillsboro. The supply has been limited and restricted by the City.
- 2. The District proposes to provide a supplemental water supply through this well.
- 3. The District's water system furnishes fire protection for a large part of the Beaverton Rural Fire Protection District.
- 4. The District is following the recommendation of the State Board of Health in developing an alternate source of water in connection with the Civilian Defense program.
- 5. An adequate supply of excellent quality water is assured as the result of a 6-inch test well drilled on the site.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19__.

WITNESS my hand this _____ day of _____, 19__.

STATE ENGINEER

By _____ ASSISTANT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 2.23 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Aloha-Huber Well No. 1 and shall be subject to the terms and conditions of the Special Order of the State Engineer dated July 18, 1957 and recorded on Page 216, Volume 9, which is by reference made a part hereof.

The use to which this water is to be applied is municipal.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is May 2, 1957

Actual construction work shall begin on or before July 18, 1958 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1958

Complete application of the water to the proposed use shall be made on or before October 1, 1960

WITNESS my hand this 18th day of July, 1957

LEWIS A. STANLEY

STATE ENGINEER

By Max F. Rogers, Deputy

Application No. G-637
Permit No. G-588

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 2 day of May, 1957, at 11:01 o'clock A.M.

Returned to applicant:

Approved:

July 18, 1957

Recorded in book No. 3

Ground Water Permits on page 588

LEWIS A. STANLEY

STATE ENGINEER

Drainage Basin No. 2 page 91V