

RECEIVED
JUL 23 1973
STATE ENGINEER
SALEM OREGON

Permit No. G- **G 5887**

APPLICATION FOR A PERMIT

CERTIFICATE NO. 47830

To Appropriate the Ground Waters of the State of Oregon

I, Willard A. & Betty A. Hamlin
(Name of applicant)
of 1500 S. E. Peoria Blvd., Corvallis, county of Linn,
(Postoffice Address)
state of Oregon 97330, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated East River
(Name of stream)
tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 300 gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located S. 7°45' E. 25 Chains ft. and _____ ft. from the NW corner of Section 7
(N. or S.) (E. or W.) (Section or subdivision)
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the SW 1/4 of NW 1/4 of Sec. 7, Twp. 12 S., R. 4W, W. M., in the county of Linn

5. The Main Line to be 2000 feet miles
(Canal or pipe line)
in length, terminating in the NW 1/4 of SW 1/4 of Sec. 7, Twp. 12 S., R. 4W, W. M., the proposed location being shown throughout on the accompanying map.
(Smallest legal subdivision)

6. The name of the well or other works is Willard A. Hamlin #2

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one having a diameter of 10 inches and an estimated depth of 28 feet. It is estimated that 28 feet of the well will require steel casing. Depth to water table is estimated 13
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1200 ft.; size at intake, 5 in.; in size at 1200 ft. from intake 5 in.; size at place of use 3 in.; difference in elevation between intake and place of use, ft. Is grade uniform? yes Estimated capacity, 0.8 sec. ft.

10. If pumps are to be used, give size and type 3 inch centrifugal

Give horsepower and type of motor or engine to be used 15 H.P. electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Well is approximately 330 feet from channel of East channel of Willamette River and stream bed is approximately 15 feet lower than ground surface at well site.

12. Location of area to be irrigated, or place of use see below

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
12 S	4W	7	SW 1/4 of NW 1/4	11.0
12 S	4W	7	NW 1/4 of SW 1/4	2.2
12 S	5W	12	SE 1/4 of NE 1/4	15.5
12 S	5W	12	NE 1/4 of SE 1/4	1.3
			TOTAL	30.0

(If more space required, attach separate sheet)

Character of soil Chehalis silty clay loam

Kind of crops raised vegetables, peppermint, berries, and forage.

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 2000.00
- 15. Construction work will begin on or before April 27, 1973
- 16. Construction work will be completed on or before April 28, 1973
- 17. The water will be completely applied to the proposed use on or before October 1, 1976

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Pumping point No. 2 and the 11 acres in SW 1/4 of NW 1/4, S. 7, T. 12S, R. 4W and the 5 acres in SE 1/4 of NE 1/4, S. 12, T. 12S, R. 5W as listed in certificate No. 22801 and recorded at Page 23798 are to be abandoned, but the remaining acreages are to be retained.

Remarks:
Willard A. Hamlin (Signature of applicant)
Betty H. Hamlin (By)
Willard A. Hamlin

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion.....

In order to retain its priority, this application must be returned to the State Engineer, with correction on or before December 19, 1973.

WITNESS my hand this 19th day of October, 1973.

RECEIVED
JAN 29 1974
STATE ENGINEER
SALEM, OREGON

CHRIS L. WHEELER
STATE ENGINEER
By Thomas E. Shook
ASSISTANT

STATE OF OREGON,

PERMIT

County of Marion,

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.38 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Willard A. Hamlin Well #2

The use to which this water is to be applied is for irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; and shall be further limited to appropriation of water only to the extent that it does not impair or substantially interfere with existing surface water rights of others

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is January 29, 1974

Actual construction work shall begin on or before November 3, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977

Complete application of the water to the proposed use shall be made on or before October 1, 1978

WITNESS my hand this 3rd day of November, 1975

Water Resources Director

Application No. G-6242
Permit No. G-5887

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 23rd day of July 1973, at 8:00 o'clock A.M.

Returned to applicant:

Approved:

Recorded in book No. of G 5887
Ground Water Permits on page

STATE ENGINEER

Drainage Basin No. 2 page 133

State Printing

6250