

RECEIVED

SEP 24 1973
STATE ENGINEER
SALEM, OREGON

CERTIFICATE NO. 46005

Permit No. G- G 5926

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Charles McCoy
(Name of applicant)
of Lewisville
(Postoffice Address), county of Malheur,
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Boulder Creek
(Name of stream)
tributary of

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 300 gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located ft. and ft. from the corner of S 77° 50' W - 1204' from the NE corner Sec 16 T. 14 S. R. 39 E W. M.
(N. or S.) (E. or W.)
(Section or subdivision)
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the NE 1/4 NE 1/4 of Sec. 16, Twp. 14 S., R. 39 E W. M., in the county of Malheur

5. The Portable sprinkler to be 1 1/2 miles in length, terminating in the SE 1/4 NE 1/4 of Sec. 15, Twp. 14 S., R. 39 E, W. M., the proposed location being shown throughout on the accompanying map.
(Canal or pipe line)
(Smallest legal subdivision)

6. The name of the well or other works is McCoy No. 1

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 well having a diameter of 12 inches and an estimated depth of 285 feet. It is estimated that 37 feet of the well will require steel casing. Depth to water table is estimated 1 foot Draw down to 200'

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type Peerless Turbine
1" discharge 30 H.P. Electric
 Give horsepower and type of motor or engine to be used 30 H.P. Electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development
11 feet.

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	
145	39E	14	NE NE	6	} Supplemental
"	"	15	NW NW	15.5	
"	"	"	NE NW	23	
"	"	"	SW NW	1	
"	"	"	SE NW	31	
"	"	"	NW NE	1	
"	"	"	SW NE	29	
"	"	"	SE NE	17	
"	"	9	SW SE	8	} Prime
145	39E	15	NW NW	9	} Prime
"	"	"	NE NW	5	
"	"	9	SW SE	2.5	} Supplemental
"	"	9	SE SE	1.5	

(If more space required, attach separate sheet)

Character of soil Loam
 Kind of crops raised Hay + grain

MUNICIPAL SUPPLY—

13. To supply the city of _____
in _____ county, having a present population of _____
and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 5000.00
- 15. Construction work will begin on or before Started
- 16. Construction work will be completed on or before June 1975
- 17. The water will be completely applied to the proposed use on or before June 1975

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Supplemental to Cert. No. 1550

Willow Creek Adjudication - E. J. Beam
Charles McLean
(Signature of applicant)

Remarks: Channel of South Fork Bofalder
Creek and main channel moved to
North side of field and fields will
be leveled.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before February 19, 1974

WITNESS my hand this 18th day of December, 1973

RECEIVED
JAN 28 1974
STATE ENGINEER
SALEM, OREGON

CHRIS L. WHEELER
STATE ENGINEER
By Thomas E. Shook
ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.67 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from McCoy Well #1

The use to which this water is to be applied is for irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is September 24, 1973

Actual construction work shall begin on or before November 3, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977

Complete application of the water to the proposed use shall be made on or before October 1, 1978

WITNESS my hand this 3rd day of November, 1975

James E. Smith
Water Resources Director

STATE ENGINEER

FH B

Application No. G-6304
Permit No. G-5926

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 24th day of September, 1973, at 8:00 o'clock A.M.

Returned to applicant:

Approved:

Recorded in book No. G 5926 of Ground Water Permits on page

STATE ENGINEER

Drainage Basin No. 10. page 42

fees 455.00 over 0.25