RECEIVED

SEP2 4 1973 STATE ENGINEER SALEM, OREGON

Permit No. G- G 5927

CERTIFICATE NO 50019

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

| I, Richard F. and Virginia C. | Souza, Sr. |
|--|---|
| of 21 Applegate Road, Jacksonville, (Postoffice Address) | • |
| state ofQregon | make application for a permit to appropriate the n, SUBJECT TO EXISTING RIGHTS: |
| If the applicant is a corporation, give date and place | e of incorporation |
| N/A | |
| 1. Give name of nearest stream to which the wel | l, tunnel or other source of water development is |
| situated Forest Creek (Name o | stream) |
| | tributary of Applegate River. |
| 2. The amount of water which the applicant interfeet per second or gallons per minute. | nds to apply to beneficial use is |
| 3. The use to which the water is to be applied is | irrigation. |
| 4. The well or other source is located35 ft corner of | (=- · · · · · · · · · · · · · · · · · · · |
| (If preferable, give distance and be | |
| | • |
| (If there is more than one well, each must be described within the SW1/4 NE1/4 | |
| W. M., in the county of | |
| 5. The pipeline (Canal or pipe line) | to be 440 feet with |
| in length, terminating in the | of Sec. 27 Twp. 38 Sa, |
| R3W. m., the proposed location being shown | throughout on the accompanying map. |
| 6. The name of the well or other works is | ouza Well. |
| DESCRIPTION O | OF WORKS |
| 7. If the flow to be utilized is artesian, the works t supply when not in use must be described. | o be used for the control and conservation of the |
| | |
| | |
| 8. The development will consist of | ne well having a (Give number of wells, tunnels, etc.) |
| diameter of inches and an estimated depth | of126 feet. It is estimated that .74ft. |
| feet of the well will requires.teel | g. Depth to water table is estimated28 ft |
| *************************************** | *************************************** |

| adgate. At he | auguic. Wiain on | top (at water | | į | jeet; wiath on oot |
|--|---|---|---|---------------------------|---|
| *************************************** | feet; depth of | water | feet; grade . | | feet fall per |
| ousand feet. | | | • | | • |
| (b) At a | <i>m</i> | nies from he | adgate: width on top (d | at water lin | e) |
| ····· | feet; width or | n bottom | feet; d ep | oth of water | f |
| de | feet fall | l per one thou | sand feet. | | |
| (c) Lengt | h of pipe,44 | <u>O</u> ft | t.; size at intake2. | .O in.; i | n size at40 |
| m intake | l.O in.; | size at place | of use 1.0 | in.; differen | ce in elevation betw |
| ike and place | of use, | Q., ft. | Is grade uniform? | Yes, | Estimated capac |
| | | | l type 1.0" si | | |
| | | | | | |
| Give horse | epower and type | of motor or e | ngine to be used? | <u> н.Р. е</u> | electric motor |
| | | | | ••••••••••• | |
| itural stream difference in | or stream chann elevation betwee | el, give the d en the stream | istance to the nearest ped and the ground su | point on eacurface at the | e source of developm |
| tural stream difference in Forest C igher in | reek is 105 elevation. | el, give the den the stream | istance to the nearest | point on eacurface at the | ch of such channels of source of developm |
| tural stream difference in Forest C igher in | reek is 105 | el, give the den the stream | istance to the nearest place and the ground su | point on eacurface at the | ch of such channels of source of developm |
| atural stream difference in Forest. C. igher in 12. Locati | reek is 105 elevation. | el, give the den the stream Office to not be a considered and the stream are a considered. | istance to the nearest bed and the ground su arth and west of lace of use | point on eacurface at the | ch of such channels of source of developm and well is 25 |
| tural stream difference in Forest. C. igher in 12. Locati | reek is 105 elevation. con of area to be i | el, give the den the stream Ofeatno rrigated, or p | istance to the nearest bed and the ground su arth and west of lace of use | point on eacurface at the | ch of such channels of source of developm and well is 25 Number Acres To Be Irrigated |
| tural stream difference in Forest. C. igher in 12. Locati | reek is 105 elevation. con of area to be i | el, give the den the stream Ofeatno rrigated, or p | istance to the nearest bed and the ground su arth and west of lace of use | point on eacurface at the | ch of such channels of source of developm and well is 25 Number Acres To Be Irrigated |
| tural stream difference in Forest. C. igher in 12. Locati | reek is 105 elevation. con of area to be i | el, give the den the stream Ofeatno rrigated, or p | istance to the nearest bed and the ground su arth and west of lace of use | point on eacurface at the | ch of such channels of source of developm and well is 25 Number Acres To Be Irrigated |
| tural stream difference in Forest. C. igher in 12. Locati | reek is 105 elevation. con of area to be i | el, give the den the stream Ofeatno rrigated, or p | istance to the nearest bed and the ground su arth and west of lace of use | point on eacurface at the | ch of such channels of source of developm and well is 25 Number Acres To Be Irrigated |
| tural stream difference in Forest. C. igher in 12. Locati | reek is 105 elevation. con of area to be i | el, give the den the stream Ofeatno rrigated, or p | istance to the nearest bed and the ground su arth and west of lace of use | point on eacurface at the | ch of such channels of source of developm and well is 25 Number Acres To Be Irrigated |
| tural stream difference in Forest. C. igher in 12. Locati | reek is 105 elevation. con of area to be i | el, give the den the stream Ofeatno rrigated, or p | istance to the nearest bed and the ground su arth and west of lace of use | point on eacurface at the | ch of such channels of source of developm and well is 25 Number Acres To Be Irrigated |
| tural stream difference in Forest. C. igher in 12. Locati Township N. or S. | reek is 105 elevation. con of area to be i | el, give the den the stream Ofeatno rrigated, or p | istance to the nearest bed and the ground su arth and west of lace of use | point on eacurface at the | ch of such channels of source of developm and well is 25 Number Acres To Be Irrigated |
| tural stream difference in Forest. C. igher in 12. Locati Township N. or S. | reek is 105 elevation. con of area to be i | el, give the den the stream Ofeatno rrigated, or p | istance to the nearest bed and the ground su arth and west of lace of use | point on eacurface at the | ch of such channels of source of developm and well is 25 Number Acres To Be Irrigated |
| tural stream difference in Forest. C. igher in 12. Locati Township N. or S. | reek is 105 elevation. con of area to be i | el, give the den the stream Ofeatno rrigated, or p | istance to the nearest bed and the ground su arth and west of lace of use | point on eacurface at the | ch of such channels of source of developm and well is 25 Number Acres To Be Irrigated |
| tural stream difference in Forest. C. igher in 12. Locati Township N. or S. | reek is 105 elevation. con of area to be i | el, give the den the stream O. feet.no rrigated, or p Section | istance to the nearest bed and the ground su arth and west of lace of use | point on eacurface at the | ch of such channels of source of developm and well is 25 Number Acres To Be Irrigated |
| tural stream difference in Forest. C. igher in 12. Locati Township N. or S. | reek is 105 elevation. con of area to be i | el, give the den the stream Ofeatno rrigated, or p | istance to the nearest bed and the ground su arth and west of lace of use | point on eacurface at the | ch of such channels of source of developm and well is 25 Number Acres To Be Irrigated |

| 13. To supply the city of |
|--|
| ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES 14. Estimated cost of proposed works, \$.1400.00 |
| ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES 14. Estimated cost of proposed works, \$1400.00 |
| 14. Estimated cost of proposed works, \$1400.00. 15. Construction work will begin on or before one year from date of priority. 16. Construction work will be completed on or before october 1, 1975. 17. The water will be completely applied to the proposed use on or before october 1. 18. If the ground water supply is supplemental to an existing water supply, identify any action for permit, permit, certificate or adjudicated right to appropriate water, made or held by opplicant. None. |
| 14. Estimated cost of proposed works, \$1400.00. 15. Construction work will begin on or before one year from date of priority. 16. Construction work will be completed on or before october 1, 1975. 17. The water will be completely applied to the proposed use on or before october 1. 18. If the ground water supply is supplemental to an existing water supply, identify any action for permit, permit, certificate or adjudicated right to appropriate water, made or held by oplicant. None. Cichard T. John S. Virginia C. (Signiture of applicant) |
| 15. Construction work will begin on or before one year from date of priority. 16. Construction work will be completed on or before October 1, 1975. 17. The water will be completely applied to the proposed use on or before October 1. 18. If the ground water supply is supplemental to an existing water supply, identify any a tion for permit, permit, certificate or adjudicated right to appropriate water, made or held by oplicant. None. Cichard Four S. Linguis C. (Signature of applicant) |
| 16. Construction work will be completed on or before October 1. 1975. 17. The water will be completely applied to the proposed use on or before October 1. 18. If the ground water supply is supplemental to an existing water supply, identify any action for permit, permit, certificate or adjudicated right to appropriate water, made or held by opticant. None. Signature of applicant. |
| 17. The water will be completely applied to the proposed use on or before October 1 |
| 18. If the ground water supply is supplemental to an existing water supply, identify any a string permit, permit, certificate or adjudicated right to appropriate water, made or held by oplicant. None. Sight forms by the string of applicant of applicant. |
| 18. If the ground water supply is supplemental to an existing water supply, identify any a string permit, permit, certificate or adjudicated right to appropriate water, made or held by oplicant. None. Sight forms by the string of applicant of applicant. |
| Sichard F. Joyn S. Virginia C. (Signature of applicant) |
| Sichard F. Joyn S. Virginia C. (Signature of applicant) |
| |
| |
| |
| · |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| , |
| STATE OF OREGON,) |
| County of Marion, ss. |
| |
| This is to certify that I have examined the foregoing application, together with the accompany |
| naps and data, and return the same for |
| • |
| In order to retain its priority, this application must be returned to the State Engineer, with co |
| In order to retain its priority, this application must be returned to the State Engineer, with co |
| ions on or before, 19, |
| |
| WITNESS my hand this day of, 19, 19 |
| WILLIAM TO WING LINE SELECTION OUT OF THE SELECTION OF TH |
| |
| |
| STATE ENGIN |
| |

| STATE OF OREGON, |). |
|--------------------|------|
| County of Marion, | ss |
| This is to certify | that |

| STATE OF OREGON | ٧,] | 1 111 | MIT | | | |
|--|---|---|--|--|--|---|
| County of Marion, | ss. | | | | * . | |
| This is to certi SUBJECT TO EXIST | fy that I have ING RIGHTS | examined the f and the followin | oregoing appli g limitations a | cation and o | do hereby g ns: | rant the same, |
| The right herei | n granted is br | nited to the amo | unt of water u | vhich can b | e applied to | beneficial use |
| and shall not exceed | 0.02 | cubic feet per sec | ond measured | at the point | of diversion | from the well |
| or source of appropria | tion, or its equ | ivalent in case o | f rotation with | other wate | r users, froi | n Souza |
| Well | | | <u> </u> | | ····· | ······ |
| The use to whic | h this water is | to be applied is | for irriga | tion | ····· | |
| If for irrigation | , this appropria | tion shall be lim | ited to 1/80 | tho | f one cubic j | foot per second |
| or its equivalent for e | ach acre irriga | ted and shall be | further limited | l to a diversi | ion of not to | exceed22 |
| acre feet per acre for | each acre irrig | ated during the | irrigation seasc | on of each y | ear; | |
| | · | ••••••••••••••••••••••••••••••••••••••• | | •••••• | •••••• | |
| · · · · · · · · · · · · · · · · · · · | •••••• | | | • | | ••••• |
| | •••••• | | | | •••• | * |
| | *************************************** | | | | ••••••••••• | |
| | | · | · . | | ••••• | ······································ |
| | • | | | | | |
| and shall be subject to | such reasonab | le rotation syste | m as may be or | dered by th | e proper sta | te officer. |
| The well shall t the works shall includ The works cons line, adequate to dete The permittee s | pe cased as nece e proper capping tructed shall in rmine water le hall install and | essary in accordeng and control venctude an air line cuel elevation in maintain a weir | ance with good alve to prevent e and pressure the well at all r. meter. or o | l practice a the waste o gauge or an times. ther suitabl | nd if the fl f ground wa access port | ow is artesian iter. for measuring |
| The well shall the works shall includ The works constine, adequate to deter The permittee s shall keep a complete | pe cased as nece proper capping tructed shall in rmine water le hall install and record of the | essary in according and control vonctude an air line vel elevation in a meir amount of ground | ance with good alve to prevent e and pressure the well at all r, meter, or o nd water with | I practice a the waste o gauge or an times. ther suitablarawn. | nd if the fl f ground wa access port | ow is artesian iter. for measuring |
| The well shall the works shall includ The works consiline, adequate to deter The permittee s shall keep a complete The priority dat | pe cased as nece proper capping tructed shall in rmine water lest hall install and record of the | essary in accordence and control venceude an air line evel elevation in a maintain a weir amount of ground it is | ance with good alve to prevent e and pressure the well at all r, meter, or ond water with the ember 24, 19 | l practice a the waste o gauge or an times. ther suitablicawn. | nd if the fl f ground wa access port le measurin | ow is artesian ter. for measuring g device, and |
| The well shall to the works shall included. The works consiline, adequate to determitee shall keep a complete. The priority data Actual constructions. | pe cased as nece proper capping tructed shall internal and record of the te of this permetion work shall | essary in according and control vinclude an air line evel elevation in a maintain a weir amount of ground it is | ance with good alve to prevent e and pressure the well at all r, meter, or ond water with the ember 24, 19 | I practice a the waste o gauge or an times. ther suitablicawn. | nd if the fl f ground wa access port le measurin | ow is artesian ter. for measuring g device, and |
| The well shall the works shall includ The works consiline, adequate to deter The permittee s shall keep a complete The priority dat Actual construct | pe cased as nece proper capping tructed shall in termine water less hall install and record of the tee of this permittion work shall ted with reason | essary in according and control vencelude an air line evel elevation in a maintain a weir amount of ground it isSepte the begin on or beformable diligence of | ance with good alve to prevent e and pressure the well at all r, meter, or ond water with ember 24, 19 ore | l practice a the waste o gauge or an times. ther suitablicawn. 73 ber 3, 197 ted on or be | nd if the fl f ground wa access port le measurin 76 | ow is artesian ter. for measuring g device, and |
| The well shall the works shall includ The works consiline, adequate to deter The permittee s shall keep a complete The priority dat Actual construct | pe cased as nece proper capping tructed shall in termine water less hall install and record of the tee of this permittion work shall ted with reason | essary in according and control vinclude an air line evel elevation in a maintain a weir amount of ground it is | ance with good alve to prevent e and pressure the well at all r, meter, or ond water with ember 24, 19 ore | l practice a the waste o gauge or an times. ther suitablicawn. 73 ber 3, 197 ted on or be | nd if the fl f ground wa access port le measurin 76 | ow is artesian ter. for measuring g device, and |
| The well shall to the works shall included. The works consiline, adequate to determittees a complete. The priority data and Actual constructions thereafter be prosecut. Complete applications and the complete applications. | pe cased as nece proper capping tructed shall interest and record of the te of this permetion work shall ted with reasons ation of the water to the | essary in according and control vencelude an air line evel elevation in a maintain a weir amount of ground it isSepte the begin on or beformable diligence of | ance with good alve to prevent e and pressure the well at all r, meter, or ond water with the mber 24, 19 ore | l practice a the waste o gauge or an times. ther suitablicawn. 73 ber 3, 197 ted on or be | nd if the fl f ground wa access port le measurin 76 | ow is artesian ter. for measuring g device, and |
| The well shall to the works shall included. The works consiline, adequate to determittees a complete. The priority data and Actual constructions thereafter be prosecut. Complete applications and the complete applications. | pe cased as nece proper capping tructed shall interest and record of the te of this permetion work shall ted with reasons ation of the water to the | essary in accordence and control vencelude an air line evel elevation in a maintain a weir amount of ground it is | ance with good alve to prevent e and pressure the well at all r, meter, or ond water with ember 24, 19 ore | l practice a the waste of gauge or an times. ther suitablicawn. 73 ber 3, 197 ted on or be made on or | nd if the fl f ground wa access port le measurin 76 efore Octobe r before Oct | ow is artesian ter. for measuring g device, and |
| The well shall to the works shall included. The works consiline, adequate to determittees a complete. The priority data and Actual constructions thereafter be prosecut. Complete applications and the complete applications. | pe cased as nece proper capping tructed shall interest and record of the te of this permetion work shall ted with reasons ation of the water to the | essary in according and control vinclude an air line evel elevation in a maintain a weir amount of ground it is | ance with good alve to prevent e and pressure the well at all r, meter, or ond water with ember 24, 19 ore | l practice a the waste o gauge or an times. ther suitablicawn. 73 ber 3, 197 ted on or be | nd if the fl f ground wa access port le measurin 76 efore Octobe r before Oct | ow is artesian ter. for measuring g device, and |

#2500