

OCT 22 1973

STATE ENGINEER
SALEM, OREGON

"CERTIFICATE NO. 57074"

Permit No. G- **G 5938**

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Scappoose School District 1 J
(Name of applicant)
of P. O. Box V, Scappoose, Oregon, county of Columbia
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated South Scappoose Creek
(Name of stream)
tributary of Columbia

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 320 gallons per minute.

3. The use to which the water is to be applied is irrigation of high school grounds

4. The well or other source is located 1425 ft. E and 975 ft. S from the Northwest corner of NE 1/4 of Section 13, Township 3 N., Range 2 W, Willamette Meridian
(N. or S.) (E. or W.) (section or subdivision)
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

✓ being within the NE 1/4 of NE 1/4 of Sec. 13, Twp. 3N, R. 2W, W. M., in the county of Columbia

✓ 5. The well to be --- miles located --- (Canal or pipe line) --- miles --- located --- terminating in the NE 1/4 of NE 1/4 of Sec. 13, Twp. 3N, R. 2 W, W. M., the proposed location being shown throughout on the accompanying map.
(Smallest legal subdivision)

6. The name of the well or other works is Scappoose High School well 1973

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one (1) well having a diameter of 12 inches and an estimated depth of 177 feet. It is estimated that 177 feet of the well will require .330 gauge steel casing. Depth to water table is estimated 85
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 40 HP, Gould Turbine Pump - 3600 RPM, 3 phase, 60 HZ 230/460 V, OOP, VHS, NRR, G.E. motor with 12" B.D. & 23 9/16 C.D. Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Table with 5 columns: Township N. or S., Range E. or W. of Willamette Meridian, Section, Forty-acre Tract, Number Acres To Be Irrigated. Contains data for Township 3 N, Range 2 W, Section 13, with sub-tracts NW 1/4, NE 1/4, SE 1/4, and SW 1/4 of NE 1/4. Total acres listed as 26.42.

(If more space required, attach separate sheet)

Character of soil gravelly clay

Kind of crops raised

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 39,000
15. Construction work will begin on or before August 9, 1973
16. Construction work will be completed on or before November 15, 1973
17. The water will be completely applied to the proposed use on or before November 30, 1973

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Handwritten signature: Jack Blair, Superintendent (Signature of applicant)

Remarks:
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion.....

In order to retain its priority, this application must be returned to the State Engineer, with correc-

tions on or before ~~March 20~~ July 8, 1974

WITNESS my hand this ~~20~~ 9th day of ~~January~~ May, 1974

RECEIVED
MAR 27 1974
STATE ENGINEER
SALEM, OREGON

RECEIVED
MAY 15 1974
STATE ENGINEER
SALEM, OREGON

CHRIS L. WHEELER
STATE ENGINEER
By Thomas E. Shook
ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.33 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Scappoose High School Well 1973

The use to which this water is to be applied is for irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2.2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is October 22, 1973

Actual construction work shall begin on or before November 3, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977
Extended to Oct. 1978

Complete application of the water to the proposed use shall be made on or before October 1, 1978

WITNESS my hand this 3rd day of November, 1975

James C. ...
Water Resources Director STATE ENGINEER F.H. B

Application No. G-6324
Permit No. G-5938

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 22nd day of October, 1973, at 8:00 o'clock A.M.

Returned to applicant:

Approved:

Recorded in book No. of G 5938
Ground Water Permits on page

STATE ENGINEER

Drainage Basin No. 3 page 32

fees \$25.00