

RECEIVED

DEC 31 1973

STATE ENGINEER
SALEM, OREGON

CERTIFICATE NO. 54562

Permit No. G- G 5985

APPLICATION FOR A PERMIT

ASSIGNED, See Misc. Rec., Vol. 6 Page 450

To Appropriate the Ground Waters of the State of Oregon

I, Bill & Farn Wolfe (Name of applicant)
of Rt. 1, Box 135, Wallous, OR 97885 (Postoffice Address), county of Wallowa
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Umatilla Drain (Name of stream)

tributary of Umatilla River

2. The amount of water which the applicant intends to apply to beneficial use is ~~500~~ ^{7.0} cubic feet per second or ~~2150~~ ^{31.50} gallons per minute.

3. The use to which the water is to be applied is irrigation

4. The well or other source is located 3,510 ft. N. (N. or S.) and 2100 ft. E. (E. or W.) from the S.W. corner of Section 25 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SE 1/4 NW 1/4 of Sec. 25, Twp. 5N, R. 28E, W. M., in the county of Umatilla

5. The 0 Pipe Line (Canal or pipe line) to be 2100 Feet ~~XXXX~~ in length, terminating in the SW 1/4 NW 1/4 (Smallest legal subdivision) of Sec. 25, Twp. 5N, R. 28E, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Wolfe #1

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one pit well (Give number of wells, tunnels, etc.) having a diameter of 40 FT inches and an estimated depth of 14 feet. It is estimated that 8 feet of the well will require (Kind) casing. Depth to water table is estimated 8 Feet (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type two 8 inch Centrifugal

Give horsepower and type of motor or engine to be used two 75 horse power electric motors

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	
5N	28E	25	NW 1/4 NW 1/4	20	
			NE 1/4 NW 1/4	20	
			NW 1/4 NE 1/4	20	
			SW 1/4 NW 1/4	40	
			SE 1/4 NW 1/4	40	
			SW 1/4 NE 1/4	40	
			NW 1/4 SW 1/4	40	
			NE 1/4 SW 1/4	40	
			SW 1/4 SW 1/4	40	
			SE 1/4 SW 1/4	40	
			NW 1/4 SE 1/4	40	
			SW 1/4 SE 1/4	40	
			26	NE 1/4 NE 1/4	20
				SE 1/4 NE 1/4	40
NE 1/4 SE 1/4	40				
SE 1/4 SE 1/4	40				
				560	

(If more space required, attach separate sheet)

Character of soil ...Sandy

Kind of crops raised Hay & pasture

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$115,000.00.....
- 15. Construction work will begin on or before already started.....
- 16. Construction work will be completed on or before October 1, 1975.....
- 17. The water will be completely applied to the proposed use on or before October 1, 1976.....
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. none.....

Bill Wolfe *John Wolfe*
(signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before May 6, 1974.....

WITNESS my hand this 5th day of March, 1974.....

RECEIVED

MAR 21 1974

STATE ENGINEER
SALEM, OREGON

CHRIS L. WHEELER

STATE ENGINEER

By *Thomas E. Shook*
Thomas E. Shook

ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 7.0 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Wolfe Well #1

The use to which this water is to be applied is for irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is December 31, 1973

Actual construction work shall begin on or before November 3, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977

Complete application of the water to the proposed use shall be made on or before October 1, 1978

WITNESS my hand this 3rd day of November, 1975

James E. [Signature]
Water Resources Director STATE ENGINEER B

Application No. G-6396
Permit No. G-5985

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 31st day of December, 1973, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. G 5985 of Ground Water Permits on page

STATE ENGINEER

Drainage Basin No. 7 page 73

Fees 45752