FEB 71974
STATE ENGINEER
SALEM, OREGON

Permit No. G- G 6024

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

	I,	AL	SEA	PROP	ERTIES (Name of applicant)	INC	•
following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation Oregon 1965 1. Give name of nearest stream to which the well, tunnel or other source of water development is situated ALSEA RINER Chams of stream) Tributary of PACIFIC OCEAN. 2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or IJO	of Room. 2. ,.	Dood	Buil Of	NA, NE	WPORT , cour	ity ofLI	YCOLN ,
Oregon 1965 1. Give name of nearest stream to which the well, tunnel or other source of water development is nituated ALSEA RIVER (Name of stressin) tributary of PACIFIC OCEAN. 2. The amount of water which the applicant intends to apply to beneficial use is							
1. Give name of nearest stream to which the well, tunnel or other source of water development is situated ALSEA RIVER (Name of stream) Tributary of PACIFIC OCEAN. 2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 170. gallons per minute. 3. The use to which the water is to be applied is COMMUNITY WATER WESTERLY — WESTWOOD VILLAGE SUB-DIVISIONS 4. The well or other source is located ZZI. It. (No. of 8) and IZ. It. (No. of 8) from the M.W. (No. of 8) and IZ. It. (No. of 8) and IZ. It. (No. of 8) from the M.W. (No. of 8) and IZ. It. (No. of 8) from the M.W. (No. of 8) and IZ. It. (No. of 8) from the M.W. (No. of 8) for the well or other source is located ZZI. It. (No. of 8) and IZ. It. (No. of 8) from the M.W. (No. of 8) for the well or other source is located ZZI. It. (No. of 8) for the well or other source is located ZZI. It. (No. of 8) for the well or other well, each must be described. Use separate sheet if necessary to being within the S.W. (No. of 8) for the other is more well, each must be described. Use separate sheet if necessary to be for the country of the supply when the country of Supply S	If the a	pplicant is	a corporatio	n, give date ar	nd place of incorp	oration	•
tributary of PACIFIC. OCEAN. 2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or ITO. gallons per minute. 3. The use to which the water is to be applied is COMMUNITY. WATER WESTWOOD. STAND OF WILLIAGE SUBJICIONS 4. The well or other source is located ZTI. It. M. and IZ. It. M. from the M.W. (Section or subdivision). 5. BZ°51' 44' Y. Z. BJO. 90. FT. TO MEST Y. SECOND. ADDITION OF MEST Y. TO	Or	egon	1965				•••••
tributary of PASIFIC OCEAN. 2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 170. gallons per minute. 3. The use to which the water is to be applied is COMMUNITY WATER WEST SUPPLY - WESTWOOD VILLAGE SUB-DIVISIONS 4. The well or other source is located ZZI. ft. N. and 12. ft. N. from the N.W. (Section or subdivision) 5. B2. 5. 14. 18. 5. 18. 0. 18. 18. 18. 18. 19. 19. 19. 19. 19. 19. 19. 19. 19. 19		•			- · · · · · · · · · · · · · · · · · · ·	other source of wa	ter development is
2. The amount of water which the applicant intends to apply to beneficial use is	situated	A					
get per second or 1.70	***************************************	••••	•••••		tributar	y of PACIFIC	OCEAN
4. The well or other source is located Z.71. ft. N. and 12. ft. N. from the N.W. corner of LOT 17, NESTWOOD VILLAGE SECOND ADDITION S 82°5' 44 Z 890.90.57. (If proferable, give distance and bearing to section corner) T135, N. N. N. S. (If there is more than one well, each must be described. Use separate sheet if necessary) being within the S W A N.E. Of Sec. 32. Twp. 135, R. 10 W, W. M., in the country of LINCOLN NO WESTERLY 1800 Ft. To SERVE 200 AND 3EP. 5. The TWO PIBES 42 WESTERLY AND WESTERLY 1800 Ft. To SERVE 200 AND 3EP. (ESTERLY 4000 FT. To COMMITTEE WESTERLY SEC. INTO RESERVOIR THERE SOUTHERS) in length, terminating in the WELL SEL NOTION OF SEC. 31. Twp. 135, formaliest leaf and triangly of Sec. 31. Twp. 135, R. LO. M., W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the well or other works is WESTENDOD VILLAGE WATER SYST. DESCRIPTION OF WORKS 7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described. NO .' 8. The development will consist of (Give number of wells, tunnels, etc.) inches and an estimated depth of 105 feet. It is estimated that 100.						to beneficial use is	3 cubic
4. The well or other source is located 271 ft. N. and 12 ft. W. from the N.W. corner of LOT 17, WESTWOOD (Section or subdivision) 5 82°51' 44' W 2890.90 FT. TO WEST 4 SE (If preferable, give distance and bearing to section corner) T/35 R/OW. W. M. (If there is more than one well, each must be described. Use separate theet if necessary) being within the SW 1 N.E of Sec. 32 , Twp. 135 , R. 10 W, W. M., in the country of LINCOLN (SECTION NESTRALY 1300 FT. TO SERVE 2 NO AND 3EP. 5. The TWO PIPES & WESTRALY 950 FT. 1NO RESERVOIR THEREE SOUTHERSY (SECTION OF SEC. 31 , Twp. 135	3. The	use to wh	ch the wate	r is to be app	lied is COMMA	INITY W	TER WELL
Corner of LOT. 17, WE 57 WOOD (Section or subdivision) S 82°5 / 44 W Z 890.90 FT. TO WE 57 45 (If preferable, give distance and bearing to section corner) T/3 S, R/O W. M. Of Sec. 32, Twp. /35, R. /0 W, W. M., in the county of LINCOLN, W. M., in the county of LINCOLN, W. M., in the county of LINCOLN, W. M. in the county of Sec. 32, Twp. /35, R. /0 W, W. M., in the county of LINCOLN, S. The TWO PIPES & WESTERLY 950 FT INTO RESERVOR THEREE SOUTHERS: (ESTERLY 4000 FT = 70 (32) WESTERLY 950 FT INTO RESERVOR THEREE SOUTHERS: (Smallest less subdivision) In length, terminating in the NAT SEC. (Smallest less subdivision) R	SUPPLY	/ - 1	NESTWO	OD VI	LLAGE S	48-0141510	N5
(It there is more than one well, each must be described. Use separate sheet if necessary) March M					· ·		
TIBS RION N. M. (If there is more than one well, each must be described. Use separate sheet if necessary) being within the SW SW NE AND NE AND SEC. 32, Twp. /35, R. /0 W, W. M., in the country of SOUTHERLY AND WESTERLY 1300 FT. To SERVE 2 MAND 3ED. 5. The TWO PIPES 2 WESTERLY 950 FT. INTO RESERVOR THERCE SOUTHERLY 10 STERLY 4000 FT. TO SPHYLE BRIGHT WESTWOOD VILLAGE FILLS FROM TOOTHOR in length, terminating in the NE ASSETTION (Smallest looff subdivision). 10 SEC. 31, Twp. /35, 11 SEC. W. W. M., the proposed location being shown throughout on the accompanying map. 12 O. M., W. M., the proposed location being shown throughout on the accompanying map. 13 S. The name of the well or other works is WESTWOOD VILLAGE WATER SYSTEMATER. 14 DESCRIPTION OF WORKS 15 If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described. 15 YO STERLY 16 ONE WELL LANGE WATER SYSTEMATER 17 ONE WATER SYSTEMATER 18 YOUR number of wells, tunnels, etc.) 18 The development will consist of Colve number of wells, tunnels, etc.) 18 It is estimated that 100.	•			(Can41a	a au amhdinialam\		
being within the SW S S S S S S S S S S S S S S S S S S	58	2°51	44 (If pro	oferable, give distance	390.90 FT. se and bearing to section c	70 W	EST 4 SEC
being within the SW S S S S S S S S S S S S S S S S S S	7	135	RION	one well, each mus	t be described. Use separa	te sheet if necessary)	······································
5. The STERLY 4000 FT = 70 (Carphy Pire 19th), AINAL WESTWOOD VILLAGE FLUS FIRST ADDITION in length, terminating in the WEST (Smallest length subdivision) R	being within t	he 5 W	Los	NE 1	of Sec. 🚅	2 , Twp. 13	5 , R. 10 W,
5. The STERLY 4000 FT = 70 (Carphy Pire 19th), AINAL WESTWOOD VILLAGE FLUS FIRST ADDITION in length, terminating in the WEST (Smallest length subdivision) R	W. M., in the	county of	LINCO	OLN	NO WESTERLY 13	OD FT I TO SER	VE ZÃO AND 3ROA
R	5. The ' ESTERLY 4	4000 FT	To (Canal A	VESTERLY 9 T pipe line) 161NA	SOFT-	to be	FIRST ADDITION.
6. The name of the well or other works is WESTWOOD WILLAGE WATER SYSTEM DESCRIPTION OF WORKS 7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described. NO. 8. The development will consist of ONE WELL having a Give number of wells, tunnels, etc.) liameter of inches and an estimated depth of 105 feet. It is estimated that 100.							
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described. 8. The development will consist of			-		•	•	
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described. NO. 8. The development will consist of	• 17te 7	iunie oj in	e well or oth		•		
8. The development will consist of				irtesian, th e w		r the control and c	onservation of the
8. The development will consist of			•••••	No!		·····	······
8. The development will consist of				••	***************************************		
diameter of				. i			
diameter of	8. The c	developme:	nt will consi	st of	ONE (Give number of w	WELL	having a
Later to the small sufficient of the Control of the							
eet of the well will require PERFORATED casing. Depth to water table is estimated (Kind)	eet of the wel	l will requ	ire PLAFO	RATED	casing. Depth to	water table is estin	nated 48

headgate. At headgate: width on 10p (at water line) feet; depth of water feet; grade feet fall per one thousand feet. (b) At miles from headgate: width on top (at water line) feet; width on bottom feet grade feet fall per one thousand feet. **ROND** from intake feet in; size at place of use fin; in size at 1300 ft from intake fin; size at place of use fin; difference in elevation between intake and place of use, for 75 000 fall. RESERVOIR IN SERVICE ONE 75 000 fall. RESERVOIR IN SERVICE ONE 75 000 fall. RESERVOIR IN SERVICE ONE 75 000 fall. RESERVOIR IN SERVICE THE BURGON TO BE ADDED 10. If pumps are to be used, give size and type for 10 AC 150 SUBMERSIBLE THE BURGON THE FLECTRIC 11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development 14.58A RIVER 15 600 FT T. S. E. At WELL. WELL HEAD 55 FT T. ABOVA		•	•	G 662	14
feet; depth of water feet; grade feet; grade feet fall per one thousand feet. (b) At miles from leadgate: width on top fat water line) feet; width on bottopt feet; width on top fat water line) feet; width on bottopt feet; width on top fat water line) feet; width on bottopt feet; width on top fat water line) feet; width on bottopt feet; feet; depth of water feet; feet; feet; width on bottopt feet; feet; width on bottopt feet; feet; feet; width on bottopt feet;	CANAL SYSTE	M OR PIPE LINE	E		
thousand feet. (b) At miles from leadgate: width on top at water line) jeet; width on bottoph jeet; width on bottoph jeet; width on bottoph jeet; depth of water jeet, dep	9. (a) Gi	ve dimensions at e	ach point of	canal where materially change	ed in size, stating miles from
feet; depth of water feet; grade feet; grade feet fall per one thousand feet. (b) At miles from leadgate: width on top fat water line) feet; width on bottop feet; width on top fat water line) feet; width on bottop feet; depth of water feet; feet; grade feet fall per one thousand feet. **Top feet; width on bottop feet fall per one thousand feet. **Top feet; width on bottop feet; depth of water feet; f	headgate. At he	adgate: width on p	Sp (at water	line)	
thousand feet. (b) At miles from leadgate: width on top at water line) jeet; width on bottoph feet; width on bottoph feet fall per one thousand feet. (c) Length of pipe, 2800 ft.; size at intake 6" in.; in size at 1300 ft. from intake 4" in.; size at place of use 4" in.; difference in elevation between intake and place of use, 55 ft. Is grade uniform? NO Estimated capacity, OOO GALLONGEC. ONE 75 000 GAL RESERVOIR IN SERVICE. OOO GALLONGEC. ONE 75 000 GAL RESERVOIR IN SERVICE. OOO GALLONGEC. ONE 75 000 GAL RESERVOIR IN SERVICE. THROUGH 3 p 230 V. Give horsepower and type of motor compare to be used. THROUGH 3 p 230 V. Give horsepower and type of motor compare to be used. In the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development MASEA RIVER IS 600 FT S.E. of WELL. WELL HEAD 55 FT ABOVE CALLONG. BAIN CR. 15 900 FT WESTERLY. WELL HEAD 30 FT ABOVE CALLONG. 12. Location of created be irrigated, or place of use Township without benefits. Section Forty-acre Track Number Acres. THOUGH SANGEL S. 55 ST S.E. of WESTERLY. WELL HEAD 30 FT ABOVE CALLONG. THE SERVICE S. S.E. S. S.E. S.E. S.E. S.E. S.E. S	• :			/	
(b) At miles from leadgate: width on top at water line) jeet; width on bottopt jeet; depth of water jeet; width on bottopt jeet; depth of water jeet; depth of water jeet; width on bottopt jeet; depth of water jeet; depth of water jeet; width on bottopt jeet; depth of water jeet; depth of water jeet; width on bottopt jeet; depth of water jeet; depth o		jeet, depin oj t	quier	jeet, grade	Jeet juit per one
feet; width on bottom feet; feet fall per one thousand feet. fin, size at intake b" in.; in size at /300 ft. from intake 4" in.; size at intake b" in.; in size at /300 ft. from intake 4" in.; size at intake b" in.; in size at /300 ft. from intake 4" in.; size at intake b" in.; in size at /300 ft. from intake 4" in.; size at intake b" in.; in size at /300 ft. from intake 4" in.; size at intake b" in.; in size at /300 ft. from intake 4" in.; is size at intake b" in.; in size at /300 ft. from intake 4" in.; in size at intake b" in.; in size at /300 ft. from intake 4" in.; in size at intake b" in.; in size at intake be an in.; difference in elevation between the star at type of fall feet fall fall fall fall fall fall fall fal	thousand feet.		į		
grade feet fall per one thousand feet. (c) Length of pipe, 28.00^{-2} ft.; size at intake 6" in.; in size at 1300 ft. from intake 4" in.; size at place of use 4" in.; difference in elevation between intake and place of use, 5.5^{-2} ft. Is grade uniform? NO Estimated capacity, ONE 75 000 GAL RESERVOIR IN SERVICE. ONE 75 000 GAL RESERVOIR IN SERVICE. ONE 75 000 GAL RESERVOIR IN SERVICE. TO BE ADDED. 10. If pumps are to be used, give size and type 6.7 (O.A.C. 150. SUBMERS!OLE. TURBINE 3 P 230 V. Give horsepower and type of motor capped to be used 10. It.l. ELECTRIC. 11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development ALSEA RIVER 18 600 Ft. 5.E. of WELL. WELL HEAD 55 Ft. ABOVE BAIN CR. 15 900 Ft. WESTERLY. WELL HEAD 30 Ft. ABOVE CR. 12. Location of serve to be trilipated, or place of use Range			,	,	,
grade feet fall per one thousand feet. (c) Length of pipe, 28.00^{-2} ft.; size at intake 6" in.; in size at 1300 ft. from intake 4" in.; size at place of use 4" in.; difference in elevation between intake and place of use, 5.5^{-2} ft. Is grade uniform? NO Estimated capacity, ONE 75 000 GAL RESERVOIR IN SERVICE. ONE 75 000 GAL RESERVOIR IN SERVICE. ONE 75 000 GAL RESERVOIR IN SERVICE. TO BE ADDED. 10. If pumps are to be used, give size and type 6.7 (O.A.C. 150. SUBMERS!OLE. TURBINE 3 P 230 V. Give horsepower and type of motor capped to be used 10. It.l. ELECTRIC. 11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development ALSEA RIVER 18 600 Ft. 5.E. of WELL. WELL HEAD 55 Ft. ABOVE BAIN CR. 15 900 Ft. WESTERLY. WELL HEAD 30 Ft. ABOVE CR. 12. Location of serve to be trilipated, or place of use Range		feet; width on	bottoph	feet; depth of w	ater feet
(c) Length of pipe, 2800 t, size at intake 6 in.; in size at 1300 ft. from intake 4 in.; size at place of use 1 in.; difference in elevation between intake and place of use, 55 to 1. Is grade uniform? NO Estimated capacity, ONE 75 000 GAL. RESERVOIR IN SERVICE ONE 75 000 GAL. RESERVOIR IN SERVICE ONE 75 000 GAL. RESERVOIR IN SERVICE ONE 75 000 II. If pumps are to be used, give size and type 6. T. IO. AG. 150 SUBMERS/BLE. TURBUNE 3 \$\overline{D}\$ 230 \$\text{V}\$. Give horsepower and type of motor compute to be used 10 11.1. ELECTRIC. 11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development USEA. RIVER 15 600 FT \$\frac{T}{2} \text{S. S. S. WELL. WELL HEAD 55 FT }\text{ABOVE CASES.} BAIN CR. 15 900 FT \$\frac{T}{2} \text{S. S. S. WELL. MEAD 30 FT \$\frac{T}{2} \text{ABOVE CASES.} 12. Location of area to be irrigated, or place of use Township \(\text{Number Acres.} \) \[Number			,	,	
from intake 4 in.; size at place of use in.; difference in elevation between intake and place of use, 5.5. † ft. Is grade uniform? NO Estimated capacity, ONE 75 000 GAL. RESERVOIR IN SERVICE. ONE 75 000 GAL. RESERVOIR IN SERVICE. 10. If pumps are to be used, give size and type 6.7. IO. AG. ISO SUBMERSIBLE. TURGINE 3 \$\overline{Q}\$ 230 \$\text{N}\$. Give horsepower and type of motor are engine to be used IO. It. L.	RUN		ant.	e e e e e e e e e e e e e e e e e e e	
intake and place of use, 55 ± ft. Is grade uniform? NO Estimated capacity, ONE 75 000 GAL RESERVOR IN SERVICE. ONE 75 000 GALLENSSEC. ONE 75 000 "" TO BE ADDED. 10. If pumps are to be used, give size and type 6.7 10 AC 150 SHEMERSIALE. THRSINE 3 \$\overline{D}\$ 230 V. Give horsepower and type of motor company to be used 10 Hill. ELECTRIC 11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development MISER RIVER 15 600 Ft. I.S.E. of WELL. WELL HEAD 55 Ft. ABOVE CRA 12. Location of area to be irrigated, or place of use Township R. G. W.	(c) Lengt	h of pipe,	jt.;	size at intake in.;	in size at
ONE 75 000 GAL. RESERVOIR IN SERVICE. ONE 75 000 "" TO BE ADDED. 10. If pumps are to be used, give size and type 6.7 10. AC 150 SUBMERS/ALE. THROUNE 3 \$\omega\$ 230 \$\text{V}\$. Give horsepower and type of motor and type to be used 10. It.l. ELECTRIC. 11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development ALSEA RIVER 15 600 FT \(\text{S.E. et Welch. Well Head 30 FT \(\text{T. ABOVE CRASSING TOWNSHIP Revenue} \) BAIN CR. 15 900 FT \(\text{WASTERLY, Well HEAD 30 FT \(\text{T. ABOVE CRASSING TOWNSHIP Revenue} \) 12. Location of area to be trityuted, or place of use Township \(\text{R. area of E. cr w. of E. cr w. of Williamette Meridian Section Forty-acre Tract Number Acres \) 13.5 \(\text{IOW} \) 3.2 \(IW \(\text{T. S. W. \(\text{T. S. \(\text{T. S. W. \(\text{T. S. W. \(\text{T. S. \(\text{T. S. \(\text{T. S. W. \(\text{T. S. \(\text{T. S. \(\text{T. S. W. \(\text{T. S. \(\text{T.	from intake	4 in.; siz	ze at place o	f use	erence in elevation between
ONE 75 000 GAL. RESERVOIR IN SERVICE. ONE 75 000 "" TO BE ADDED. 10. If pumps are to be used, give size and type 6.7 10 AC 150 SHBMERS/ALE. THROUNE 3 \$\omega\$ 230 \$\text{V}\$. Give horsepower and type of motor securism to be used 10 11.1. ELECTRIC. 11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development ALSEA RIVER 15 600 FT \(\text{T} \) S.E. At WELL HEAD 55 FT \(\text{ABOVE} \) BAIN CR. 15 900 FT \(\text{NESTERLY} \) WELL HEAD 30 FT \(\text{T} \) ABOVE CRA 12 Location of area to be britiquied; or place of use Township \(Renew of Energy of	intake and place	of use,	- ≠	. Is grade uniform? No	Estimated capacity
10. If pumps are to be used, give size and type 6.7 12 AG 150 SHBMERSIALE. THROUNE 3 \$\overline{Q}\$ 230 \$\overline{Q}\$. Give horsepower and type of motor security to be used 10 11. Letectrical Let	000 EALLA	NSag & ONE	75 000	GAL. RESERVOIR	IN SERVICE
Give horsepower and type of motor company to be used					
Give horsepower and type of motor securities to be used				•	
Give horsepower and type of motor securities to be used	TURBINE	· 3 Ø 2.	30 V.		
11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development ALSEA RIVER 15 600 Fr \$ 3.E. of WELL. WELL HEAD \$5.5 Fr \$ ABOVA 12. Location of area to be tritiquited, or place of use Township Range E. or W. of Williamsette Meridian Section Forty-acre Tract TOWNS Williamsette Meridian Section Forty-acre Tract Number Acres 1. NEW \$5.45 \$ 1. NEW \$5.45 \$ 1. NEW \$5.45 \$ 1. NEW \$5.55		•		,	
12. Location of area to be irrigated, or place of use Township Range E. or W. of Willamette Meridian Section Forty-acre Tract Number Acres	11. If the	location of the wel	ll, tunnel, or	other development work is les	s than one-fourth mile from
7135 10W 32 NW_{+}^{+} SW_{+}^{+} S_{-}^{+} $S_$	11. If the a natural stream the difference in	location of the well or stream channe lelevation between	ll, tunnel, or l, give the d n the stream	other development work is les listance to the nearest point or bed and the ground surface a	s than one-fourth mile from n each of such channels and t the source of development
" " " NE \$ 5 W \$ 19.53 \$ " " NW\$ SE\$ 565 \$ " " SE\$ NW\$ 0.56 \$ " " SW\$ NE \$ 0.56 \$ T135 RIOW 31 NE \$ 5E\$ 4.36 \$	11. If the a natural stream the difference in ALSEA RIVI	location of the well or stream channe elevation between the stream channe of the stream channe of the stream of th	ll, tunnel, or l, give the d the stream	other development work is less listance to the nearest point or bed and the ground surface at the second surfa	s than one-fourth mile from each of such channels and the source of development of the source of the
" " " SE \$ NW \$ 0.56 \$ \\ " " SW \$ NE \$ \$ 0.56 \$ \\ " " SW \$ SE \$ 4 4.36 \$ \\ T135 RIOW 31 NE \$ 5E \$ 4.36 \$ \\	11. If the a natural stream the difference in ALSKA RIV. BAIN CR. 12. Locati	location of the well or stream channe elevation between the stream channe of the stream channe of the stream of th	ll, tunnel, or all, give the de the stream Fr S. E	other development work is less listance to the nearest point or bed and the ground surface as well. Well for the surface and the ground surface as well. Well for the surface of use	s than one-fourth mile from each of such channels and the source of development ALAD 55 FT ABOVA
" " SET NWT 076 T. " SWT NET 0.56 T. T135 RIOW 31 NET SET 4.36 ±	11. If the a natural stream the difference in ALSKA. RIV. BAIN CR. 12. Locati Township N. or S.	location of the well or stream channed elevation between the stream of the well and the stream of the well and the stream of the williamette Meridian location of the well and	il, tunnel, or il, give the di the stream Fr I S. E Tyuted, or p Section	other development work is less listance to the nearest point or bed and the ground surface as well. Well for the surface and the ground surface as well. Well for the surface of use	s than one-fourth mile from a each of such channels and the source of development of the source
" " " SW # NE # 0.56 +_ 7135 RIOW 31 NE # SE # 4.36 +	11. If the a natural stream the difference in ALSKA. RIV. BAIN CR. 12. Location Township N. or S.	location of the well or stream channed elevation between the Research of the R	il, tunnel, or il, give the di the stream Fr + 5. E WEST rigated, or p Section	other development work is less listance to the nearest point or bed and the ground surface as well. Well for the surface and the ground surface as well. Well for the surface of use	s than one-fourth mile from a each of such channels and the source of development of the source
7135 RIOW 31 NET SET 4.36 ±	11. If the a natural stream the difference in ALSKA. RIV. BAIN CR. 12. Locati Township N. or S.	location of the well or stream channed elevation between the stream of t	il, tunnel, or al, give the do the stream Fr I S. E Tyuted, or p Section 3 2	other development work is less listance to the nearest point or bed and the ground surface as well. Well for the surface and the ground surface as well. Well for the surface of use	s than one-fourth mile from a each of such channels and the source of development of the source
	11. If the a natural stream the difference in ALSEA RIVA BAIN CR. 12. Locati Township N. or S.	location of the well or stream channel elevation between ER 15 600 FT. Sange E. or W. of Willamette Meridian	il, tunnel, or il, give the di the stream Fr I S. E WEST rigated, or p Section	other development work is less listance to the nearest point or bed and the ground surface as well. Well Mell Allows lace of use Forty-acre Tract NW 4 5W 4 NW 4 5F 4	s than one-fourth mile from the each of such channels and the source of development SEAD 55 FT T ABOVE ONE ABOVE CREATE Number Acres 19.53 1 19.53 1 19.53 1
	11. If the a natural stream the difference in ALSKA. RIV. BAIN CR. 12. Locati Township N. or S.	location of the well or stream channel elevation between the stream of t	il, tunnel, or il, give the di the stream Fr I S. E WEST rigated, or p Section 3 2	other development work is less listance to the nearest point or bed and the ground surface at the surface at the surface at the surface of th	s than one-fourth mile from the each of such channels and the source of development SEAD 55 FT T ABOVE ONE ABOVE CREATE Number Acres 19.53 1 19.53 1 19.53 1
	11. If the a natural stream the difference in ALSKA. RIV. BAIN CR. 12. Locati Township N. or S.	location of the well or stream channed elevation between the street of t	Il, tunnel, or il, give the di the stream Fr	other development work is less listance to the nearest point or bed and the ground surface at the surface at the surface at the surface of th	s than one-fourth mile from the each of such channels and the source of development SEAD 55 FT T ABOVE ONE ABOVE CREATE Number Acres 19.53 1 19.53 1 19.53 1

(If more space required, attach separate sheet)

Character of soil	SANDY	51274	LOAM.	
			•	
Kind of crops raised	PEOPLE			

MUNICIPAL SU	JPPLY— oply the city of U/EST	WAAA VILLAKI	SURDIVISI	OMS
	county, have		_	
			i of	······································
and an estimated	l population of300			
		8 14, 15, 16, 17 AND 18 IN	ALL CASES	•
	ated cost of proposed work	•	·	•
	ruction work will begin on	•		
16. Consti	ruction work will be comp	leted on or before	1974	
17. The w	ater will be completely app	olied to the proposed use	on or before	78
	ground water supply is s it, permit, certificate or o			
applicant	EE BAIN CREE	V APPLICATION	-8. PERMI	T
NUMBER	30653	DATED	1966	k
		Enlie	es dimiset	Q
Pamanta:		Erling Grin	(Signature of applicant)	
Remarks.		Water Coop		, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
m_+_	1ham an name	to 1 10	•	••••
	l number of families			•
	Westwood Villag			/
	Westwood Village	15+ Addn. 1.	/	
	Westwood Yillage	2nd Addn. 1	7	5
	Westwood Village	3rd Addn 4	3	
			·	-

				,
				•
***************************************				••••••
·				******************
STATE OF OR	EGON, ss.	•	. ••	
County of Ma				
This is to	certify that I have examin	red the foregoing applica	tion, together with the	accompanyin
	nd return the same for		. •	
E S	na retarn the same jor		W#X# 5. X# 5/A4	•••••••••••••••••••••••••••••••••••••••
ENGINEER COLOR TO THE COLOR TO		·		
-:	retain its priority, this ap	-	ed to the State Engine	er, with correc
Htlins on or before	eAugust 2	, 19.74	ta de la companya de La companya de la co	
SS				
Withfer				
ALLIMEDO	my hand this3de	ay ofJune		19 74
WIINESS	my hand this3 de	ay ofJune		, 19.74
WIINESS	my hand this3 d	ay ofJune		, 19.74
WIINESS	my hand this3 d	ay ofJune		, 19 .74

PERMIT

		I have examined the f GHTS and the followin				ant the same,
The righ	at herein grante	ed is limited to the amo	unt of water	which can	be applied to	beneficial use
and shall not e	xceed 0.3	8 cubic feet per sec	ond measured	at the poin	it of diversion	from the well
or source of ap	propriation, or	its equivalent in case o	f rotation with	h other wa	ter users, from	a well
The use	to which this w	ater is to be applied is	for group	domestic	use for 101	families,
(Westwood Vi	llage) .					
If for irr	igation, this app	oropriation shall be lim	ited to	(of one cubic fo	ot per second •
or its equivale	nt for each acre	irrigated and shall be	further limite	d to a dive	rsion of not to	exceed
acre feet per a	cre for each acr	e irrigated during the i	trigation seas	on of each ı	jear;	
. %						·
						······································
		······································				
	•••••					
		•••	•	7 7 7	47	
	•	asonable rotation syste as necessary in accord				y Page
The wor line, adequate The peri	ks constructed to determine a nittee shall inst	capping and control vershall include an air lin water level elevation itall and maintain a we of the amount of grou	e and pressure n the well at o ir, meter, or	e gauge or o all times. other suite	ın access port f	or measuring
The prio	rity date of this	permit isAugust	5, 1974			 ,
Actual co	onstruction wor	k shall begin on or bef	ore Nov	ember 3.	1976	and shall
thereafter be p	rosecuted with	reasonable diligence	and be comple	eted on or	before October	r 1, 19.77
Complete Extended to	e application of Oct. 1 1980Extended to	the water to the propo Oct. 1 1983 Extended to Octobe The water to the propo Oct. 1 1983 Extended to Octobe The water to the propo Oct. 1 1983 Extended to Octobe The water to the propo Oct. 1 1983 Extended to Octobe The water to the propo Oct. 1 1983 Extended to Octobe The water to the propo Oct. 1 1983 Extended to Octobe The water to the propo	sed use shall be taken the sed use shall be taken to the sed use s	ed to October 1, 1 e made on October 1	1992 10-1-96 of before Octo 1, 1992 16-1-96	ber 1, 1978 Ext. BC9
W11WES	s my nana ma		Sun	ne, E	les Ex	+BCØI
			Water Res	sources Direc	tor	APP-INCIPIEN B
Application No. G-Leff 3le Permit No. G-GG24 DEDMIT	TO APPRC WATE	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the TLD day of FC broary.	Returned to applicant:	Approved:	Recorded in book No. G	STATE ENGINEER Drainage Basin No/B page . II