

RECEIVED

MAR 6 1974

STATE ENGINEER
SALEM, OREGON

"CERTIFICATE NO. 61862"

Permit No. G- **G 6053**

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Oregon State Parks and Recreation Branch
(Name of applicant)
of Rm. 300 State Highway Building, Salem 97310 County of Marion
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Grande Ronde River
(Name of stream)

tributary of Snake River

2. The amount of water which the applicant intends to apply to beneficial use is 0.06 cubic feet per second or gallons per minute.

3. The use to which the water is to be applied is irrigation of lawn and landscape plantings.

4. The well or other source is located 410 ft. north and 1300 ft. east from the southwest corner of Section 31
(N. or S.) (E. or W.) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SW 1/4 SW 1/4 of Sec. 31, Twp. 2S, R. 37E, W. M., in the county of Union

5. The pipeline 1260 feet to be 1390 ~~XXXX~~
(Smallest legal subdivision)
in length, terminating in the SE 1/4 SW 1/4 of Sec. 31, Twp. 2S, R. 37E, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one well having a diameter of 36 inches and an estimated depth of 12 feet. It is estimated that 12 feet of the well will require concrete casing. Depth to water table is estimated 8
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 2650 ft.; size at intake 2 in.; in size at ft. from intake in.; size at place of use 2 in.; difference in elevation between intake and place of use, 20 ft. Is grade uniform? yes Estimated capacity, 0.06 sec. ft.

10. If pumps are to be used, give size and type 2" centrifugal, stationary

Give horsepower and type of motor or engine to be used 7 1/2 hp electric motor 125' TDH

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

75' North of North edge Grand Ronde River, 8' elevation difference - stream bed to ground surface at well site.

12. Location of area to be irrigated, or place of use Hilgard Junction State Park

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
2S	37E	31	SW 1/4 SW 1/4	2.6
2S	37E	31	SE 1/4 SW 1/4	2.2
				4.8

(If more space required, attach separate sheet)

Character of soil rocky

Kind of crops raised lawn and landscape plantings

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 6,500.00
- 15. Construction work will begin on or before 4/1/74
- 16. Construction work will be completed on or before 8/1/74
- 17. The water will be completely applied to the proposed use on or before 6/15/75

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

James Gaskell
(Signature of applicant)

Assistant State Parks Superintendent

Remarks: ~~This application is for irrigation water and is supplemental to any other rights on this land.~~

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before June 11, 1974.

WITNESS my hand this 11th day of April, 1974.

RECEIVED
APR 17 1974
STATE ENGINEER
SALEM, OREGON

CHRIS L. WHEELER
STATE ENGINEER
By *T. Shook*
Thomas E. Shook
ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.06 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is for irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; and shall be further limited to appropriation of water only to the extent that it does not impair or substantially interfere with existing surface water rights of others,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is March 6, 1974

Actual construction work shall begin on or before November 18, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977

Complete application of the water to the proposed use shall be made on or before October 1, 1978

WITNESS my hand this 18 day of November 19 75

James E. Sepp
Water Resources Director F.H. A

Application No. G-6453
Permit No. G-6053

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 6th day of March
1974, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. of
Ground Water Permits on page G 6053

STATE ENGINEER
Drainage Basin No. 8 page 41

Per 125