

**RECEIVED**  
JUN 22 1973  
STATE ENGINEER  
SALEM, OREGON

"CERTIFICATE NO. 55410"

Permit No. G- G 6078

APPLICATION FOR A PERMIT

# To Appropriate the Ground Waters of the State of Oregon

I, Donald J. & Mary Angela Dieringer  
(Name of applicant)  
of Rt. 1, Box 228 Woodburn  
(Postoffice Address), county of Marion,  
state of Oregon 97071, do hereby make application for a permit to appropriate the  
following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is  
situated Pudding River  
(Name of stream)

tributary of

2. The amount of water which the applicant intends to apply to beneficial use is cubic  
feet per second or 1200 gallons per minute.

3. The use to which the water is to be applied is 25 gpm for irrigation,  
1200 gpm for frost protection, & 1200 gpm for heat protection

4. The well or other source is located 610 ft. S and 1682 ft. W from the SE  
(N. or S.) (E. or W.)  
corner of W. Yankewacker D.L.C. No. 63  
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NE 1/4 SW 1/4 of Sec. 35, Twp. 15, R. 1W,  
W. M., in the county of Marion

5. The Solid set buried system to be miles  
(Canal or pipe line)  
in length, terminating in the of Sec. , Twp. ,  
(Smallest legal subdivision)  
R. , W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is

## DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the  
supply when not in use must be described.

8. The development will consist of one well having a  
(Give number of wells, tunnels, etc.)  
diameter of 12 inches and an estimated depth of 205 feet. It is estimated that 198  
feet of the well will require steel casing. Depth to water table is estimated 35  
(Kind) (Feet)  
completed 5-16-73

**CANAL SYSTEM OR PIPE LINE—**

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) .....  
 ..... feet; width on bottom ..... feet; depth of water ..... feet;  
 grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake ..... in.; in size at ..... ft.  
from intake ..... in.; size at place of use ..... in.; difference in elevation between  
intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity,  
..... sec. ft.

10. If pumps are to be used, give size and type sub-

Give horsepower and type of motor or engine to be used 20 H.P. presently,  
may obtain a 50 H.P. in future

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use .....

[illegible]

(If more space required, attach separate sheet)

Character of soil .....

Kind of crops raised nursery stock

## MUNICIPAL SUPPLY—

13. To supply the city of .....  
 in ..... county, having a present population of .....  
 and an estimated population of ..... in 19.....

## ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$ 10,000.00.....  
 15. Construction work will begin on or before well completed.....  
 16. Construction work will be completed on or before July 15, 1975.....  
 17. The water will be completely applied to the proposed use on or before Oct. 1, 1976.....  
 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. None.....

*Ronald J. Fleming Mary A. Fleming*  
 (Signature of applicant)

Remarks: .....

Specialty crops such as rhododendrons need water for  
frost & heat protection. Plan on having around 300  
sprinkler heads (1.2 gal per min heads)

STATE OF OREGON, }  
 County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

STATE ENGINEER

By .....  
 ASSISTANT

STATE OF OREGON, }  
County of Marion, } ss.

PERMIT

G 6078

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 2.49 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation and temperature control for nursery and specialty crops, being 0.21 c.f.s. for irrigation and 2.49 c.f.s. for temperature control

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is June 22, 1973

Actual construction work shall begin on or before December 9, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977

Complete application of the water to the proposed use shall be made on or before October 1, 1978

WITNESS my hand this 9th day of December, 1975

James P. [Signature]  
WATER RESOURCES DIRECTOR

Application No. G-6187  
Permit No. G-G 6078

PERMIT

TO APPROPRIATE THE GROUND  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the  
office of the State Engineer at Salem, Oregon,  
on the 22nd day of June,  
1973, at 12:11 o'clock P M.

Returned to applicant:

Approved:

Recorded in book No. G 6078 of  
Ground Water Permits on page

STATE ENGINEER

Drainage Basin No. 2 page 132

34.00