RECEIVED

JUN6 1975 STATE ENGINEER SALEM, OREGON

GERHACATE NO: 44,984

G 6080

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Harris B. Holtan
of 3880 Gilham Road Eugene , county of Lane
state ofOregon , do hereby make application for a permit to appropriate following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water developmen
situated McKenzie River (Name of stream)
tributary of Willamette River
2. The amount of water which the applicant intends to apply to beneficial use is cu feet per second or
3. The use to which the water is to be applied isirigation
4. The well or other source is located 406 ft. S and 318 ft. W from the corner of NE Cor. A.B. Stevens D.L.C. #40 (Section or subdivision)
(If preferable, give distance and bearing to section corner)
(If there is more than one well, each must be described. Use separate sheet if necessary) being within the SENW of Sec. 8 , Twp. 17S , R. 3W
W. M., in the county of Lane
5. The to be mi
in length, terminating in the
R, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is .
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of t supply when not in use must be described.
8. The development will consist of One Well (Give number of wells, tunnels, etc.)
diameter of
feet of the well will require Welded casing. Depth to water table is estimated40

4.47

À

headgate. At he	eådgate: width on top	p (at water line)		feet; width
		ater	feet; grade _k	feet fa
thousand feet.				
(b) At	mile	es from headgate:	width on top hat wat	er line)
	feet; width on b	ottom	feet; depth of	water
	feet fall pe			
(c) Leng	th of pipe,880	ft.; size (ut intake 2	. in.; in size at
from intake	in.; siz	ze at place of use	2 in.; di	fference in elevatio
intake and plac	e of use,5	ft. Is gra	de uniform? Ye	S Estimated
	sec. ft.			
10. If pu	mps are to be used, g	ive size and type	Jacuzzi subme	rsible 66-2/:
Give hors	senower and tupe of	motor or engine to	be used3-1	/2 h.p. electi
a natural strear	e location of the well n or stream channel n elevation between	, give the distance	to the nearest point d the ground surface	on each of such ch
a natural strear the difference in	n or stream channel	, give the distance the stream bed an	to the nearest point d the ground surface	on each of such che
a natural strear the difference in	n or stream channel, n elevation between	, give the distance the stream bed an	to the nearest point d the ground surface	on each of such che
a natural stream the difference in the differenc	n or stream channel, n elevation between tion of area to be irr	, give the distance the stream bed an	to the nearest point d the ground surface	on each of such che at the source of de
natural stream the difference in the difference	n or stream channel, n elevation between tion of area to be irr Range E. or W. of Willamette Meridian	give the distance the stream bed an igated, or place of	to the nearest point d the ground surface use	on each of such che at the source of de Number Ac To Be Irrig.
a natural stream the difference in the differenc	n or stream channel, n elevation between tion of area to be irr Range E. or W. of Willamette Meridian	give the distance the stream bed an igated, or place of	to the nearest point d the ground surface use	on each of such che at the source of de Number Ac To Be Irrig
a natural stream the difference in 12. Locat Township N. or S.	n or stream channel, n elevation between tion of area to be irr Range E. or W. of Willamette Meridian	give the distance the stream bed an igated, or place of	to the nearest point d the ground surface use Forty-acre Tract NW NW SW NW	on each of such che at the source of de Number Ac To Be Irrig. 0.4
a natural stream the difference in 12. Locat Township N. or S.	n or stream channel, n elevation between tion of area to be irr Range E. or W. of Willamette Meridian	give the distance the stream bed an igated, or place of	to the nearest point d the ground surface use Forty-acre Tract NW NW SW NW	on each of such at the source of the source
natural stream he difference in 12. Locat Township N. or S.	n or stream channel, n elevation between tion of area to be irr Range E. or W. of Willamette Meridian	give the distance the stream bed an igated, or place of	to the nearest point d the ground surface use	Number To Be Irr 0. 1.
a natural stream the difference in 12. Locat Township N. or S.	n or stream channel, n elevation between tion of area to be irr Range E. or W. of Willamette Meridian	give the distance the stream bed an igated, or place of	to the nearest point d the ground surface use	Number A To Be Irris 0.4 1.6
a natural stream the difference in 12. Locat Township N. or S.	n or stream channel, n elevation between tion of area to be irr Range E. or W. of Willamette Meridian	give the distance the stream bed an igated, or place of	to the nearest point d the ground surface use	Number A To Be Irrig
a natural stream the difference in 12. Locat Township N. or S.	n or stream channel, n elevation between tion of area to be irr Range E. or W. of Willamette Meridian	give the distance the stream bed an igated, or place of	to the nearest point d the ground surface use	Number Ar To Be Irrig
a natural stream the difference in 12. Locat Township N. or S.	n or stream channel, n elevation between tion of area to be irr Range E. or W. of Willamette Meridian	give the distance the stream bed an igated, or place of	to the nearest point d the ground surface use	Number Ar To Be Irrig 0.4 1.0 0.8
a natural stream the difference in 12. Locat Township N. or S.	n or stream channel, n elevation between tion of area to be irr Range E. or W. of Willamette Meridian	give the distance the stream bed an igated, or place of	to the nearest point d the ground surface use	Number Ac To Be Irrig. 0.4 1.0

13. To supply the city of		
in count	ty, having a present population of	
and an estimated population of	in 19	100 (100 mm)
ANSWER QUES	TIONS 14, 15, 16, 17 AND 18 IN ALL CASES	
14. Estimated cost of proposed	works, \$ 3,000.00	
15. Construction work will beg	in on or before May 1972	
	completed on or beforeMay 1972	
	•	
	ly applied to the proposed use on or before	
18. If the ground water supply cation for permit, permit, certificate	y is supplemental to an existing water super or adjudicated right to appropriate wate	oply, identify any app er, made or held by t
applicant		
	Harris B	4/0-
	(Signature of a	~~~~~~
Remarks:		
······································		· · · · · · · · · · · · · · · · · · ·
»		
	······································	
<u> </u>	· · · · · · · · · · · · · · · · · · ·	en e
	· · · · · · · · · · · · · · · · · · ·	and the second of the second o
	the state of the s	
	· · · · · · · · · · · · · · · · · · ·	
3	<u> </u>	
STATE OF OREGON,		
County of Marion, \\ \rangle ss.		
This is to certify that I have ex	ramined the foregoing application, together	with the accompanyi
	or	-
	•	•••••••••••••••••••••••••••••••••••••••
In order to retain its priority, th	nis application must be returned to the State	e Engineer, with corr
ions on or before	, 19	
WITNESS my hand this	day of	10
		4
		STATE ENGINEER
	- 1	

STATE OF OREGON, County of Marion,

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

		l is limited to the amor				F
,	·	cubic feet per seco		V.F		
The		ter is to be applied is .				
	r irrigation, this appr	ropriation shall be limi	ted toL	/80th	of one cubic fo	ot per second
acre feet po	er acre for each acre	e irrigated during the i	rrigation se	ason of each	year;	
•••••	\$ \$.			,		
		3				
						y.
The state works so The state and the property of the property	well shall be cased a shall include proper of works constructed shate to determine was committee shall instate a complete record of priority date of this	sonable rotation systems necessary in accorda capping and control valual include an air linester level elevation in all and maintain a weir f the amount of ground permit is	nce with give to prevent and pressu the well at meter, or ad water wi	ood practice ent the waste re gauge or c all times. other suita thdrawn.	and if the flor of ground water in access port f	w is artesian er. or measuring device, and
		reasonable diligence a				
		he water to the propos		r e_6_1	or before Octo	ber 1, 1918.
Application No. G-6980 Permit No. G-6980	PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 6th day of	Returned to applicant:	Approved:	Recorded in book No. G 6080 Ground Water Permits on page	STATE ENGINEER Drainage Basin No. 2 page 143