

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type H300-P8M-3

Give horsepower and type of motor or engine to be used 15hp/340 v/ 3 ph/

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

about 25' from stream bed, 12' higher than stream bed

EB

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
4S	1E	13	NE-1/4 - SW-1/4	30 30 ^B
4S	1E	13	SE 1/4 NW 1/4	22 ^Z

EB

(If more space required, attach separate sheet)

Character of soil Old Valley Fill

Kind of crops raised Row crop and irrigated pasture

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 20,000.....
- 15. Construction work will begin on or before Started 1974.....
- 16. Construction work will be completed on or before Oct 1, 1974.....
- 17. The water will be completely applied to the proposed use on or before Oct 1, 1975.....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Steve ...
(Signature of applicant)

Remarks: The lands in this application are to be a public golf course. The pump house near the well will house two pumps. A 15 horse submersible will pump water from the well to the pond. The second a 25 horse electric will pump water from the pond and irrigate the course. ~~Extreme care should be taken to not~~
~~disturb the~~

P.
Over 500 G.P.D. will not be used to maintain pond for esthetic use.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before July 19, 1974.

WITNESS my hand this 21 day of May, 1974.

CHRIS L. WHEELER
STATE ENGINEER
By *T. Shook*
Thomas E. Shook
ASSISTANT

RECEIVED

MAY 24 1974

STATE ENGINEER
SALEM, OREGON

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.16 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is April 11, 1974

Actual construction work shall begin on or before January 12, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1978

Complete application of the water to the proposed use shall be made on or before October 1, 1979

WITNESS my hand this 12th day of January, 1976

James E. ...
WATER RESOURCES DIRECTOR STATE ENGINEER FH-8

Application No. G-6498
Permit No. G- G 6115
PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 11th day of April
1974, at 8:20 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. of
Ground Water Permits on page G 6115

STATE ENGINEER

Drainage Basin No. 7 page 74

Less 2000