APR 2 6 1974
STATE ENGINEER
SALEM OREGON

"CERTIFICATE NO. 57079

## Permit No. GG 6123

## APPLICATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

We, Joseph C. and Walter W. Fotheringham (Name of applicant)
of P.O. Box 148. Merrill , county ofKlamath
(Postoffice Address)
state ofOregon 976.33, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development
situated Lost River (Name of stream)
tributary ofTule Lake
2. The amount of water which the applicant intends to apply to beneficial use is0.6.15 cub feet per second or276 gallons per minute.
3. The use to which the water is to be applied isIrrigation
4. The well or other source is located 1280. ftN <sub>s</sub> and1230 ftE <sub>s</sub> from theS <sub>s</sub> .W.
corner of Section 4, Ta41 S., Ra10 E., WaMa (Section or subdivision)
(See also Certificate No. 38564 (If preferable, give distance and bearing to section corner)
(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the SWZ-SWZ of Sec. 4 Twp. 41S. R. 10E
W. M., in the county ofKlamath #1 = 0.22
5. The Pipe line to be#2 = 0.38 mile
in length, terminating in the 1=SW\family - SW\family #2=SE\family - SW\family with a subdivision)  (Smallest legal subdivision)
R10E. W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is Well No. 3
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of th supply when not in use must be described.
38564 8. The development will consist of One well. as per Certificate No. having (Give number of wells, tunnels, etc.)
diameter of inches and an estimated depth of feet. It is estimated that
feet of the well will require casing. Depth to water table is estimated(Kind)

0 (0) (2	na dimanniana -+ -	anh mains -f	comal subana matani -11 1	and in the second
			canal where materially char	
	<u>.</u>		line)	
,	feet; depth of u	vater	feet; grade	feet fall per
ousand feet.				
(b) At	mi	les from he	adgate: width on top (at was	ter line)
****************	feet; width on l	bottom	feet; depth of	water
ade	feet fall p	er one thou	sand feet.	
(c) Lengt	#1=118 h of pipe, #2=199	80 90 ft.:	#1=8" size at intake .#2=8." i	n.: in size at
			#1=8"" f use _#2=8" in.; di	
		Jt	. Is grade uniform?	Estimated capa
•••••••••••	, -			
10. If pun	ips are to be used, g	give size and	type Same as Permi	t No. G-3735
				······································
Give horse	epower and type o	of motor or	engine to be used Same	as Permit No. G-3
				•
atural stream	or stream channel	l, give the d	other development work is l istance to the nearest point bed and the ground surface	on each of such channels
atural stream difference in	or stream channel elevation between	l, give the d the stream	istance to the nearest point	on each of such channels at the source of developm
atural stream e difference in	or stream channel elevation between	l, give the d the stream	istance to the nearest point bed and the ground surface	on each of such channels at the source of developm
atural stream e difference in  12. Locati	or stream channel elevation between on of area to be irr	the stream	istance to the nearest point bed and the ground surface	on each of such channels at the source of developm
tatural stream e difference in  12. Locati  Township N. or S.	or stream channel elevation between on of area to be irr  Range E. or W. of Willamette Meridian	the stream	lace of use	on each of such channels at the source of developm  Number Acres To Be Irrigated
tatural stream e difference in  12. Locati  Township N. or S.	or stream channel elevation between on of area to be irr  Range E. or W. of Willamette Meridian	the stream	stance to the nearest point bed and the ground surface  lace of use  Forty-acre Tract  NW2-SW2	Number Acres To Be Irrigated
tatural stream e difference in  12. Locati  Township N. or S.	or stream channel elevation between on of area to be irr  Range E. or W. of Willamette Meridian	the stream  the stream  rigated, or p  Section	stance to the nearest point bed and the ground surface  lace of use  Forty-acre Tract  NW\$\frac{1}{2} - SW\$\frac{1}{2}\$  SE\$\frac{1}{2} - SW\$\frac{1}{2}\$	Number Acres To Be Irrigated  6.4  27.3
tatural stream e difference in  12. Locati  Township N. or S.	or stream channel elevation between on of area to be irr  Range E. or W. of Willamette Meridian	the stream  the stream  rigated, or p  Section	stance to the nearest point bed and the ground surface  lace of use  Forty-acre Tract  NW\$\frac{1}{2} - SW\$\frac{1}{2}\$  SE\$\frac{1}{2} - SW\$\frac{1}{2}\$	Number Acres To Be Irrigated  6.4  27.3
tatural stream e difference in  12. Locati  Township N. or S.	or stream channel elevation between on of area to be irr  Range E. or W. of Willamette Meridian	the stream  the stream  rigated, or p  Section	stance to the nearest point bed and the ground surface  lace of use  Forty-acre Tract  NW\$\frac{1}{2} - SW\$\frac{1}{2}\$  SE\$\frac{1}{2} - SW\$\frac{1}{2}\$	Number Acres To Be Irrigated  6.4  27.3
tatural stream e difference in  12. Locati  Township N. or S.	or stream channel elevation between on of area to be irr  Range E. or W. of Willamette Meridian	the stream  the stream  rigated, or p  Section	stance to the nearest point bed and the ground surface  lace of use  Forty-acre Tract  NW\$\frac{1}{2} - SW\$\frac{1}{2}\$  SE\$\frac{1}{2} - SW\$\frac{1}{2}\$	Number Acres To Be Irrigated  6.4  27.3
tatural stream e difference in  12. Locati  Township N. or S.	or stream channel elevation between on of area to be irr  Range E. or W. of Willamette Meridian	the stream  the stream  rigated, or p  Section	stance to the nearest point bed and the ground surface  lace of use  Forty-acre Tract  NW\$\frac{1}{2} - SW\$\frac{1}{2}\$  SE\$\frac{1}{2} - SW\$\frac{1}{2}\$	Number Acres To Be Irrigated  6.4  27.3
tatural stream e difference in  12. Locati  Township N. or S.	or stream channel elevation between on of area to be irr  Range E. or W. of Willamette Meridian	the stream  the stream  rigated, or p  Section	stance to the nearest point bed and the ground surface  lace of use  Forty-acre Tract  NW\$\frac{1}{2} - SW\$\frac{1}{2}\$  SE\$\frac{1}{2} - SW\$\frac{1}{2}\$	Number Acres To Be Irrigated  6.4  27.3
tatural stream e difference in  12. Locati  Township N. or S.	or stream channel elevation between on of area to be irr  Range E. or W. of Willamette Meridian	the stream  the stream  rigated, or p  Section	stance to the nearest point bed and the ground surface  lace of use  Forty-acre Tract  NW\$\frac{1}{2} - SW\$\frac{1}{2}\$  SE\$\frac{1}{2} - SW\$\frac{1}{2}\$	Number Acres To Be Irrigated  6.4  27.3
tatural stream e difference in  12. Locati  Township N. or S.	or stream channel elevation between on of area to be irr  Range E. or W. of Willamette Meridian	the stream  the stream  rigated, or p  Section	stance to the nearest point bed and the ground surface  lace of use  Forty-acre Tract  NW\$\frac{1}{2} - SW\$\frac{1}{2}\$  SE\$\frac{1}{2} - SW\$\frac{1}{2}\$	Number Acres To Be Irrigated  6.4  27.3
tatural stream e difference in  12. Locati  Township N. or S.	or stream channel elevation between on of area to be irr  Range E. or W. of Willamette Meridian	the stream  the stream  rigated, or p  Section	stance to the nearest point bed and the ground surface  lace of use  Forty-acre Tract  NW\$\frac{1}{2} - SW\$\frac{1}{2}\$  SE\$\frac{1}{2} - SW\$\frac{1}{2}\$	Number Acres To Be Irrigated  6.4  27.3

Kind of crops raised Cereals, legumes, row crops & pasture grasses.

d 6123

e si

	To supply th	e city of	/	***************************************		*************************
		county,	, having a present	population of		######################################
d an es	stimated popul	lation of	in 19			
:	•	Answer Quest	IONS 14, 15, 16, 17	AND 18 IN ALI	CASES	
14.	Estimated co	est of proposed i	works, \$8,000	•••••		
15.	Construction	   work will begin	n on or beforeWe	llalready	drilled (See	
16.	Construction	work will be co	ompleted on or be	foreQC	No 197.5 tober	. 38564)
17.	The water w	ill be completely	y applied to the pr	oposed use on (	or before .Octobe	r 1 1976
tion fo	r permit, per	mit, certificate	or adjudicated ri	ght to appropr	water supply, ident iate water, made o	
plicant	N/	<u>'</u> A	*******************************			
						•
		;	<b>x</b>	Jacque 6	Signature of applicant)	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Re	marks:		×/,		Februing ha	
				,		
,4				· · · · · · · · · · · · · · · · · · ·		
						***************************************
						************************
	•••••					**** **********************************
	× ·					
	***************************************		***************************************	*************************************		
	***************************************					***************************************
		******************************				
*************						
			*******************************			
***********						*******************************
•••••	***************************************		***************************************		***************************************	
ATE (	OF OREGON,	, <b>\</b>				
	y of Marion,	<b>s</b> s.		·		
		,				
Th	is is to certify	that I have exa	ımined the forego	ing application	together with the	accompanying
ps and	data, and reti	urn the same for	•			
	order to retain	its priority, this	s application mus	t be returned to	the State Engineer	r, with correc-
In		i i	10		-	
	r hefore		1 Э	•		
	or before	d d				
	or before					
ns on o	·		day of			, 19
ns on o	·					, 19
ns on o	·					<b>, 19</b>
is on o	·					, 19

STATE OF OREGON, County of Marion,

## PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

SUBJEC	T TO E	XISTING RI	GHTS at	nd the fol	llowin	ig limita	tions a	nd condi	tions:			
T	he right	herein grant	ed is limi	ited to th	e amo	unt of i	vater u	vhich car	n be ap	plied to	benefic	ial use
and shal	l not exc	eed 0.6	2 cu	bic feet p	er sec	ond med	asured	at the po	int of c	liversion	from th	ie well
		ropriation, or										
		which this u										
If	for irrig	ation, this ap		on shall t								
or its eq	uivalent	for each acre	e <b>i</b> rrigate	d and sho	all be	further	limited	l to a div	ersion	of not to	o exceed	3
acre feet	per acre	e for each acr	re irrigat	ed during	the i	rrigation	n seaso	n of each	year; .	••••••		**********
	.,	•••••	*************	****************	•		••••••	••••••••••	••••••			••••••
*************		•••••	••••••	•••••••				•••••	•••••			••••••
	**********		•••••		••••••	••••••					•••••	
									••••••	***************************************		
	•••••	••••••				••••••			••••••	••••••		
#==###################################	*************	•••••	••3				************					
and shall	be subje	ect to such re	easonable	rotation	suste	m as ma	u be or	dered by	ı the pi	roper sta	te office	er.
Th shall kee	e permit p a com	determine to tee shall inst plete record y date of this	tall and 1 of the ar	maintain mount of	a we	ir, meter nd water	r, or o	ther suit rawn.				
Act	tual cons	struction wor	k shall b	egin on o	r befo	ore	Janua	ry 12,	.1977		and	l shall
hereafter	r be pro	secuted with	reasona	ble dilige	enc <b>e</b> (	and be c	omplet	ed on or	before	Octobe	r 1, 19	78
Con	nplete a	pplication of	the wate	r to the p	ropos	sed use s	hall be	made on	or bef	ore Octo	ber 1, 1	979.
		my hand this		_	-		Janua		· ·	, 197		
	· ·	Ü			•	Q	es.	عرف	Se	i La		<i></i>
	:					WATER F	Resour	CES DIR	ECTOR	s	UATE ENGI	E
Application No. G- <b>-65</b> [1]  Permit No. G G6123	PERMIT	APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem Oregon	on the 26th. day of April.	19.74, at 0.20. o'clock	Returned to applicant:			Recorded in book No.	Ground Water Permits on pageG <b>6123</b> .	STATE ENGINEER	Drainage Basin No. 14. page 39