

Permit No. G-615

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

WEYERHAEUSER TIMBER COMPANY

I, KLAMATH FALLS BRANCH

(Name of applicant)

of P. O. Box 651, county of Klamath

(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

Washington, January 18, 1900, licensed to do business in the State of Oregon

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Well No. 2 - String Creek; Well No. 3 - Jack Creek, both intermittent flow tributary of Klamath Marsh

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 45,000 gallons per ~~hour~~ day (1,500 per well per day)

3. The use to which the water is to be applied is Sprinkling roads in conjunction with truck logging

4. The well or other source is located ft. and ft. from the corner of No. 1 well is 4161 ft. S. 1°23' W from NE corner, Sec. 7 T. 29 S., R. 8 E. No. 2 well is 2872 ft. S. 87°20' E from W1/2 corner, Sec. 5, T. 29 S., R. 9 E. No. 3 well is 2471 ft. N. 50°30' W from SE corner, Sec. 27, T. 28 S., R. 10 E.

being within the No. 1 - SE 1/4 of Sec. 5, Twp. 29 S., R. 9 E. No. 2 - NW 1/4 of Sec. 27, Twp. 28 S., R. 10 E. No. 3 - NW 1/4 of Sec. 27, Twp. 28 S., R. 10 E. W. M., in the county of Klamath

5. The (Canal or pipe line) to be miles in length, terminating in the of Sec. , Twp. R. W. M., the proposed location being shown throughout on the accompanying map.

6 The name of the well or other works is

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of Three wells, each having a diameter of eight inches and an estimated depth of 200 feet. It is estimated that 100 feet of the well will require steel casing. Depth to water table is estimated 400

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type Deep well turbine

Give horsepower and type of motor or engine to be used Unknown

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Well No. 2 - 130 feet 10 feet above streambed

Well No. 3 - 934 feet 20 feet above streambed

12. Location of area to be irrigated, or place of use See attached list

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Remarks To be irrigated		
28 S	8 E	36	SW $\frac{1}{4}$; SE $\frac{1}{4}$	road sprinkling		
		33	SE $\frac{1}{4}$			
		34	SW $\frac{1}{4}$; SE $\frac{1}{4}$			
		35	SW $\frac{1}{4}$; SE $\frac{1}{4}$			
		10 E	26		SW $\frac{1}{4}$	
			27		SW $\frac{1}{4}$; SE $\frac{1}{4}$	
	11 E		32		SE $\frac{1}{4}$	
			33		SW $\frac{1}{4}$; SE $\frac{1}{4}$	
			34		All	
		11 E			35	All
					24	NE $\frac{1}{4}$; SE $\frac{1}{4}$
					25	All
29 S	8 E	36	NW $\frac{1}{4}$; SW $\frac{1}{4}$			
		1	NE $\frac{1}{4}$; NW $\frac{1}{4}$			
		2	All			
		3	All			
		4	All			
	9 E		5	SE $\frac{1}{4}$		
			7	SE $\frac{1}{4}$		
			8	NW $\frac{1}{4}$		
			1	NW $\frac{1}{4}$		
			2	NW $\frac{1}{4}$		
		4	NW $\frac{1}{4}$			
		5	All			

(If more space required, attach separate sheet)

(Cont. under remarks)

Character of soil Pumice

Kind of crops raised None

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$10,000.....
- 15. Construction work will begin on or before July 1, 1957.....
- 16. Construction work will be completed on or before September 30, 1957.....
- 17. The water will be completely applied to the proposed use on or before January 1, 1958.....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

WEYERHAEUSER TIMBER COMPANY
KLAMATH FALLS BRANCH

By *[Signature]*
(Signature of applicant) Chief Engineer

Remarks:)Continued from item 12)

Township	Range	Section	40acre tract
29 S.	9 E.	6	All
		1	All
		2	All
		3	NW 1/4
		4	NW 1/4
		5	NW 1/4
	11 E	6	NW 1/4
		1	All
		2	All
		3	SE 1/4
		4	SE 1/4
		5	SE 1/4

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

County of Marion,

} ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.06 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from 3 wells, being 0.02 c.f.s. from each

The use to which this water is to be applied is sprinkling of logging road

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is July 2, 1957

Actual construction work shall begin on or before August 20, 1958 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1958

Complete application of the water to the proposed use shall be made on or before October 1, 1959

WITNESS my hand this 20th day of August, 1957

Lewis A. Stanley STATE ENGINEER

Application No. G- 678

Permit No. G- 615

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 20th day of August, 1957, at 6 o'clock P. M.

Returned to applicant:

Approved:

August 20, 1957 3 of

Recorded in book No. 615 Ground Water Permits on page

LEWIS A. STANLEY STATE ENGINEER

Drainage Basin No. 14 page 33