Permit No. G. G 6158

APPLICATION FOR A PERMIT

"CERTIFICATE NO. 60695

To Appropriate the Ground Waters of the State of Oregon

i, Von M. and/	or Carolyn Ches		********************
of 511 Hartley Road, M	edford,	county of Jackson	<u> </u>
state of 9750 following described ground water			
If the applicant is a corpora N/A			

		, tunnel or other source of wate	
situated Bear Cre	ek (Name of st	ream)	************************
		tributary ofRogue	are a
2. The amount of water wh feet per second or go		ds to apply to beneficial use is	0.11 cubic
3. The use to which the wo	iter is to be applied is	irrigation.	
4. The well or other source	is located 1100. ft.	S. and 1300 ft. E. j	rom the WX
corner of	(Section or subdi	vision)	**************************************
(Iž	preferable, give distance and bea	ring to section corner)	

being within the NWY SWY		of Sec. 33 Two 38 S.	R 1 W.
W. M., in the county of			,
		*	· · · · · · · · · · · · · · · · · · ·
5. Thepipelin	A or pipe line)	to be 1300 1	TRRT miles
in length, terminating in the	SE¼ SW¼ (Smallest legal subdivision)	of Sec23, T	wp. 38 S.,
R. L.W., W. M., the proposed	l location being shown	throughout on the accompanyin	g map.
6. The name of the well or o	ther works is Chesn	ut Well.	***********************
	DESCRIPTION OF	r works	
7. If the flow to be utilized is supply when not in use must be de		be used for the control and con	servation of the
:			• • • • • • • • • • • • • • • • • • •
8. The development will cor	usist of one (Gi	well tunnels, etc.)	having a
liameter of	d an estimated depth o	f12 feet. It is estimat	ed thatQ
eet of the well will require	(Kind)		(Peet)
en e	see remarks	***************************************	n diva ndera disin perila mentamban menan menan

G1-304

CANA	١ī.	SYSTEM	OR	PIPE	LINE.

	feet, depth of	water	feet; grade	feet fall p
sand feet.			, , ,	, , , , , , , , , , , , , , , , , , ,
(b) At	7	niles from he	adgate: width on top (at wo	iter line)
a din de d'himin a a d'himma a a a a a a a	feet; width on	bottom	feet; depth o	f water
**********	feet fall	per one thou	sand feet.	
(c) Lengt	h of pipe,130	Q ft.;	size at intake	in.; in size at
intake	in.; s	rize at place o	of use114 in.; d	lifference in elevation be
e and place	of use,11_ <u>t</u>	<u>0</u> ±4. ft	. Is grade uniform?X	Estimated cap
najve s eve evjenska sa sa sa sa sa s	sec. ft.			
io. If pun	nps are to be used	, give size and	l type 1½" x 1½" cer	ntrifugal pump.
*************	***************************************	······································		
Give hors	epower and type	of motor or	engine to be used 11/2 H.	P. gasoline engi

11. If the	location of the we	ell, tunnel, or	other development work is	less than one-fourth mile
		لا منَّاه مسلم ألم	internal to the mannet maint	on each of each channel
ural stream	or stream channe	ei, give ine a	istance to the nearest point	on each of such charinet
ural stream	or stream channe	ei, give the a n the stream	bed and the ground surface	e at the source of develop
ural stream fference in	or stream channe elevation betwee	n the stream	bed and the ground surface	e at the source of develop
ural stream fference in	or stream channe elevation betwee	n the stream	bed and the ground surface	e at the source of develop
ural stream fference in	or stream channe elevation betwee	n the stream	bed and the ground surface	e at the source of develop
ural stream fference in	or stream channel elevation between 1.14 mile.	n the stream	bed and the ground surface	e at the source of develop
ural stream fference in	or stream channe elevation betwee	n the stream	bed and the ground surface	e at the source of develop
ural stream fference in	or stream channel elevation between 1.14 mile.	n the stream	bed and the ground surface	e at the source of develop
ural stream fference in ne withi	or stream channelevation between 14 mile.	n the stream	bed and the ground surface	e at the source of develop
ural stream fference in	or stream channelevation between 14 mile.	n the stream	bed and the ground surface	e at the source of develop
ural stream fference in	or stream channelevation between 14 mile.	n the stream	bed and the ground surface	e at the source of develop
tral stream fference in thi Le. Withi 12. Locati	or stream channel elevation between 1 14 miles	n the stream	lace of use	e at the source of develop Number Acres
fference in Withi Le. Withi Le. Locati Township N. or S.	or stream channelevation between Mile. n Mile. on of area to be in Range E. or W. of Willamette Meridian	rrigated, or p	lace of use	Number Acres
fference in Withi Le. Withi Le. Locati Township N. or S.	or stream channelevation between Mile. n Mile. on of area to be in Range E. or W. of Willamette Meridian	rrigated, or p	lace of use	Number Acres To Be Irrigated 1.7 acres
fference in No. Withi	or stream channelevation between Mile. n Mile. on of area to be in Range E. or W. of Willamette Meridian	rrigated, or p	lace of use	Number Acres To Be Irrigated 1.7 acres 3.8 acres
fference in N. Withi 12. Locati Township N. or S.	or stream channelevation between Mile. n Mile. on of area to be in Range E. or W. of Willamette Meridian	rrigated, or p	lace of use Forty-acre Tract NE% SW% NW% SW% SW% SW%	Number Acres To Be Irrigated 1.7 acres 3.8 acres 2.3 acres
fference in No. Withi	or stream channelevation between Mile. n Mile. on of area to be in Range E. or W. of Willamette Meridian	rrigated, or p	lace of use Forty-acre Tract NE% SW% NW% SW% SW% SW%	Number Acres To Be Irrigated 1.7 acres 3.8 acres 2.3 acres
fference in No. Withi	or stream channelevation between Mile. n Mile. on of area to be in Range E. or W. of Willamette Meridian	rrigated, or p	lace of use Forty-acre Tract NE% SW% NW% SW% SW% SW%	Number Acres To Be Irrigated 1.7 acres 3.8 acres 2.3 acres 1.2 acres
fference in No. Withi	or stream channelevation between Mile. n Mile. on of area to be in Range E. or W. of Willamette Meridian	rrigated, or p	lace of use Forty-acre Tract NE% SW% NW% SW% SW% SW%	Number Acres To Be Irrigated 1.7 acres 3.8 acres 2.3 acres 1.2 acres
fference in No. Withi	or stream channelevation between Mile. n Mile. on of area to be in Range E. or W. of Willamette Meridian	rrigated, or p	lace of use Forty-acre Tract NE% SW% NW% SW% SW% SW%	Number Acres To Be Irrigated 1.7 acres 3.8 acres 2.3 acres 1.2 acres
fference in No. Withi	or stream channelevation between Mile. n Mile. on of area to be in Range E. or W. of Willamette Meridian	rrigated, or p	lace of use Forty-acre Tract NE% SW% NW% SW% SW% SW%	Number Acres To Be Irrigated 1.7 acres 3.8 acres 2.3 acres 1.2 acres
fference in Withi Le. Withi Le. Locati Township N. or S.	or stream channelevation between Mile. n Mile. on of area to be in Range E. or W. of Willamette Meridian	rrigated, or p	lace of use Forty-acre Tract NE% SW% NW% SW% SW% SW%	Number Acres To Be Irrigated 1.7 acres 3.8 acres 2.3 acres 1.2 acres
fference in Withi Le. Withi Le. Locati Township N. or S.	or stream channelevation between Mile. n Mile. on of area to be in Range E. or W. of Willamette Meridian	rrigated, or p	lace of use Forty-acre Tract NE% SW% NW% SW% SW% SW%	Number Acres To Be Irrigated 1.7 acres 3.8 acres 2.3 acres 1.2 acres

STATE OF OREGON, County of Marion,

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein gra	nted is limited to the amount of water which can be applied to beneficial use
and shall not exceed	1.1 cubic feet per second measured at the point of diversion from the well
or source of appropriation,	or its equivalent in case of rotation with other water users, from Chesnut
Well	,
The use to which this	water is to be applied is irrigation
Service of the servic	\
If for irrigation, this	appropriation shall be limited to1/80th of one cubic foot per second
	cre irrigated and shall be further limited to a diversion of not to exceed
Francisco de la Companya del Companya de la Companya del Companya de la Companya	ucre irrigated during the irrigation season of each year;
	reasonable rotation system as may be ordered by the proper state officer.
the works shall include proj The works constructe line, adequate to determine The permittee shall i	ed as necessary in accordance with good practice and if the flow is artesian over capping and control valve to prevent the waste of ground water. It is shall include an air line and pressure gauge or an access port for measuring water level elevation in the well at all times. Install and maintain a weir, meter, or other suitable measuring device, and d of the amount of ground water withdrawn.
	nis permit is June 5, 1974
Actual construction u	ork shall begin on or before January 12, 1977 and shall
thereafter be prosecuted w	th reasonable diligence and be completed on or before October 1, 19.78
Complete application	of the water to the proposed use shall be made on or before October 1, 1979
WITNESS my hand t	his 12th day of January , 19.76
	WATER RESOURCES DIRECTOR STATE DISCHARGE
Application No. G. 6554 Permit No. G. 6 6158 PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the S.th day of LUC 19.24, at L'.: 5. o'clock A.M. Returned to applicant: Returned to applicant: Recorded in book No of G. 158 Ground Water Permits on page G. 6158 Drainage Basin No. L. 5. page L. L. H.