

RECEIVED

NOV 19 1974

STATE ENGINEER
SALEM, OREGON

Permit No. G- **G 6174**

76422 & 50387
CERTIFICATE NO. ~~46526~~

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Lawrence Iverson
(Name of applicant)
of Silver Lake
(Postoffice Address), county of Lake
state of Oregon 97638, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Silver Creek
(Name of stream)

tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 85 cubic feet per second or gallons per minute.

3. The use to which the water is to be applied is irrigation

4. The well or other source is located 1120 ft. S and 1340 ft. W from the NE corner of Section 19 T28S R15E WM
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NW 1/4 NE 1/4 of Sec. 19, Twp. 28S, R. 15E, W. M., in the county of Lake

5. The mainline
(Canal or pipe line) to be 1155 feet in length, terminating in the SW 1/4 SE 1/4
(Smallest legal subdivision) of Sec. 18, Twp. 28S, R. 15E, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Marjorie's Well

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 well
(Give number of wells, tunnels, etc.) having a diameter of 12 inches and an estimated depth of 257 feet. It is estimated that 120 feet of the well will require steel
(Kind) casing. Depth to water table is estimated 20
(Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 75 hp pump - Western
40 Foot Setting

Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
285	15E	18	SW $\frac{1}{4}$ SE $\frac{1}{4}$	33 ²
			SE $\frac{1}{4}$ SE $\frac{1}{4}$	33 ²
				67 ⁸

(If more space required, attach separate sheet)

Character of soil sandy loam

Kind of crops raised hay & pasture

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.85 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Marjories Well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is July 2, 1974

Actual construction work shall begin on or before January 12, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1978

Complete application of the water to the proposed use shall be made on or before October 1, 1979

WITNESS my hand this 12th day of January, 1976

James E. ...
WATER RESOURCES DIRECTOR

Application No. G-6586
Permit No. G- G 6174
PERMIT
TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON
This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 19th day of November 1974, at 8:00 o'clock A. M.
Returned to applicant:
Approved:
Recorded in book No. _____ of G 6174 Ground Water Permits on page _____
STATE ENGINEER
Drainage Basin No. 13 page 61

Jan 1976