

RECEIVED

JUL 5 1974

STATE ENGINEER
SALEM, OREGON

CERTIFICATE NO. 50614

(1178 Chemeketa St)

Permit No. G-6176

APPLICATION FOR A PERMIT

ASSIGNED, See Misc. Rec., Vol. 5 Page 818

To appropriate the Ground Waters of the State of Oregon

I, RONALD E. JONES, JR., BARBARA H. JONES and MARGE B. JONES
(Name of applicant)
of 437 UNION ST NE SALEM 97301, county of MARION
(Postoffice Address)
state of OREGON, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated No stream close by; drainage runs Easterly toward Pudding River
(Name of stream)
tributary of Willamette.

2. The amount of water which the applicant intends to apply to beneficial use is 0.83 cubic feet per second or 371 gallons per minute.

3. The use to which the water is to be applied is Irrigation of 66.11 acres.

4. The well or other source is located 1100 ft. N and 160 ft. E from the SE corner of Linus Brooks D.L.C.
(N. or S.) (E. or W.)
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NE 1/4 of NW 1/4 of Sec. 20, Twp. 6 S, R. 2 W, W. M., in the county of Marion

5. The (Canal or pipe line) to be miles in length, terminating in the (Smallest legal subdivision) of Sec. Twp. R. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is #5932

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of One well (Give number of wells, tunnels, etc.) having a diameter of 12 inches and an estimated depth of 217 feet. It is estimated that 217 feet of the well will require Iron (Kind) casing. Depth to water table is estimated 80 plus (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type Turbine pump

Give horsepower and type of motor or engine to be used 40 hp electric motor

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use T6S R2W WM (Sec. ~~16~~, 17, 20)

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T6S	R2W	17 17	SW $\frac{1}{4}$ of SE $\frac{1}{4}$	0.44 ac.
T6S	R2W	17	SE $\frac{1}{4}$ of SW $\frac{1}{4}$	18.44 ac.
T6S	R2W	20	NW $\frac{1}{4}$ of NW $\frac{1}{4}$	25.45 ac.
T6S	R2W	20	NE $\frac{1}{4}$ of NW $\frac{1}{4}$	18.11 ac.
T6S	R2W	17	SW $\frac{1}{4}$ of SW $\frac{1}{4}$	3.67 ac.
				66.11

(If more space required, attach separate sheet)

Character of soil Woodburn and Amity silt loam

Kind of crops raised Row crops (corn, beans, etc.)

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$..... 7,569.00.....
- 15. Construction work will begin on or before May 1, 1974.....
- 16. Construction work will be completed on or before July 1, 1974.....
- 17. The water will be completely applied to the proposed use on or before July 1, 1976.....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

x *Lowell Jones Jr*
 x *Robert F. Jones*
 x *Madge Blonk*
 (Signature of applicant)

Remarks: All mains and lines to be portable. The cost above is for well, pump, wiring and 6' discharge valve only.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ~~November 19~~ 1974.....
December 23 74

WITNESS my hand this ~~10th~~ 22nd day of ~~September~~ October, 1974 74

CHRIS L. WHEELER
 STATE ENGINEER
 By *Thomas E. Shook*
 Thomas E. Shook ASSISTANT

RECEIVED
SEP 24 1974
STATE ENGINEER
SALEM, OREGON

RECEIVED
OCT 25 1974
STATE ENGINEER
SALEM, OREGON

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.83 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Well No. 5932

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is July 5, 1974

Actual construction work shall begin on or before January 12, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1978

Complete application of the water to the proposed use shall be made on or before October 1, 1979

WITNESS my hand this 12th day of January, 1976

James E. ...
WATER RESOURCES DIRECTOR STATE ENGINEER

Application No. G-6588
Permit No. G-G 6176

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 5th day of July 1974, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. _____ of G 6176 Ground Water Permits on page _____

STATE ENGINEER

Drainage Basin No. 2 page 132