

RECEIVED

JUL 17 1974

STATE ENGINEER
SALEM, OREGON

Permit No. G- **G 6184**

CERTIFICATE NO. **42586**

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

XI, We, Consolidated Pine, Inc. (Name of applicant)

of **P. O. Box 428 Prineville**, county of **Crook**,
(Postoffice Address)

state of **Oregon**, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

Incorporated June 5, 1952 at Prineville, Oregon

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated **Ochoco Creek**
(Name of stream)

tributary of

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or **85** gallons per minute.

3. The use to which the water is to be applied is **Make up water for use in the**

boilers at sawmill

4. The well or other source is located **1665** ft. **So.** and **1300** ft. **East** from the
(N. or S.) (E. or W.)
corner of **Northwest corner of Section 31**
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the **Northwest 1/4 (SE 1/4 NW 1/4)** of Sec. **31**, Twp. **14S**, R. **16E**,
W. M., in the county of **Crook**

5. The _____ to be _____ miles
(Canal or pipe line)
in length, terminating in the _____ of Sec. _____, Twp. _____,
(Smallest legal subdivision)

R. _____, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is _____

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of **2 Wells** having a
(Give number of wells, tunnels, etc.)
diameter of **6** inches and an estimated depth of **35** feet. It is estimated that **35**
feet of the well will require **Steel** casing. Depth to water table is estimated **20**
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type. Pump located 1665 ft. So. & 1300 ft. East of N.W. corner of Sec. 31 is 3 H.P. 5 stage centrifugal. Other pump is 5 H.P. submersible.

Give horsepower and type of motor or engine to be used. Both are electric.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use ^{4 4} SE NW SEC 31, T14S R16E WM

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
This well is to be used for make up				
water in the boiler to provide steam				
for the operation of the sawmill				
and dry kilns				

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised

MUNICIPAL SUPPLY--

13. To supply the city of _____
in _____ county, having a present population of _____
and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 1,017.00
- 15. Construction work will begin on or before _____
- 16. Construction work will be completed on or before March 1974
- 17. The water will be completely applied to the proposed use on or before May 1, 1974

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. _____

Consolidated Pine, Inc.

Laverne Black
Laverne Black (Signature of applicant)

Remarks: _____

The well located 1665' So. 1300' East from N.W. corner of Section 31 produces 35 GPM.

The well located 1760' So. & 1480' East from N.W. corner of Section 31 produces 50 GPM.

Application No. G-6598
Permit No.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying _____
and data, and return the same for _____ correction and completion _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before November 25, 1974.

WITNESS my hand this 23rd day of September, 1974.

SEP 25 1974
STATE ENGINEER
SALEM, OREGON

CHRIS L. WHEELER

Thomas E. Shook
By Thomas E. Shook

STATE ENGINEER

ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.19 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from two wells, being 0.08 c.f.s. from westerly well and 0.11 c.f.s. from easterly well

The use to which this water is to be applied is boilers at sawmill

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is July 17, 1974

Actual construction work shall begin on or before January 12, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1978

Complete application of the water to the proposed use shall be made on or before October 1, 1979

WITNESS my hand this 12th day of January, 1976

James E. ...
WATER RESOURCES DIRECTOR STATE ENGINEER

Application No. G-6598
Permit No. G-6184

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 17th day of July, 1974, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. of G 6184

Ground Water Permits on page G 6184
STATE ENGINEER
Drainage Basin No. 5 page 78