

DEC 6 1974
STATE ENGINEER
SALEM, OREGON

FEB 6 1975
STATE ENGINEER
SALEM, OREGON

CERTIFICATE NO. 5147

Permit No. G- **G 6185**

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Frederick J. Warner and I, Carl A. Warner,
(Name of applicant)

of Slough Road, Baker, Oregon, county of Baker,
(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Powder River
(Name of stream)

tributary of Snake River

2. The amount of water which the applicant intends to apply to beneficial use is 5.56 cubic feet per second or 2500 gallons per minute.

3. The use to which the water is to be applied is supplemental irrigation for agriculture, and primary irrigation for the north 10 acres of the NE 1/4 SE 1/4, Sec. 9, T. 8 S., R. 40 E.

Letter dated 2-18-75 JTB

4. The well or other source is located 200 ft. N and 1,540 ft. W. from the NE corner of of the NE 1/4 of the SE 1/4 of Sec. 16, T. 8 S., R. 40 E., W.M.
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SW 1/4 NE 1/4 of Sec. 16, Twp. 8 S, R. 40 E, W. M., in the county of Baker

5. The canal to be 1 3/4 miles in length, terminating in the SW 1/4 of the NW 1/4 of Sec. 10, Twp. 8 S, R. 40 E, W. M., the proposed location being shown throughout on the accompanying map.
(Canal or pipe line)
(Smallest legal subdivision)

6. The name of the well or other works is Warner Pond

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one pond having a diameter of 1400' X 200' inches and an estimated depth of 25 feet. It is estimated that feet of the well will require 4 casing. Depth to water table is estimated 4
(Give number of wells, tunnels, etc.)
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 15 feet; width on bottom 4 feet; depth of water 4 feet; grade 1/5 feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? . Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type centrifugal pump 12" intake and 10" discharge

Give horsepower and type of motor or engine to be used 40 h.p. electric or 50 h.p. diesel

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
8S	40 E	9	SW $\frac{1}{4}$ SE $\frac{1}{4}$ <i>Supplemental</i>	28
8S	40 E	9	SE $\frac{1}{4}$ SE $\frac{1}{4}$ "	40
8S	40 E	9	NE $\frac{1}{4}$ SE $\frac{1}{4}$ (Supplemental)	30
8S	40 E	9	NW $\frac{1}{4}$ NE $\frac{1}{4}$ <i>Primary</i>	18
8S	40 E	9	NE $\frac{1}{4}$ NE $\frac{1}{4}$ <i>Supplemental</i>	26
8S	40 E	9	SW $\frac{1}{4}$ NE $\frac{1}{4}$ "	30
8S	40 E	9	SE $\frac{1}{4}$ NE $\frac{1}{4}$ "	38
8S	40 E	10	NW $\frac{1}{4}$ SW $\frac{1}{4}$ "	40
8S	40 E	10	SW $\frac{1}{4}$ SW $\frac{1}{4}$ "	15
8S	40 E	10	SW $\frac{1}{4}$ NW $\frac{1}{4}$ "	30
8S	40 E	16	NW $\frac{1}{4}$ NE $\frac{1}{4}$ "	22
8S	40 E	16	SW $\frac{1}{4}$ NE $\frac{1}{4}$ "	20
8S	40 E	16	NE $\frac{1}{4}$ NE $\frac{1}{4}$ "	40
8S	40 E	16	SE $\frac{1}{4}$ NE $\frac{1}{4}$ "	40
8S	40E	9	NE $\frac{1}{4}$ SE $\frac{1}{4}$ (Primary)	10
			(Supp.)	417 acres
			(Prim.)	10 acres
			Total	427 acres

Letter dated 2-18-75 JES

(If more space required, attach separate sheet)

Character of soil Sandy loam

Kind of crops raised Hay, grain and pasture

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 4,000.00
- 15. Construction work will begin on or before October 1, 1974.
- 16. Construction work will be completed on or before July 1, 1975.
- 17. The water will be completely applied to the proposed use on or before October 1, 1976

18. If the ground water supply is supplemental to an existing water supply, identify any appli-
cation for permit, permit, certificate or adjudicated right to appropriate water, made or held by the
applicant. 4472, 4137, 4396, 4406, 4579, permit 32932
permit 7967, 4382, 4465, 4501, 3979- permit 15632, permit 32520.

Carl H Warner
(Signature of Applicant)

Remarks:

STATE OF OREGON,)
County of Marion,) ss.

RECEIVED
FEB 6 1975
STATE ENGINEER
SALEM, OREGON

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before February 19 , 1975.

WITNESS my hand this 19th day of December, 1974.

CHRIS L. WHEELER
Thomas E. Shook
By Thomas E. Shook ASSISTANT
STATE ENGINEER

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 5.3 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a sump

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is December 6, 1974

Actual construction work shall begin on or before January 12, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1978

Complete application of the water to the proposed use shall be made on or before October 1, 1979

WITNESS my hand this 12th day of January 1976

James E. ...
WATER RESOURCES DIRECTOR STATE ENGINEER

Application No. G-6600
Permit No. G-6185
PERMIT
TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON
This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 6th day of December 1974, at 8:00 o'clock A. M.
Returned to applicant:
Approved:
Recorded in book No. of G 6185
Ground Water Permits on page
STATE ENGINEER
Drainage Basin No. 9 page 4B