

Cert # 53243

Permit No. G- G 6202

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Jesse E. Tryon (J.E. TRYON)
(Name of applicant)
of 7001 35 th Avenue N.E. Salem, county of Marion
(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Labish Ditch
(Name of stream)

tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 320 gallons per minute.

3. The use to which the water is to be applied is Irrigation of Onions (primary crop)

Pasture, Hay, Nursery Stock, Diversified Crops.

4. The well or other source is located _____ ft. _____ and _____ ft. _____ from the corner of _____
(N. or S.) (E. or W.)
(Section or subdivision)

1354 ft. N., 996 ft. W. of SE Corner, Sec. 25 6S 3W, Marion County
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the bounds NE 1/4 of the SE 1/4 of Sec. 25, Twp. 06S, R. 3W, W. M., in the county of Marion

5. The _____ to be _____ miles
(Canal or pipe line)
in length, terminating in the _____ of Sec. _____, Twp. _____,
(Smallest legal subdivision)

R. _____, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Ditch Bank Well

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of One Well having a
(Give number of wells, tunnels, etc.)
diameter of 10 inches and an estimated depth of 84 feet. It is estimated that 84
feet of the well will require steel casing. Depth to water table is estimated 15
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 4 inch suction, 3 inch discharge,
 centrifugal

Give horsepower and type of motor or engine to be used 15 H.P., Electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
06	W	25		26.20
6 S	3 W	25	NE $\frac{1}{4}$ of SE $\frac{1}{4}$	17.20
			NW $\frac{1}{4}$ of SE $\frac{1}{4}$	6
			SW $\frac{1}{4}$ of SE $\frac{1}{4}$	1
			SE $\frac{1}{4}$ of SE $\frac{1}{4}$	2
				<u>26.20</u>

(If more space required, attach separate sheet)

Character of soil Beaverdam, Willamette

Kind of crops raised Onions, Hay, Pasture, Nursery Stock, Diversified Crops,

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$1,113.00 (pump excluded)
- 15. Construction work will begin on or before May 1, 1974
- 16. Construction work will be completed on or before May 10, 1974
- 17. The water will be completely applied to the proposed use on or before October 1, 1974

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

T. E. Jrgon
(Signature of applicant)

Remarks:

Fees: General \$15.00
 Recording \$10.00
 \$25.00

STATE OF OREGON, }
County of Marion, } ss.

RECEIVED
DEC 3 0 1974
STATE ENGINEER
SALEM, OREGON

This is to certify that I have examined the foregoing application, together with the accompanying
and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before December 16, 1974.

WITNESS my hand this 15th day of October, 1974.

CHRIS L. WHEELER
STATE ENGINEER
By *T. E. Shook*
Thomas E. Shook
ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.33 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Ditch Bank Well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; and shall be further limited to appropriation of water only to the extent that it does not impair or substantially interfere with existing surface water rights of others,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is December 30, 1974

Actual construction work shall begin on or before January 12, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1978

Complete application of the water to the proposed use shall be made on or before October 1, 1979

WITNESS my hand this 12th day of January 1976

James E. ...
WATER RESOURCES DIRECTOR STATE ENGINEER F.H. C

Application No. G-61631
Permit No. G- **G 6202**

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 20th day of August
1974, at 8:00 o'clock P M.

Returned to applicant:

Approved:

Recorded in book No. _____ of
Ground Water Permits on page **G 6202**

STATE ENGINEER

Drainage Basin No. 2 page 13B