RECEIVE

SEP2 01974 STATE ENGINEER SALEM, OREGON

Permit No. G. G 6224

TOMPICATE M. 45824

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Gecil N. Dougherty (Name of applicant)
of A244 S.N. Broadlane Pendleton , county of Umatilla
state of
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water developmen
situated McKay Greek (Name of stream)
tributary of Unatilla River
2. The amount of water which the applicant intends to apply to beneficial use is
3. The use to which the water is to be applied is Primary Irrigation
4. The well or other source is located
(Section or subdivision) 1,740° N. 78° 59° W. from the center of Sec 21, 2n, 32E. (If preferable, give distance and bearing to section corner)
(If there is more than one well, each must be described. Use separate sheet if necessary) being within the SW4 NW4 of Sec. 21 , Twp. 28 , R. 328.
W. M., in the county of
5. The Mainline to be mi
(Canal or pipe line)
in length, terminating in the
R, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of t supply when not in use must be described.
8. The development will consist of One Nell having (Give number of wells, tunnels, etc.)
diameter of inches and an estimated depth of _300 feet. It is estimated that 45
feet of the well will requireSteel casing. Depth to water table is estimated 150
(Kind)

12. Location of area to be irrigated, or place of use Township N. or S. Wilamette Meridian Section Forty-acre Tract To Be Irrigated 2N 32E 21 SW2 NW2 2,10	Township Range R Section Forty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW NW 2 2.10	Township Range North Porty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW N 2 2.10	ie dijjerence in elevation betwe
Township Range E of Willamette Meridian Section Forty-acre Tract To Be Irrigated 2N 32E 21 Swit Nwit 2.10	Township Range R Section Forty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW NW 2 2.10	Township Range North Porty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW N 2 2.10	e aifference in elevation betwe
Township Range E of Willamette Meridian Section Forty-acre Tract To Be Irrigated 2N 32E 21 Swit Nwit 2.10	Township Range R Section Forty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW NW 2 2.10	Township Range North Porty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW N 2 2.10	e difference in elevation betwe
Township Range E of Willamette Meridian Section Forty-acre Tract To Be Irrigated 2N 32E 21 Swit Nwit 2.10	Township Range R Section Forty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW NW 2 2.10	Township Range North Porty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW N 2 2.10	
Township Range E of Willamette Meridian Section Forty-acre Tract To Be Irrigated 2N 32E 21 Swit Nwit 2.10	Township Range R Section Forty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW NW 2 2.10	Township Range North Porty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW N 2 2.10	
12. Location of area to be irrigated, or place of use Township Range Willametic Meridian Section Forty-acre Tract To Be Irrigated 2N 32E 21 SW2 NW2 2,10	12. Location of area to be irrigated, or place of use Township N. or S. Willamette Meridian Section Forty-acre Tract To Be Izrigated 2N 32E 21 SW 1 NW 2 2,10	12. Location of area to be irrigated, or place of use Township N. or S. Williametic Meridian Section Forty-acre Tract To Be Izrigated 2N 32E 21 SW NW 2 2,10	
12. Location of area to be irrigated, or place of use Township Range Willametic Meridian Section Forty-acre Tract To Be Irrigated 2N 32E 21 SW2 NW2 2,10	12. Location of area to be irrigated, or place of use Township N. or S. Willamette Meridian Section Forty-acre Tract To Be Izrigated 2N 32E 21 SW 1 NW 2 2,10	12. Location of area to be irrigated, or place of use Township N. or S. Williametic Meridian Section Forty-acre Tract To Be Izrigated 2N 32E 21 SW NW 2 2,10	natural stream or stream chan
difference in elevation between the stream bed and the ground surface at the source of developm 12. Location of area to be irrigated, or place of use Township Range Williametic Moridian Section Forty-acre Tract To Be Irrigated 2N 32E 21 SW4 NW4 2,10	12. Location of area to be irrigated, or place of use Township Nor S. Willametic Meridian Section Forty-acre Tract To Be Irrigated 2N 32E 21 SW No. W. L. S. W. L. S.	12. Location of area to be irrigated, or place of use Township Nor's Willamstic Moridian Section Forty-acre Tract To Be Irrigated 2N 32E 21 Swit Nwit 2,10	
12. Location of area to be irrigated, or place of use Township Nor S. Willametic Meridian Section Forty-acre Tract To Be Irrigated 2N 32E 21 SW No. W. L. S. W. L. S.	12. Location of area to be irrigated, or place of use Township Nor S. Willametic Meridian Section Forty-acre Tract To Be Irrigated 2N 32E 21 SW No. W. L. S. W. L. S.	12. Location of area to be irrigated, or place of use Township Nor's Willamstic Moridian Section Forty-acre Tract To Be Irrigated 2N 32E 21 Swit Nwit 2,10	
atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township R. or W. or S. Williametic Meridian Section Forty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW NW W NW L. 2.10	atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township R. or W. or S. Williametic Meridian Section Forty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW NW W NW L. 2.10	atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township to Willametic Meridian Section Forty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW\$ NW\$ 1 2.00	11 If the location of the w
12. Location of area to be irrigated, or place of use Township Nor S. Willamette Meridian Section Forty-acre Tract To Be Irrigated 2N 32E 21 SW NY NY 2,10	atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township Row Row Williams Section Forty-acre Tract Number Acres To Be brigated 2N 32E 21 SWA NWA 2.010	atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township to Willametic Meridian Section Forty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW\$ NW\$ 1 2.00	
atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township E. or W of Wildametic Meridian Section Forty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW N N N 1 2.010	atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township E. or W of Wildametic Meridian Section Forty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW N N N 1 2.010	atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township to Willametic Meridian Section Forty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW\$ NW\$ 1 2.00	
atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township R. or W. or S. Williametic Meridian Section Forty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW NW W NW L. 2.10	atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township R. or W. or S. Williametic Meridian Section Forty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW NW W NW L. 2.10	atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township to Willametic Meridian Section Forty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW\$ NW\$ 1 2.00	
11. If the location of the well, tunnel, or other development work is less than one-fourth mile featural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile featural large and the ground surface at the source of development work is less than one-fourth mile featural large and the ground surface at the source of development work is less than one-fourth mile featural large and the ground surface at the source of development work is less than one-fourth mile featural large and the ground surface at the source of development large at the sourc	11. If the location of the well, tunnel, or other development work is less than one-fourth mile f atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile f atural stream or stream channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile f atural stream or stream or stream or stream or surface at the source of development work is less than one-fourth mile f atural stream or stream or such of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile f atural stream or stream or surface at the source of development or surface at the source of development work is less than one-fourth mile f atural stream or surface at the source of development or surface at the source or surface at the source or surface at the source or surface at t	11. If the location of the well, tunnel, or other development work is less than one-fourth mile fatural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or stream channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation of such channels difference in elevation between the such channels difference in elevation between the such channels difference in	
11. If the location of the well, tunnel, or other development work is less than one-fourth mile f atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile f atural stream or stream channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile f atural stream or stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development or each of such channels difference in elevation between the stream bed and the ground surface at the source of development or each of such channels difference in elevation between the stream bed and the ground surface at the source of development or each of such channels difference in elevation between the stream bed and the ground surface at the source of development or each of such channels difference in elevation between the stream bed and the ground surface at the source of development or each of such channels difference in elevation between the stream bed and the ground surface at the source of development or each of such channels difference in elevation between the stream bed and the ground surface at the source of development or each of such channels difference in elevation between the surface at the source of development or each of such channels difference in elevation between the surface at the source of development or each of such channels difference in elevation between the surface at the source of development or each of such channels difference in elevation between the surface at the source of development or each of such channels difference in elevation between the surface at the source of development or each of such channels difference in elevation between the such channels difference in elevation between the surface at the surface at the surface at the surface at	11. If the location of the well, tunnel, or other development work is less than one-fourth mile f atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile f atural stream or stream channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile f atural stream or stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development or each of such channels difference in elevation between the stream bed and the ground surface at the source of development or each of such channels difference in elevation between the stream bed and the ground surface at the source of development or each of such channels difference in elevation between the stream bed and the ground surface at the source of development or each of such channels difference in elevation between the stream bed and the ground surface at the source of development or each of such channels difference in elevation between the stream bed and the ground surface at the source of development or each of such channels difference in elevation between the stream bed and the ground surface at the source of development or each of such channels difference in elevation between the surface at the source of development or each of such channels difference in elevation between the surface at the source of development or each of such channels difference in elevation between the surface at the source of development or each of such channels difference in elevation between the surface at the source of development or each of such channels difference in elevation between the surface at the source of development or each of such channels difference in elevation between the such channels difference in elevation between the surface at the surface at the surface at the surface at	11. If the location of the well, tunnel, or other development work is less than one-fourth mile fatural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or stream channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation of such channels difference in elevation between the such channels difference in elevation between the such channels difference in	Give norsepower and type
11. If the location of the well, tunnel, or other development work is less than one-fourth mile fatural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or stream channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the	11. If the location of the well, tunnel, or other development work is less than one-fourth mile fatural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or stream channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the	11. If the location of the well, tunnel, or other development work is less than one-fourth mile fatural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or stream channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation of such channels difference in elevation between the such channels difference in elevation between the such channels difference in	Give horsepower and type
11. If the location of the well, tunnel, or other development work is less than one-fourth mile fatural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or stream channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the	11. If the location of the well, tunnel, or other development work is less than one-fourth mile fatural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or stream channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the	11. If the location of the well, tunnel, or other development work is less than one-fourth mile fatural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or stream channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation of such channels difference in elevation between the such channels difference in elevation between the such channels difference in	Give horsepower and type
atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township E. or W of Wildametic Meridian Section Forty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW N N N 1 2.010	11. If the location of the well, tunnel, or other development work is less than one-fourth mile fatural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or stream channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the	11. If the location of the well, tunnel, or other development work is less than one-fourth mile fatural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or stream channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation of such channels difference in elevation between the such channels difference in elevation between the such channels difference in	Give horsepower and type
11. If the location of the well, tunnel, or other development work is less than one-fourth mile fatural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or stream channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the	11. If the location of the well, tunnel, or other development work is less than one-fourth mile fatural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or stream channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the	11. If the location of the well, tunnel, or other development work is less than one-fourth mile fatural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or stream channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation of such channels difference in elevation between the such channels difference in elevation between the such channels difference in	Give horsepower and type
11. If the location of the well, tunnel, or other development work is less than one-fourth mile fatural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or stream channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the	11. If the location of the well, tunnel, or other development work is less than one-fourth mile fatural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or stream channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the	11. If the location of the well, tunnel, or other development work is less than one-fourth mile fatural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or stream channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation of such channels difference in elevation between the such channels difference in elevation between the such channels difference in	Give horsepower and type
11. If the location of the well, tunnel, or other development work is less than one-fourth mile fatural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or stream channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the	11. If the location of the well, tunnel, or other development work is less than one-fourth mile fatural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or stream channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the	11. If the location of the well, tunnel, or other development work is less than one-fourth mile fatural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or stream channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation of such channels difference in elevation between the such channels difference in elevation between the such channels difference in	Give norsepower and type
11. If the location of the well, tunnel, or other development work is less than one-fourth mile fatural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or stream channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the	11. If the location of the well, tunnel, or other development work is less than one-fourth mile fatural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or stream channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream bed and the	11. If the location of the well, tunnel, or other development work is less than one-fourth mile fatural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or stream channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation of such channels difference in elevation between the such channels difference in elevation between the such channels difference in	
11. If the location of the well, tunnel, or other development work is less than one-fourth mile fatural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or stream channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation of such channels difference in elevation between the such channels difference in elevation between the such channels difference in	11. If the location of the well, tunnel, or other development work is less than one-fourth mile fatural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or stream channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation of such channels difference in elevation between the such channels difference in elevation between the such channels difference in	11. If the location of the well, tunnel, or other development work is less than one-fourth mile fatural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or stream channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation between the surface at the source of development work is less than one-fourth mile fatural stream or each of such channels difference in elevation of such channels difference in elevation between the such channels difference in elevation between the such channels difference in	
atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township to Willametic Meridian Section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SW\$ NW\$ 2.00	atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township to Willametic Meridian Section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SW\$ NW\$ 2.00	atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township to Wildametic Meridian Section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SW\$ NW\$ 2.00	
atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township to Willametic Meridian Section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SW\$ NW\$ 2.00	atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township to Willametic Meridian Section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SW\$ NW\$ 2.00	atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township to Wildametic Meridian Section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SW\$ NW\$ 2.00	
atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township to Willametic Meridian Section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SW\$ NW\$ 2.00	atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township to Willametic Meridian Section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SW\$ NW\$ 2.00	atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township to Wildametic Meridian Section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SW\$ NW\$ 2.00	
atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township Location E. or W. of Willamete Meridian Section Forty-acre Tract Number Acres To Be largated 2N 32E 21 SW\$ NW\$ 2.00	atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township Location E. or W. of Willamete Meridian Section Forty-acre Tract Number Acres To Be largated 2N 32E 21 SW\$ NW\$ 2.00	atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township Location E. or W. of Willamete Meridian Section Forty-acre Tract Number Acres To Be largated 2N 32E 21 SW\$ NW\$ 2.00	
atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township to Wildametic Meridian Section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SW\$ NW\$ 2.00	atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township to Wildametic Meridian Section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SW\$ NW\$ 2.00	atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township to Wildametic Meridian Section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SW\$ NW\$ 2.00	
atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township E. or W of Willametic Meridian Section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SW NW W 1 2,10	atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township E. or W of Willametic Meridian Section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SW NW W 1 2,10	atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township to Wildametic Meridian Section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SW\$ NW\$ 2.00	
atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township to Willametic Meridian Section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SW\$ NW\$ 2.00	atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township to Willametic Meridian Section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SW\$ NW\$ 2.00	atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township to Wildametic Meridian Section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SW\$ NW\$ 2.00	
atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township to Willametic Meridian Section Forty-acre Tract Number Acres To Be Irrigated. 2N 32E 21 SWA NWA 2.10	atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township to Willametic Meridian Section Forty-acre Tract Number Acres To Be Irrigated. 2N 32E 21 SWA NWA 2.10	atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township to Willametic Meridian Section Forty-acre Tract Number Acres To Be Irrigated. 2N 32E 21 SW\$ NW\$ 2.00	
atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township E or W of Wildametic Meridian Section Forty-sere Tract Number Acres To Be Iurigated. 2N 32E 21 SWA NWA 2.10	atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township E or W of Wildametic Meridian Section Forty-sere Tract Number Acres To Be Iurigated. 2N 32E 21 SWA NWA 2.10	atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township to Willametic Meridian Section Forty-acre Tract Number Acres To Be Irrigated. 2N 32E 21 SW\$ NW\$ 2.00	
atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the source o	atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the source o	atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the source o	
atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the source o	atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the source o	atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the source o	
atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township to Willametic Meridian Section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SW\$ NW\$ 2.00	atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township to Willametic Meridian Section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SW\$ NW\$ 2.00	atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township to Wildametic Meridian Section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SW\$ NW\$ 2.00	
atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township E. or W of Willametic Meridian Section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SW NW W 1 2,10	atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township E. or W of Willametic Meridian Section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SW NW W 1 2,10	atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township to Wildametic Meridian Section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SW\$ NW\$ 2.00	
atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township E. or W of Wildametic Meridian Section Forty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW N N N 1 2.010	atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township E. or W of Wildametic Meridian Section Forty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW N N N 1 2.010	atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township to Willametic Meridian Section Forty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW\$ NW\$ 1 2.00	To be designed by the state of
atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township to Wildametic Meridian Section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SW\$ NW\$ 2.00	atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township to Wildametic Meridian Section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SW\$ NW\$ 2.00	atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township to Wildametic Meridian Section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SW\$ NW\$ 2.00	ENTRACTOR OF THE PROPERTY OF T
atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use 13. Location of area to be irrigated, or place of use 14. Range E or W of Wilametic Meridian Section Forty-acre Tract Number Acres To Be Irrigated 28. 32E 21 SW\$ NW\$ 2.00	atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use 13. Location of area to be irrigated, or place of use 14. Range E or W of Wilametic Meridian Section Forty-acre Tract Number Acres To Be Irrigated 28. 32E 21 SW\$ NW\$ 2.00	atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township to Willametic Meridian Section Forty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW\$ NW\$ 1 2.00	THE WARRANT PROPERTY AND ADDRESS OF THE PROPERTY OF THE PROPER
atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township Location E. or W. of Willamete Meridian Section Forty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW NW NW 2-010	atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township Location E. or W. of Willamete Meridian Section Forty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW NW NW 2-010	atural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township Location E. or W. of Willamete Meridian Section Forty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW NW NW 2-010	
tural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use 13. Location of area to be irrigated, or place of use 14. Range E. or W. of S. Willamette Meridian Section Forty-acre Tract 15. Swith NWith 16. Swith NWith 17. Range To Be irrigated 28. Swith NWith 29.10	tural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use 13. Location of area to be irrigated, or place of use 14. Range E. or W. of S. Willamette Meridian Section Forty-acre Tract 15. Swith NWith 16. Swith NWith 17. Range To Be irrigated 28. Swith NWith 29.10	tural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use 13. Location of area to be irrigated, or place of use 14. Range E. or W. of S. Willamette Meridian Section Forty-acre Tract 15. Swith NWith 16. Swith NWith 17. Range To Be irrigated 28. Swith NWith 29.10	
titural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township Location Section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SW\$\frac{1}{2}\$ NW\$\frac{1}{2}\$ 2.10	titural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township Location Section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SW\$\frac{1}{2}\$ NW\$\frac{1}{2}\$ 2.10	titural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township Location Section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SW\$\frac{1}{2}\$ NW\$\frac{1}{2}\$ 2.10	
trural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township Location Section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SW\$\darkq\$ NW\$\darkq\$ NW\$\darkq\$ 2.10	trural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township Location Section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SW\$\darkq\$ NW\$\darkq\$ NW\$\darkq\$ 2.10	trural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township Location Section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SW\$\darkq\$ NW\$\darkq\$ NW\$\darkq\$ 2.10	
trural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township Location Section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SW\$\darkq\$ NW\$\darkq\$ NW\$\darkq\$ 2.10	trural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township Location Section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SW\$\darkq\$ NW\$\darkq\$ NW\$\darkq\$ 2.10	trural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township Location Section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SW\$\darkq\$ NW\$\darkq\$ NW\$\darkq\$ 2.10	
titural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township Location Section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SW\$\frac{1}{2}\$ NW\$\frac{1}{2}\$ 2.10	titural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township Leave E or W. of Willametic Moridian Section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SM NM 2 2,10	titural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township Leave E or W. of Willametic Moridian Section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SM NM 2 2,10	
titural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township Leave E or W. of Willametic Moridian Section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SM NM 2 2,10	titural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township Leave E or W. of Willametic Moridian Section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SM NM 2 2,10	titural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township Leave E or W. of Willametic Moridian Section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SM NM 2 2,10	
titural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township Leave E or W. of Willametic Moridian Section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SM NM 2 2,10	titural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township Leave E or W. of Willametic Moridian Section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SM NM 2 2,10	titural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township Leave E or W. of Willametic Moridian Section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SM NM 2 2,10	
tural stream or stream channel, give the distance to the nearest point on each of such channels lifference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use 13. Location of area to be irrigated, or place of use 14. Nor S. Porty-acre Tract Number Acres To Be irrigated 25. SW 13.2E 21 SW 1. NW 1. 2.10	tural stream or stream channel, give the distance to the nearest point on each of such channels lifference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use 13. Location of area to be irrigated, or place of use 14. Nor S. Porty-acre Tract Number Acres To Be irrigated 25. SW 13.2E 21 SW 1. NW 1. 2.10	tural stream or stream channel, give the distance to the nearest point on each of such channels lifference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use 13. Location of area to be irrigated, or place of use 14. Nor S. Porty-acre Tract Number Acres To Be irrigated 25. SW 13.2E 21 SW 1. NW 1. 2.10	11 If the location of the ar
tural stream or stream channel, give the distance to the nearest point on each of such channels lifterence in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township Ronge E or W. of N. or S. Willamette Meridian Section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SW NY NY 2.00	tural stream or stream channel, give the distance to the nearest point on each of such channels lifterence in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township Ronge E or W. of N. or S. Willamette Meridian Section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SW NY NY 2.00	tural stream or stream channel, give the distance to the nearest point on each of such channels lifterence in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township Ronge E or W. of N. or S. Willamette Meridian Section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SW NY NY 2.00	11. If the location of the u
tural stream or stream channel, give the distance to the nearest point on each of such channels lifference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township Rorry E. or will answer to will answer the front of the section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SW NY NY 2.00	tural stream or stream channel, give the distance to the nearest point on each of such channels lifference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township Rorry E. or will answer to will answer the front of the section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SW NY NY 2.00	tural stream or stream channel, give the distance to the nearest point on each of such channels lifference in elevation between the stream bed and the ground surface at the source of developm. 12. Location of area to be irrigated, or place of use Township Rorry E. or will answer to will answer the front of the section Forty-acre Tract Number Acres To Be irrigated. 2N 32E 21 SW NY NY 2.00	11. If the location of the w
12. Location of area to be irrigated, or place of use Township Range Williametic Meridian Section Forty-acre Tract To Be irrigated 2N 32E 21 SWA NWA 2_010	12. Location of area to be irrigated, or place of use Township Range Williametic Meridian Section Forty-acre Tract To Be irrigated 2N 32E 21 SWA NWA 2_010	12. Location of area to be irrigated, or place of use Township Range Williametic Meridian Section Forty-acre Tract To Be irrigated 2N 32E 21 SWA NWA 2_010	
12. Location of area to be irrigated, or place of use Township Range Williametic Meridian Section Forty-acre Tract To Be irrigated 2N 32E 21 SWA NWA 2_010	12. Location of area to be irrigated, or place of use Township Range Williametic Meridian Section Forty-acre Tract To Be irrigated 2N 32E 21 SWA NWA 2_010	12. Location of area to be irrigated, or place of use Township Range Williametic Meridian Section Forty-acre Tract To Be irrigated 2N 32E 21 SWA NWA 2_010	
12. Location of area to be irrigated, or place of use Township New Willametic Meridian Section Forty-acre Tract To Be irrigated 2N 32E 21 SWA NWA 2_010	12. Location of area to be irrigated, or place of use Township New Willametic Meridian Section Forty-acre Tract To Be irrigated 2N 32E 21 SWA NWA 2_010	12. Location of area to be irrigated, or place of use Township New Willametic Meridian Section Forty-acre Tract To Be irrigated 2N 32E 21 SWA NWA 2_010	
12. Location of area to be irrigated, or place of use Township Range Williametic Meridian Section Forty-acre Tract To Be irrigated 2N 32E 21 SW NW NW 2-10	12. Location of area to be irrigated, or place of use Township Range Williametic Meridian Section Forty-acre Tract To Be irrigated 2N 32E 21 SW NW NW 2-10	12. Location of area to be irrigated, or place of use Township Range Williametic Meridian Section Forty-acre Tract To Be irrigated 2N 32E 21 SW NW NW 2-10	
12. Location of area to be irrigated, or place of use Township Nor S Willametic Meridian Section Forty-acre Tract To Be irrigated 2N 32E 21 SW NW N 2 2.10	12. Location of area to be irrigated, or place of use Township Nor S Willametic Meridian Section Forty-acre Tract To Be irrigated 2N 32E 21 SW NW N 2 2.10	12. Location of area to be irrigated, or place of use Township Nor S Willametic Meridian Section Forty-acre Tract To Be irrigated 2N 32E 21 SW NW N 2 2.10	
12. Location of area to be irrigated, or place of use Townstio Range Willamette Meridian Section Forty-acre Tract To Be irrigated 2N 32E 21 SW NW NV	12. Location of area to be irrigated, or place of use Townstio Range Willamette Meridian Section Forty-acre Tract To Be irrigated 2N 32E 21 SW NW NV	12. Location of area to be irrigated, or place of use Townstio Range Willamette Meridian Section Forty-acre Tract To Be irrigated 2N 32E 21 SW NW NV	tural stream or stream chang
12. Location of area to be irrigated, or place of use Township Range Range Williametic Moridian Section Porty-acre Tract To Be irrigated 2N 32E 21 SN NN NN 2-10	12. Location of area to be irrigated, or place of use Township Range Range Williametic Moridian Section Porty-acre Tract To Be irrigated 2N 32E 21 SN NN NN 2-10	12. Location of area to be irrigated, or place of use Township Range Range Williametic Moridian Section Porty-acre Tract To Be irrigated 2N 32E 21 SN NN NN 2-10	tural stream or stream chan
12. Location of area to be irrigated, or place of use Township N. or S. Willametic Meridian Section Forty-acre Tract To Be insignted 2N 32E 21 SM 1 NM 1 2,10	12. Location of area to be irrigated, or place of use Township N. or S. Willametic Meridian Section Forty-acre Tract To Be insignted 2N 32E 21 SM 1 NM 1 2,10	12. Location of area to be irrigated, or place of use Township N. or S. Willametic Meridian Section Forty-acre Tract To Be insignted 2N 32E 21 SM 1 NM 1 2,10	
12. Location of area to be irrigated, or place of use Township Range of Willamette Meridian Section Forty-acre Tract To Be Irrigated 2N 32E 21 SW NW 2 2,10	12. Location of area to be irrigated, or place of use Township Range of Willamette Meridian Section Forty-acre Tract To Be Irrigated 2N 32E 21 SW NW 2 2,10	12. Location of area to be irrigated, or place of use Township Range of Willamette Meridian Section Forty-acre Tract To Be Irrigated 2N 32E 21 SW NW 2 2,10	
12. Location of area to be irrigated, or place of use Township Range of Willamette Meridian Section Forty-acre Tract To Be Irrigated 2N 32E 21 Swit Nwit 2, 10	12. Location of area to be irrigated, or place of use Township Range of Willamette Meridian Section Forty-acre Tract To Be Irrigated 2N 32E 21 Swit Nwit 2, 10	12. Location of area to be irrigated, or place of use Township Range of Willamette Meridian Section Forty-acre Tract To Be Irrigated 2N 32E 21 Swit Nwit 2, 10	
12. Location of area to be irrigated, or place of use Township Range of Willamette Meridian Section Forty-acre Tract To Be Irrigated 2N 32E 21 Swit Nwit 2, 10	12. Location of area to be irrigated, or place of use Township Range of Willamette Meridian Section Forty-acre Tract To Be Irrigated 2N 32E 21 Swit Nwit 2, 10	12. Location of area to be irrigated, or place of use Township Range of Willamette Meridian Section Forty-acre Tract To Be Irrigated 2N 32E 21 Swit Nwit 2, 10	difference in elevation hetere
12. Location of area to be irrigated, or place of use Township N. or S. Williamotic Meridian Section Forty-acre Tract To Be Irrigated 2N 32E 21 SW NH 2 2,10	12. Location of area to be irrigated, or place of use Township N. or S. Williamotic Meridian Section Forty-acre Tract To Be Irrigated 2N 32E 21 SW NH 2 2,10	12. Location of area to be irrigated, or place of use Township N. or S. Williamotic Meridian Section Forty-acre Tract To Be Irrigated 2N 32E 21 SW NH 2 2,10	difference in elevation betwee
Township Range Section Forty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW NV 2 2.10	Township Range Section Forty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW NV 2 2.10	Township Range Section Forty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW NV 2 2.10	difference in elevation betwe
Township Range North Porty-are Tract Number Acres To Be Irrigated 2N 32E 21 SW N 2 2.10	Township Range North Porty-are Tract Number Acres To Be Irrigated 2N 32E 21 SW N 2 2.10	Township Range North Porty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW N 2 2.10	aijjerence in elevation betwee
Township Range North Porty-are Tract Number Acres To Be Irrigated 2N 32E 21 SW N 2 2.10	Township Range North Porty-are Tract Number Acres To Be Irrigated 2N 32E 21 SW N 2 2.10	Township Range North Porty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW N 2 2.10	difference in elebation octobe
Township Range Number Acres To Be Irrigated 2N 32E 21 SW N N T 2.10	Township Range Number Acres To Be Irrigated 2N 32E 21 SW N N T 2.10	Township Range Number Acres To Be Irrigated 2N 32E 21 SW N N T 2.10	
Township Range North Section Forty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW NV 2 2.10	Township Range North Section Forty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW NV 2 2.10	Township Range North Porty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW N 2 2.10	
Township Range Number Acres To Be Irrigated 2N 32E 21 SW NV 2 2.10	Township Range Number Acres To Be Irrigated 2N 32E 21 SW NV 2 2.10	Township Range North Porty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW N 2 2.10	
Township Range R own of Willamette Meridian Section Forty-acre Tract To Be Irrigated 2N 32E 21 SW NW 2 2.10	Township Range R own of Willamette Meridian Section Forty-acre Tract To Be Irrigated 2N 32E 21 SW NW 2 2.10	Township Range North Porty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW N 2 2.10	
Township Range Rock Section Forty-acre Tract Number Acres To Be irrigated 2N 32E 21 SW4 NW4 2.10	Township Range Rock Section Forty-acre Tract Number Acres To Be irrigated 2N 32E 21 SW4 NW4 2.10	Township Range Number Acres To Be Irrigated 2N 32E 21 SW N N T 2.10	
Township Range Number Acres To Be Irrigated 2N 32E 21 SW NW 2 2,10	Township Range Number Acres To Be Irrigated 2N 32E 21 SW NW 2 2,10	Township Range Number Acres To Be Irrigated 2N 32E 21 SW N N T 2.10	
Township Range Number Acres To Be Irrigated 2N 32E 21 SW NV 2 2.10	Township Range Number Acres To Be Irrigated 2N 32E 21 SW NV 2 2.10	Township Range North Porty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW N 2 2.10	
Township Range North Section Forty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW NV 2 2.10	Township Range North Section Forty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW NV 2 2.10	Township Range North Porty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW N 2 2.10	e gigagian dig dimbin an agasik dima pida piser di mananan di nanak an arek kalan 10. arek dibin arek di
Township Range North Section Forty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW NV 2 2.10	Township Range North Section Forty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW NV 2 2.10	Township Range North Porty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW N 2 2.10	ം ഇട്ടുകള് വേയിട്ടെയ്ക്കുന്ന പ്രത്യായിൽ വിവര്ഷ്ട് ഉവര്യ വിവര്ത്തിന്റെ അത്രിക്ക് വര്യ നിര്യ () വര്യ നിയ്ക്ക് വര്യ പ്രത്യായിൽ വിവര്ത്തിന്റെ പ്രത്യായിൽ വിവര്ത്തിന്റെ വര്ത്തിന്റെ അത്രിക്ക് വര്ത്തിന്റെ വര്യ വര്ത്തിന്റെ വര്യ വര്ത
Township Range North Section Forty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW NV 2 2.10	Township Range North Section Forty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW NV 2 2.10	Township Range North Porty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW N 2 2.10	
Township Range North Porty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW N 2 2.10	Township Range North Porty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW N 2 2.10	Township Range North Porty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW N 2 2.10	
Township Range North Section Forty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW NV 2 2.10	Township Range North Section Forty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW NV 2 2.10	Township Range North Porty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW N 2 2.10	
Township Range Number Acres To Be Irrigated 2N 32E 21 SW NV 2 2.10	Township Range Number Acres To Be Irrigated 2N 32E 21 SW NV 2 2.10	Township Range North Porty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW N 2 2.10	
Township Range North Section Forty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW NV 2 2.10	Township Range North Section Forty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW NV 2 2.10	Township Range North Porty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW N 2 2.10	
Township Range North Section Forty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW NV 2 2.10	Township Range North Section Forty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW NV 2 2.10	Township Range North Porty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW N 2 2.10	
Township Range North Section Forty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW NV 2 2.10	Township Range North Section Forty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW NV 2 2.10	Township Range North Porty-acre Tract Number Acres To Be Irrigated 2N 32E 21 SW N 2 2.10	**************************************
Township Range Rock Section Forty-acre Tract Number Acres To Be irrigated 2N 32E 21 SW4 NW4 2.10	Township Range Rock Section Forty-acre Tract Number Acres To Be irrigated 2N 32E 21 SW4 NW4 2.10	Township Range Number Acres To Be Irrigated 2N 32E 21 SW NV 2 2.10	
Township Range Number Acres To Be Irrigated 2N 32E 21 SW4 NW4 2.10	Township Range Number Acres To Be Irrigated 2N 32E 21 SW4 NW4 2.10	Township Range Number Acres To Be Irrigated 2N 32E 21 SW NW 2 2,10	
Township Range Number Acres To Be Irrigated 2N 32E 21 SW4 NW4 2.10	Township Range Number Acres To Be Irrigated 2N 32E 21 SW4 NW4 2.10	Township Range Number Acres To Be Irrigated 2N 32E 21 SW NW 2 2,10	
Township Range Number Acres To Be Irrigated 2N 32E 21 SW4 NW4 2.10	Township Range Number Acres To Be Irrigated 2N 32E 21 SW4 NW4 2.10	Township Range Number Acres To Be Irrigated 2N 32E 21 SW NW 2 2,10	
Township Range Number Acres To Be Irrigated 2N 32E 21 SW4 NW4 2.10	Township Range Number Acres To Be Irrigated 2N 32E 21 SW4 NW4 2.10	Township Range Number Acres To Be Irrigated 2N 32E 21 SW NW 2 2,10	e Shipiname e di Brean ref de prints d'accentente en entre en l'entre de la regione e que en entre en l'entre e
Township Range Number Acres To Be Izrgated 2N 32E 21 Swit Nwit 2,10	Township Range Number Acres To Be Izrgated 2N 32E 21 Swit Nwit 2,10	Township Range Number Acres Number Acres No Section Forty-acre Tract Number Acres To Be izrigated 2N 32E 21 SW NW 2 2,10	
Township Range Number Acres To Be largated 2N 32E 21 Swit Nwit 2,10	Township Range Number Acres To Be largated 2N 32E 21 Swit Nwit 2,10	Township Range Number Acres Number Acres No. or S. Willamette Meridian Section Forty-acre Tract To Be largated 2N 32E 21 SW4 NW4 2.10	
Township Range Number Acres To Be largated 2N 32E 21 Swit Nwit 2,10	Township Range Number Acres To Be largated 2N 32E 21 Swit Nwit 2,10	Township Range Number Acres Number Acres No. or S. Willamette Meridian Section Forty-acre Tract To Be largated 2N 32E 21 SW4 NW4 2.10	and the second s
Township Route Section Forty-acre Tract Number Acres To Be largated 2N 32E 21 SW4 NW4 2.10	Township Route Section Forty-acre Tract Number Acres To Be largated 2N 32E 21 SW4 NW4 2.10	Township Range Number Acres To Be lurgated 2N 32E 21 SW4 NW4 2.10	12. Location of area to be
Township N. or S. Wilamette Meridian Section Forty-acre Tract To Be inrigated 2N 32E 21 SW4 NW4 2,10	Township N. or S. Wilamette Meridian Section Forty-acre Tract To Be inrigated 2N 32E 21 SW4 NW4 2,10	Township N. or S. Wilamette Meridian Section Forty-acre Tract To Be irrigated 2N 32E 21 SW N 2 2,10	12. Location of area to be
Township N. or S. Wilamette Meridian Section Forty-acre Tract To Be Iurigated 2N 32E 21 SW4 NW4 2,10	Township N. or S. Wilamette Meridian Section Forty-acre Tract To Be Iurigated 2N 32E 21 SW4 NW4 2,10	Township N. or S. Wilamette Meridian Section Forty-acre Tract To Be Irrigated 2N 32E 21 SW4 NW4 2,10	
N. cr. S. Willametic Meridian Section Forty-acre Tract To Be larguated 2N 32E 21 SW4 NW4 2.10	N. cr. S. Willametic Meridian Section Forty-acre Tract To Be larguated 2N 32E 21 SW4 NW4 2.10	N. cr. S. Willametic Meridian Section Forty-acre Tract To Be larguated 2N 32E 21 SW4 NW4 2.10	
N. or S. Willamette Meridian Section Forty-acre Tract To Be largated 2N 32E 21 SW NW 2 2.10	N. or S. Willamette Meridian Section Forty-acre Tract To Be largated 2N 32E 21 SW NW 2 2.10	N. or S. Willamette Meridian Section Forty-acre Tract To Be largated 2N 32E 21 SW NW 2 2.10	Township E. or W. of
			2N 201
			2N 32E
(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	A STATE OF THE PARTY OF THE PAR
(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	
(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	
(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	
(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	
(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	
(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	
(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	
(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	THE PARTY CANADA AND ADDRESS OF THE PARTY OF
(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	
(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	
(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	
(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	AND AND THE PROPERTY OF THE PR
(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	1
(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	•
(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	
(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	
(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	
(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	
(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	
(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	
(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	
(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	
(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	
(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	
(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	
(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	
(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	
(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	
(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	
(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	
(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	
(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	
(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	
(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	
(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	
(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	
(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	
(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	
(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	
(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	
(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	(If more space required, attach separate sheet)	

STATE OF OREGON,
County of Marion,

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

					\$A		to beneficial us
nd shall not ex	cceed 0.	03 cubic	feet per sec	ond meas	ured at the p	ooint of diversi	on from the we
r source of app	propriation, o	r its equivaler	nt in case o	f rotation	with other	water users, fr	om a well
t of Maria and the antidates are supported to the constraint of th	THE PARTY OF THE STATE OF THE S	end fight a server's primer by the server consistency of the server of t		v V v . + f f T + er har + g val	*******************	***************************************	- 4 - 2 d
The use t	o which this	water is to be	applied is	irrig	ation		
en e	Helm Anne Mad ў Ora diver seg verses a kad v		**************************************			•	•••••••••••••••••••••••••••••••••••••••
If for irri	gation, this a	ppropriation s	hall be lim	ited to	1/80th	of one cubic	foot per second
its equivalen	t for each ac	re irrigated an	id shall be	further li	mited to a d	iversion of not	to exceed3
m (s. 50 m)	* * * * * * * * * * * * * * * * * * * *						
ক্ৰিয়ালুক্ত স্থাপান ক ভালে ক্ৰিয়ালু কৰি কৰে কৰু তথ	(And make the second sound sound sound sound sound second	****************			******		
	(P)	2000 km # # 200 k km # k k k k k k k k k k k k k k k k					
gradiana a arata interna a menjarah anggarah anggarah anggarah anggarah anggarah anggarah anggarah anggarah ang	电影线电话的 化甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基						
i karigi gi diga di mangani gi di dada na di aju a ya a ya	a digita di acardida di dia kada anda anda di ingga digita	1751 IAATTHAREATAAAAAAAAAAA		- 	1		
में के ब्लॉक्टिक का ब्लास्ट्रिक्ट कर बहुत की का क्षेत्र के प्राप्त के का कि का कि का कि का कि का कि	**************************************	*****************	***************************************				•••••••••••••••••
	ў. Сме н амыя каменыя умеленама в) 			***************************************	***************************************	•••••
The work, adequate t The perm	s constructed o determine ittee shall in	water level e stall and main	l control va an air line levation in tain a wei	and pres the well r, meter,	event the wa sure gauge o at all times. or other su	r an access por	rt for measuring
The work , adequate t The perm Il keep a con The priori	s constructed o determine ittee shall in nplete record ty date of thi	l shall include water level e stall and main l of the amoun s permit is	l control va an air line elevation in stain a wein at of groun Septembe	lve to pres and pres the well r, meter, d water v	event the wa sure gauge of at all times. or other su withdrawn.	r an access por	t for measuring
The work, adequate t The perm I keep a con The priori Actual con	s constructed o determine ittee shall in nplete record ty date of thi astruction wo	shall include water level e stall and main of the amount spermit is	l control va an air line elevation in stain a weight of groun Septembe	lve to pres and pres the well r, meter, d water ver 20, 19	event the wasure gauge of at all times. or other suvithdrawn.	r an access por itable measure	t for measuring ing device, andand shall
The work, adequate the The permit when the priori and Actual contents of the priori and the prio	s constructed o determine ittee shall in nplete record ty date of thi astruction wo osecuted with	I shall include water level e stall and main of the amount spermit is	l control va an air line devation in tain a wein at of groun Septembe on or befor diligence a	lve to pres and pres the well r, meter, d water v r 20, 19 re	event the wasure gauge of at all times. or other suvithdrawn. January npleted on o	r an access por itable measuring the second	t for measuring ing device, and and shall ber 1, 1978
The work, adequate to The permit keep a contract The prioric Actual contester be proceeded.	s constructed o determine ittee shall in applete record ty date of this struction wo osecuted with application of	I shall include water level e stall and main of the amount of the same of the same of the water to	l control va an air line elevation in stain a wein at of groun Septembe on or befor diligence as the propose	lve to pres and pres the well r, meter, d water ver 20, 19	event the wasure gauge of at all times. or other suvithdrawn. January npleted on o	r an access por itable measuring the second	t for measuring ing device, andand shall
The work, adequate to The permit keep a contract The prioric Actual contester be proceeded.	s constructed o determine ittee shall in applete record ty date of this struction wo osecuted with application of	I shall include water level e stall and main of the amount spermit is	l control va an air line elevation in stain a wein at of groun Septembe on or befor diligence as the propose	lve to pres and pres the well r, meter, d water ver 20, 19	event the wasure gauge of at all times. or other suvithdrawn. January npleted on o	r an access por itable measured at the second of the secon	t for measuring ing device, and and shall ber 1, 1978
The work, adequate to The permit keep a contract The prioric Actual contester be proceeded.	s constructed o determine ittee shall in applete record ty date of this struction wo osecuted with application of	I shall include water level e stall and main of the amount of the same of the same of the water to	l control va an air line elevation in stain a wein at of groun Septembe on or befor diligence as the propose	lve to pre and pres the well r, meter, d water ver 20, 19	went the wasure gauge of at all times. or other survithdrawn. The survithdrawn. The survithdrawn of the	r an access por itable measured at the second of the secon	t for measuring ing device, and and shall ber 1, 1978
The work , adequate t The perm ll keep a con The priori Actual con reafter be pri Complete	s constructed o determine ittee shall in applete record ty date of this struction wo osecuted with application of	shall include water level e stall and main of the amount of the amount spermit is	l control va an air line elevation in stain a wein at of groun Septembe on or befor diligence as the propose	lve to pre and pres the well r, meter, d water ver 20, 19	went the wasure gauge of at all times. or other survithdrawn. The survithdrawn. The survithdrawn of the	r an access por itable measured at the second of the secon	t for measuring ing device, and and shall ber 1, 1978
The work , adequate t The perm ll keep a con The priori Actual con reafter be pri Complete	s constructed o determine ittee shall in nplete record ty date of this struction wo osecuted with application of my hand this	shall include water level e stall and main of the amount of the amount spermit is	l control va an air line elevation in tain a wein it of groun Septembe on or befor diligence as the propose lay of	lve to pre and pres the well r, meter, d water ver 20, 19	went the wasure gauge of at all times. or other survithdrawn. The survithdrawn. The survithdrawn of the	r an access por itable measured at the section of t	and shall ber 1, 19.79
The work , adequate t The perm Il keep a con The priori Actual con eafter be pri Complete WITNESS	s constructed o determine ittee shall in nplete record ty date of this struction wo osecuted with application of my hand this	shall include water level e stall and main of the amount of the amount spermit is	l control va an air line elevation in tain a wein it of groun Septembe on or befor diligence as the propose lay of	lve to pre and pres the well r, meter, d water ver 20, 19	went the wasure gauge of at all times. or other survithdrawn. The survithdrawn. The survithdrawn of the	r an access por itable measured at the section of t	and shall ber 1, 19.79
The work, adequate to The permit keep a com The priorit Actual concessive to proceed the WITNESS	s constructed o determine ittee shall in nplete record ty date of this struction wo osecuted with application of my hand this	shall include water level e stall and main of the amount of the amount spermit is	control va an air line levation in tain a wein t of groun Septembe on or before diligence as the proposed lay of	lve to pre and pres the well r, meter, d water ver 20, 19	went the wasure gauge of at all times. or other survithdrawn. The survithdrawn. The survithdrawn of the	r an access por itable measured at 12, 1977 or before October or b	and shall ber 1, 1978
The work adequate t The perm ll keep a con The priori Actual con reafter be pri Complete WITNESS	s constructed o determine ittee shall in nplete record ty date of thi astruction wo osecuted wit application of my hand thi	shall include water level e stall and main of the amount of the amount spermit is	l control va an air line elevation in tain a wein it of groun Septembe on or befor diligence as the propose lay of	lve to pre and pres the well r, meter, d water ver 20, 19	went the wasure gauge of at all times. or other survithdrawn. The survithdrawn. The survithdrawn of the	r an access por itable measured at 12, 1977 or before October or b	t for measuring ing device, and and shall ber 1, 1978
The work and a dequate to the permit in the permit in the priori in the	s constructed o determine ittee shall in applete record ty date of this struction wo osecuted with application of my hand this way hand the	shall include water level e stall and main of the amount of the amount spermit is	control va an air line levation in tain a wein it of groun Septembe on or befor diligence a the propose lay of	lve to pre and pres the well r, meter, d water ver 20, 19	went the wasure gauge of at all times. or other survithdrawn. The survithdrawn. The survithdrawn of the	r an access por itable measuring table measuri	and shall ber 1, 19.79
The work adequate t The perm ll keep a con The priori Actual con reafter be pri Complete WITNESS	s constructed o determine ittee shall in applete record ty date of this struction wo osecuted with application of my hand this way hand the	shall include water level e stall and main of the amount of the amount spermit is	control va an air line levation in tain a wein it of groun Septembe on or befor diligence a the propose lay of	lve to pres and pres the well r, meter, d water very consider the well record water very condition to the condition of the co	went the wasure gauge of at all times. or other survithdrawn. The survithdrawn. The survithdrawn of the	r an access por itable measuring table measuri	and shall ber 1, 19.79
The work adequate t The perm ll keep a con The priori Actual con cafter be pri Complete WITNESS	s constructed o determine ittee shall in applete record ty date of this struction wo osecuted with application of my hand this way hand the	shall include water level e stall and main of the amount of the amount spermit is	control va an air line levation in tain a wein it of groun Septembe on or befor diligence a the propose lay of	lve to pres and pres the well r, meter, d water very consider the well record water very condition to the condition of the co	went the wasure gauge of at all times. or other survithdrawn. The survithdrawn. The survithdrawn of the	r an access por itable measuring table measuri	and shall ber 1, 19.79
The work adequate t The perm ll keep a con The priori Actual con reafter be pri Complete WITNESS	s constructed o determine ittee shall in applete record ty date of this struction wo osecuted with application of my hand this my hand the	shall include water level e stall and main of the amount spermit is	control va an air line levation in tain a wein it of groun Septembe on or befor diligence and the proposed lay of	lve to pre and pres the well r, meter, d water ver 20, 19	went the wasure gauge of at all times. or other survithdrawn. The survithdrawn. The survithdrawn of the	r an access por itable measured at the section of t	and shall ber 1, 1978