

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, _____ ft.; size at intake _____ in.; in size at _____ ft. from intake _____ in.; size at place of use _____ in.; difference in elevation between intake and place of use, _____ ft. Is grade uniform? _____ Estimated capacity, _____ sec. ft.

10. If pumps are to be used, give size and type _____ Shallow well pump.

Give horsepower and type of motor or engine to be used _____ Electric motor - 15 H.P.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development
 Along Labish drainage ditch; stream bed prox. 8 feet below well top.

12. Location of area to be irrigated, or place of use _____

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
6S	2W	29	SW 1/4 NE 1/4 Sec. 29	1.61
6S	2W	29	NW 1/4 SE 1/4 Sec. 29	10.55
				12.16

(If more space required, attach separate sheet)

Character of soil _____ Peat

Kind of crops raised _____ Onions & row crops.

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$..... 3,500.00
- 15. Construction work will begin on or before June 18, 1974
- 16. Construction work will be completed on or before July 10, 1974
- 17. The water will be completely applied to the proposed use on or before July 10, 1974

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

RONALD E. JONES
by Ronald E. Jones, Jr.
(Signature of applicant)

Remarks: This property is in the Estate of Ronald E. Jones; the application is being made by Ronald E. Jones, Jr., personal representative. Probate #27161.

The distribution system is to be portable.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before December 31....., 1974..

RECEIVED
NOV 4 1974
STATE ENGINEER
SALEM, OREGON

WITNESS my hand this 31st..... day of October....., 1974..

CHRIS L. WHEELER
Thomas E. Shook
By
Thomas E. Shook ASSISTANT

STATE ENGINEER

ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.15 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Well No. 1842

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is September 30, 1974

Actual construction work shall begin on or before January 12, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1978

Complete application of the water to the proposed use shall be made on or before October 1, 1979.

WITNESS my hand this 12th day of January, 1976

James E. ...
WATER RESOURCES DIRECTOR STATE ENGINEER

Application No. G-6676
Permit No. G-6228
PERMIT
TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON
This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 30th day of September, 1974, at 11:15 o'clock A. M.
Returned to applicant:
Approved:
Recorded in book No. of Ground Water Permits on page G-6228
STATE ENGINEER
Drainage Basin No. 2 page 132